

**Philips 1000
series
27E1N1800AE/00
computer
monitor 68.6 cm
(27) 3840 x
2160 pixels 4K
Ultra HD LED
Black**



Model: 27E1N1800AE/00

Manufacturer: PHILIPS

EAN: 8712581805777

Product Code: 298960

R4,035

Response time measurement type: GTG (Gray to Gray) | Warnings: Place the monitor on a flat and stable surface to avoid tipping and damage. | Warnings: Unplug the monitor from the power source before cleaning. | Warnings: Do not disassemble the monitor casing to avoid risk of electric shock. | Energy efficiency class (SDR): F | Doesn't contain: PVC/BFR | Compliance certificates: EMF | Energy consumption (SDR) per 1000 hours: 26 kWh | Adaptive synchronisation: Yes | Compliance certificates: RoHS | Compliance certificates: CE | Compliance certificates: TÜV mark | European

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Product Registry for Energy Labelling (EPREL) code: 1946911 | Compliance certificates: CB | Compliance certificates: EAC | Doesn't contain: Mercury | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: ICES | Compliance certificates: UKCA | Adjustable height (max): 10 cm | Energy efficiency class (HDR): G | Energy consumption (HDR) per 1000 hours: 37 kWh | Tilt angle range: -5 - 20° | LED backlight: Yes | Display brightness (typical): 350 cd/m² | Product colour: Black | Display diagonal: 68.6 cm (27") | Native aspect ratio: 16:9 | AC input voltage: 100 - 240 V | Width (with stand): 613 mm | Display resolution: 3840 x 2160 pixels | AC input frequency: 50/60 Hz | Power consumption (off): 0.3 W | Cable lock slot: Yes | On Screen Display (OSD): Yes | Viewable size, horizontal: 59.8 cm | VESA Adaptive Sync support: Yes | HDMI version: 2.0 | Tilt adjustment: Yes | HDCP: Yes | Package depth: 160 mm | Storage temperature (T-T): -20 - 60 °C | Display technology: LED | HD type: 4K Ultra HD | Height adjustment: Yes | Depth (with stand): 220 mm | Headphone outputs: 1 | Operating temperature (T-T): 0 - 40 °C | Power consumption (typical): 27.24 W | Viewing angle, horizontal: 178° | Response time: 4 ms | DisplayPorts quantity: 1 | Manual: Yes | Cable lock slot type: Kensington | Vertical scan range: 40 - 60 Hz | Component video sync: Separate Sync | VESA mounting: Yes | Package width: 780 mm | Built-in USB hub: No | Low Blue Light technology: Yes | Backlight type: W-LED | Screen shape: Flat | Panel type: IPS | Power consumption (standby): 0.5 W | High Dynamic Range (HDR) technology: High Dynamic Range 10 (HDR10) | Display number of colours: 1.07 billion colours | Power supply type: Internal | Package weight: 8.4 kg | Pixel pitch: 0.1554 x 0.1554 mm | Panel mounting interface: 100 x 100 mm | Height (with stand): 492 mm | Viewable size, vertical: 33.6 cm | DisplayPort version: 1.4 | Horizontal scan range: 30 - 140 kHz | HDMI ports quantity: 2 | Cables included: HDMI | Package height: 447 mm | Touchscreen: No | Cables included: AC | Viewing angle, vertical: 178° | Contrast ratio (typical): 1000:1 | DDC/CI: Yes | On Screen Display (OSD) languages: English | On Screen Display (OSD) languages: Simplified Chinese | On Screen Display (OSD) languages: Swedish | On Screen Display (OSD) languages: Hungarian | On Screen Display (OSD) languages: German | On Screen Display (OSD) languages: Italian | On Screen Display (OSD) languages: Dutch | Width (without stand): 613 mm | On Screen Display (OSD) languages: Japanese | On Screen Display (OSD) languages: Portuguese | On Screen Display (OSD) languages: Greek | On Screen Display (OSD) languages: Polish | Maximum refresh rate: 60 Hz | Number of speakers: 2 | On Screen Display (OSD) languages: Russian | On Screen Display (OSD) languages: Czech | Number of OSD languages: 21 | On Screen Display (OSD) languages: Ukrainian | On Screen Display (OSD) languages: Finnish | Stand included: Yes | On Screen Display (OSD) languages: Turkish | Headphone out: Yes | Built-in speaker(s): Yes | Built-in camera: No | Dynamic contrast ratio marketing name: Mega Infinity DCR | Height (without stand): 365 mm | On Screen Display (OSD) languages: Spanish | On Screen Display (OSD) languages:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Traditional Chinese | On Screen Display (OSD) languages: French | On Screen Display (OSD) languages: Korean | Weight (with stand): 5.69 kg | Depth (without stand): 54 mm | High Dynamic Range (HDR) supported: Yes | AMD FreeSync: No | Pixel density: 163.18 ppi | Energy efficiency scale: A to G | HDMI: Yes | HDCP version: 1.4/2.2 | Weight (without stand): 3.92 kg | RMS rated power: 4 W

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950