

## **AOC B3 24B3CF2 computer monitor 60.5 cm (23.8) 1920 x 1080 pixels Full HD LED Black**



Model: 24B3CF2

Manufacturer: AOC

EAN: 4038986141437

Product Code: 299431

## **R2,395**

Certification: WEEE, REACH compliant, RoHS compliant, CB, TUV-Bauart-Mark, ISO 9241-307, EAC, FCC |  
Warnings: Do not disassemble the monitor casing to avoid risk of electric shock. | Warnings: Unplug  
the monitor from the power source before cleaning. | Adjustable height (max): 11 cm | Warnings:  
Place the monitor on a flat and stable surface to avoid tipping and damage. | Low input lag: No |  
Built-in KVM switch: No | Mean time between failures (MTBF): 30000 h | Headphone out: Yes | Pixel  
density: 93 ppi | Energy efficiency class (HDR): E | Warranty period: 3 year(s) | Depth (without  
stand): 44.6 mm | Height (without stand): 316.2 mm | Frameless design: Yes | Fast charging: Yes |  
Energy efficiency class (SDR): E | Local dimming: Yes | Haze rate: 25% | Front bezel colour: Black |  
DCI-P3 coverage: 81.6% | HDMI cable length: 1.5 m | Feet colour: Black | Energy consumption (SDR)  
per 1000 hours: 18 kWh | Stand included: Yes | Energy consumption (HDR) per 1000 hours: 18 kWh |  
Maximum refresh rate: 120 Hz | VESA Adaptive Sync support: Yes | Energy efficiency scale: A to G |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or  
typographical errors. We recommend checking the current information before purchasing.

High Dynamic Range (HDR) supported: Yes | sRGB coverage (typical): 102.5% | Response time measurement type: GTG (Gray to Gray) | Response time (MPRT): 1 ms | Fast charging technology: Power Delivery | Detachable stand: Yes | USB Power Delivery (USB PD): Yes | HDMI: Yes | Adobe RGB coverage: 87.8% | USB Power Delivery up to: 65 W | BT.2020 coverage: 59.5% | HDCP version: 1.4 | Low Blue Light technology: Yes | Surface hardness: 3H | Anti-glare screen: Yes | Flicker-free technology: Yes | USB Type-C downstream ports quantity: 1 | Width (without stand): 542.4 mm | USB Type-A downstream ports quantity: 2 | AC (power) in: Yes | NTSC coverage (typical): 89.4% | European Product Registry for Energy Labelling (EPREL) code: 1840166 | Power adapter included: Yes | USB Type-C DisplayPort Alternate Mode: Yes | Weight (without stand): 3.04 kg | Tilt adjustment: Yes | Market positioning: Home | Power consumption (typical): 30 W | Display technology: LED | Panel type: IPS | On Screen Display (OSD): Yes | Weight (with stand): 4.56 kg | HDMI version: 1.4 | Ethernet LAN: No | Display diagonal (metric): 60.5 cm | Built-in USB hub: Yes | DVI port: No | Headphone connectivity: 3.5 mm | Built-in camera: No | Headphone outputs: 1 | Built-in speaker(s): Yes | Power supply type: Internal | Cables included: HDMI | Number of OSD languages: 19 | USB hub version: 3.2 Gen 1 (3.1 Gen 1) | Plug and Play: Yes | Cables included: USB Type-C to USB Type-C | Touchscreen: No | Backlight type: W-LED | On Screen Display (OSD) languages: Spanish | On Screen Display (OSD) languages: Croatian | On Screen Display (OSD) languages: Polish | Microphone in: No | RMS rated power: 4 W | Package height: 519 mm | Number of speakers: 2 | On Screen Display (OSD) languages: Simplified Chinese | On Screen Display (OSD) languages: Swedish | On Screen Display (OSD) languages: English | On Screen Display (OSD) languages: Ukrainian | On Screen Display (OSD) languages: Finnish | Height adjustment: Yes | On Screen Display (OSD) languages: Japanese | On Screen Display (OSD) languages: Portuguese | On Screen Display (OSD) languages: German | On Screen Display (OSD) languages: Italian | On Screen Display (OSD) languages: Dutch | Pivot: No | Cables included: AC | USB upstream port type: USB Type-A | Audio input: No | On Screen Display (OSD) languages: Traditional Chinese | On Screen Display (OSD) languages: French | On Screen Display (OSD) languages: Korean | Contrast ratio (typical): 1500:1 | On Screen Display (OSD) languages: Turkish | VESA mounting: Yes | Panel mounting interface: 100 x 100 mm | HDMI ports quantity: 1 | DDC/CI: Yes | On Screen Display (OSD) languages: Russian | On Screen Display (OSD) languages: Czech | Viewable size, horizontal: 52.7 cm | Power consumption (standby): 0.5 W | Swivelling: No | Viewable size, vertical: 29.6 cm | Doesn't contain: PVC/BFR | Doesn't contain: Mercury | LED backlight: Yes | Display diagonal: 60.5 cm (23.8") | Display resolution: 1920 x 1080 pixels | AC input frequency: 50/60 Hz | Depth (with stand): 229.8 mm | Windows operating systems supported: Windows 11 | Height (with stand): 469.9 mm | LED indicators: Operation | Power consumption (off): 0.3 W | LED indicators: Stand-by | Package type: Box | Product colour: Black |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

Display brightness (typical): 250 cd/m<sup>2</sup> | Native aspect ratio: 16:9 | Charging port type: USB Type-C | Tilt angle range: -5 - 23° | Contrast ratio (dynamic): 20000000:1 | Viewing angle, horizontal: 178° | Package depth: 162 mm | Package width: 613 mm | Package weight: 7.04 kg | Windows operating systems supported: Windows 8.1 | Screen shape: Flat | HDCP: Yes | HD type: Full HD | Windows operating systems supported: Windows 10 | Viewing angle, vertical: 178° | AC input voltage: 100 - 240 V | Cable lock slot type: Kensington | Width (with stand): 542.4 mm | Cable lock slot: Yes | Pixel pitch: 0.2745 x 0.2745 mm | Power consumption (max): 130 W | Response time: 4 ms | Built-in microphone: No | Display number of colours: 16.7 million colours

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950