

Philips V Line 222V8LA/00 computer monitor 54.6 cm (21.5) 1920 x 1080 pixels Full HD LCD Black



Model: 222V8LA/00

Manufacturer: PHILIPS

EAN: 8712581771690

Product Code: 299701

R1,745

Certification: UKRAINIAN, CB, TUV/GS, TUV Ergo, CU-EAC, EAEU RoHS, CE Mark | Display diagonal: 54.6 cm (21.5") | Tilt angle range: -5 - 20° | Mac operating systems supported: Mac OS X 10.6 Snow Leopard | Mac operating systems supported: Mac OS X 10.4 Tiger | Mac operating systems supported: Mac OS X 10.2 Jaguar | Mac operating systems supported: Mac OS X 10.11 El Capitan | Mac operating systems supported: Mac OS X 10.5 Leopard | Screen shape: Flat | Display brightness (typical): 250 cd/m² | NVIDIA G-SYNC: No | Viewing angle, horizontal: 178° | Product colour: Black | Depth (with stand): 220 mm | Mac operating systems supported: Mac OS X 10.8 Mountain Lion | Mac operating systems supported: Mac OS X 10.1 Puma | Power consumption (off): 0.3 W | Mac operating systems supported: Mac OS X 10.10 Yosemite | Mac operating systems supported: Mac OS X 10.9

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Mavericks | Mac operating systems supported: Mac OS X 10.3 Panther | Mac operating systems supported: Mac OS X 10.0 Cheetah | HD type: Full HD | Response time: 4 ms | Operating temperature (T-T): 0 - 40 °C | DisplayPorts quantity: 1 | LED indicators: Stand-by | Mac operating systems supported: Mac OS X 10.7 Lion | Operating relative humidity (H-H): 20 - 80% | Native aspect ratio: 16:9 | LED indicators: Operation | Display resolution: 1920 x 1080 pixels | AC input frequency: 50/60 Hz | DC-in jack: Yes | Package depth: 111 mm | DisplayPort version: 1.2 | Height (with stand): 416 mm | Pixel pitch: 0.2493 x 0.241 mm | Aspect ratio: 16:9 | Package width: 565 mm | Cable lock slot type: Kensington | AC input voltage: 100 - 240 V | Width (with stand): 540 mm | Operating altitude: 0 - 3658 m | Windows operating systems supported: Windows 8 | Package weight: 3.87 kg | Storage temperature (T-T): -20 - 60 °C | Windows operating systems supported: Windows 8.1 | Windows operating systems supported: Windows 7 | Viewing angle, vertical: 178° | Windows operating systems supported: Windows 10 | Display number of colours: 16.7 million colours | Cable lock slot: Yes | On Screen Display (OSD) languages: Spanish | On Screen Display (OSD) languages: Ukrainian | On Screen Display (OSD) languages: Finnish | On Screen Display (OSD) languages: Polish | Backlight type: W-LED | On Screen Display (OSD) languages: Greek | Mac operating systems supported: Mac OS X 10.13 High Sierra | On Screen Display (OSD) languages: Japanese | Mac operating systems supported: Mac OS X 10.12 Sierra | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Digital vertical frequency: 48 - 75 Hz | On Screen Display (OSD) languages: Turkish | Mac operating systems supported: Mac OS X 10.14 Mojave | On Screen Display (OSD) languages: Portuguese | Cables included: AC | Display diagonal (metric): 54.6 cm | HDMI version: 1.4 | Power consumption (typical): 13.3 W | Sustainability certificates: RoHS | Built-in USB hub: No | DVI port: No | On Screen Display (OSD) languages: English | On Screen Display (OSD) languages: German | On Screen Display (OSD) languages: Italian | On Screen Display (OSD) languages: Dutch | Display technology: LCD | On Screen Display (OSD) languages: Simplified Chinese | On Screen Display (OSD) languages: Swedish | On Screen Display (OSD) languages: Hungarian | Package height: 440 mm | Sustainability certificates: ENERGY STAR | Sustainability certificates: TCO | VESA mounting: Yes | Power consumption (standby): 0.5 W | Manual: Yes | Contrast ratio (typical): 3000:1 | On Screen Display (OSD): Yes | On Screen Display (OSD) languages: Traditional Chinese | On Screen Display (OSD) languages: French | On Screen Display (OSD) languages: Korean | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | On Screen Display (OSD) languages: Russian | On Screen Display (OSD) languages: Czech | Panel mounting interface: 100 x 100 mm | Viewable size, horizontal: 47.9 cm | Digital horizontal frequency: 30 - 85 kHz | Cables included: HDMI | Panel type: VA | HDMI ports quantity: 1.4 | Height adjustment: No | Viewable size, vertical: 26 cm | DDC/CI: Yes | LowBlue mode: Yes | Built-in camera: No | Tilttable:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Y | Number of speakers: 2 | Picture enhancement: SmartImage | Height (without stand): 322 mm | Pixel density: 102 ppi | AMD FreeSync: No | Mean time between failures (MTBF): 50000 h | EasyRead mode: Yes | Number of OSD languages: 21 | Width (without stand): 540 mm | Dynamic contrast ratio marketing name: Mega Infinity DCR | Sync-on-green (SOG): Yes | Maximum refresh rate: 75 Hz | Plug and Play: Yes | Stand included: Yes | Built-in speaker(s): Yes | Headphone out: Yes | HDMI: Yes | Display sRGB: Yes | Weight (with stand): 2.79 kg | Weight (without stand): 2.4 kg | Audio input: No | Non-operating altitude: 0 - 12192 m | PC Audio in: Yes | Low Blue Light technology: Yes | Component video sync: Sync-on-green (SOG) | Flicker-free technology: Yes | Packaging recyclability rate: 100% | Component video sync: Separate Sync | Heavy metals free: Pb (lead) | Heavy metals free: Hg (mercury) | Depth (without stand): 46 mm | Surface hardness: 3H | RMS rated power: 2 W | Energy efficiency class (SDR): E

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950