

## HP Series 3 Pro 27 inch FHD Monitor - 327pe



Model: B1GM6AA

Manufacturer: HEWLETT-PACKARD

EAN: 198828385178

Product Code: 299822

## R2,997

Bundled software: HP Display Center HP Client Management Script Library | Box contents: Monitor HDMI cable Warranty card AC power cable Quick Setup Poster | Certification: Australian-New Zealand MEPS BIS BSMI CB CCC CE cTUVus EAC FCC ICES ISO 9241-307 KC KCC NOM PSB TUV Bauart TUV-S VCCI Vietnam MEPS WEEE ISC Low blue light South Africa Energy Mexico Energy NRCS of South Africa UAE ECAS UAE RoHS Ukraine NSoC Flicker free | Manufacturer warranty: HP three-year limited warranty | General Product Safety Regulation (GPSR) URL: <https://support.hp.com/gb-en/product/setup-user-guides/hp-deskjet-2700-all-in-one-printer-series/model/31598160?sku=5AR83B&serialnumber=5AR83B> | Built-in speaker(s): Yes | Backlight type: Edge LED | Viewable size, vertical: 33.6 cm | Adjustable height (max): 10 cm | Feet colour: Black | Power consumption (standby): 0.5 W | Power supply type: Internal | Pivot: Yes | Energy consumption (SDR) per 1000 hours: 17 kWh | Height adjustment: Yes | Warranty card: Yes | Depth (without stand): 56.6 mm | Maximum refresh rate: 100 Hz | Height (without stand): 364.2 mm | Warnings: Place the monitor on a flat and stable surface to avoid tipping and damage. | Weight (with stand): 6.5 kg | Warnings: Do not disassemble the monitor casing to avoid risk of electric shock. | Swivelling: Yes | Warnings: Unplug the monitor from the power source before cleaning. | Total carbon emissions, w/o use phase

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

(kg of CO2e): 4 | VGA (D-Sub) ports quantity: 1 | Swivel angle range: -30 - 30° | Response time measurement type: GTG (Gray to Gray) | VESA mounting: Yes | On Screen Display (OSD): Yes | Number of speakers: 2 | Total carbon footprint (kg of CO2e): 40 | Flicker-free technology: Yes | UNSPSC-code: 43211902 | Touchscreen: No | Viewable size, horizontal: 59.8 cm | Colour gamut standard: NTSC | Display technology: LCD | HP GTIN (EAN/UPC): 888182569252, 888182569351 | Built-in camera: No | Carbon emissions, manufacturing (kg of CO2e): 30 | Width (without stand): 611.9 mm | Carbon emissions, end-of-life (kg of CO2e): 2 | Contrast ratio (typical): 1300:1 | Tilt adjustment: Yes | RMS rated power: 4 W | Colour gamut: 72% | Display diagonal (metric): 68.6 cm | Sustainability certificates: EPEAT | European Product Registry for Energy Labelling (EPREL) code: 2232837 | Sustainability certificates: ENERGY STAR | Sustainability certificates: TCO | Compliance certificates: CCC | Compliance certificates: RoHS | Compliance certificates: CE | Compliance certificates: CB | Compliance certificates: EAC | Compliance certificates: BSMI | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: BIS | Carbon emissions, logistics (kg of CO2e): 2 | Energy efficiency class (HDR): Not available | Display brightness: 250 cd/m<sup>2</sup> | Market positioning: Business | Panel type: IPS | Energy efficiency class (SDR): D | HDMI: Yes | Panel mounting interface: 100 x 100 mm | Non-operating altitude: 0 - 12192 m | Energy efficiency scale: A to G | Low Blue Light technology: Yes | HP segment: Business | Surface hardness: 3H | NTSC coverage (typical): 72% | Weight (without stand): 4.1 kg | Colour name: Black | Haze rate: 25% | Pixel density: 81 ppi | Detachable stand: Yes | Colour depth: 6 bit | Anti-glare screen: Yes | Package weight: 9.7 kg | Power consumption (off): 0.3 W | Display surface: Matt | Weight: 6.5 kg | LED backlight: Yes | Response time: 5 ms | Supported graphics resolutions: 1680 x 1050 (WSXGA+) | Supported graphics resolutions: 1280 x 1024 (SXGA) | DisplayPorts quantity: 1 | Supported graphics resolutions: 1280 x 720 (HD 720) | Display diagonal: 68.6 cm (27") | Supported graphics resolutions: 1024 x 768 (XGA) | Supported graphics resolutions: 1440 x 900 (WXGA+) | Product colour: Black | Supported graphics resolutions: 720 x 400 | Supported graphics resolutions: 1920 x 1080 (HD 1080) | Supported graphics resolutions: 800 x 600 (SVGA) | Tilt angle range: -5 - 20° | Supported graphics resolutions: 1600 x 900 | Package type: Box | Supported graphics resolutions: 1280 x 800 | Supported graphics resolutions: 640 x 480 (VGA) | Width (with stand): 611.9 mm | Display resolution: 1920 x 1080 pixels | AC input frequency: 50/60 Hz | Display brightness (typical): 250 cd/m<sup>2</sup> | Quick start guide: Yes | HDCP: Yes | DisplayPort version: 1.2 | Aspect ratio: 16:9 | Height (with stand): 513.1 mm | Depth (with stand): 229.6 mm | Screen shape: Flat | AC input voltage: 100 - 240 V | Operating altitude: 0 - 5000 m | Native aspect ratio: 16:9 | Contrast ratio (dynamic): 8000000:1 | HD type: Full HD | Cable lock slot: Yes | Horizontal scan range: 30 - 120 kHz | Cables included: HDMI | Operating temperature (T-T): 5 - 35 °C | HDMI version: 1.4 | Power

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

consumption (max): 31 W | Vertical scan range: 50 - 100 Hz | Package width: 695 mm | Package height: 495 mm | Pixel pitch: 0.3114 x 0.3114 mm | Viewing angle, horizontal: 178° | Power consumption (typical): 17.2 W | Viewing angle, vertical: 178° | Storage relative humidity (H-H): 20 - 80% | Package depth: 170 mm | HDMI ports quantity: 1 | Display number of colours: 16.7 million colours

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950