

HP Series 7 Pro 23.8 inch FHD Monitor - 724pf



Model: 8X530AA

Manufacturer: HEWLETT-PACKARD

EAN: 197498445076

Product Code: 299823

R4,439

Box contents: Monitor DisplayPort™ cable HDMI cable VESA Mount adapter Warranty card USB Type-A to B cable Quick Setup Poster AC power cord Color calibration report | Certification: Australian-New Zealand MEPS BIS BSMI CB CCC CE CECP CEL cTUVus EAC FCC GS Mark ISO 9241-307 KC KCC NOM PSB SEPA TUV-S VCCI Vietnam MEPS WEEE ISC Low blue light WW application UAE Ukraine EE Ukraine CoC Ukraine DOC Microsoft WHQL Certification (Windows 11) | Bundled software: HP Display Center HP Client Management Script Library | Manufacturer warranty: HP three-year limited warranty | Cable lock slot: Yes | Supported graphics resolutions: 1280 x 1024 (SXGA) | NVIDIA G-SYNC: No | Contrast ratio (dynamic): 10000000:1 | HD type: Full HD | Screen shape: Flat | AC input voltage: 100 - 240 V | DisplayPorts quantity: 1 | Quick start guide: Yes | Response time: 5 ms | Product colour: Black | HDCP: Yes | LED backlight: Yes | Native aspect ratio: 16:9 | Supported graphics resolutions: 1280 x 800 | Supported graphics resolutions: 1024 x 768 (XGA) | Supported graphics resolutions: 1440 x 900 (WXGA+) | Supported graphics resolutions: 640 x 480 (VGA) | Supported graphics resolutions: 1920 x 1080 (HD 1080) | Supported graphics resolutions: 800 x 600 (SVGA) | Height (with stand): 489.3 mm | Display resolution: 1920 x 1080 pixels | AC input frequency: 50/60 Hz | Supported graphics resolutions: 720 x 400 | Display surface: Matt | Package type: Box | Display

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

diagonal: 60.5 cm (23.8") | Depth (with stand): 195 mm | Supported graphics resolutions: 1680 x 1050 (WSXGA+) | Supported graphics resolutions: 1280 x 720 (HD 720) | Tilt angle range: -5 - 20° | Display brightness (typical): 300 cd/m² | DisplayPort version: 1.2 | Width (with stand): 538.4 mm | Aspect ratio: 16:9 | Package weight: 7 kg | Weight: 4.7 kg | Warnings: Unplug the monitor from the power source before cleaning. | Response time measurement type: GTG (Gray to Gray) | Adjustable height (max): 15 cm | Warnings: Do not disassemble the monitor casing to avoid risk of electric shock. | General Product Safety Regulation (GPSR) URL: <https://support.hp.com/gb-en/product/setup-user-guides/hp-deskjet-2700-all-in-one-printer-series/model/31598160?sku=5AR83B&serialnumber=5AR83B> | Warnings: Place the monitor on a flat and stable surface to avoid tipping and damage. | HP segment: Business | Surface hardness: 3H | Display brightness (peak): 300 cd/m² | VESA Adaptive Sync support: Yes | Display bezel technology: Micro-Edge | UNSPSC-code: 43211902 | Anti-glare screen: Yes | Pixel density: 93 ppi | Detachable stand: Yes | Low Blue Light technology: Yes | Haze rate: 25% | Height (without stand): 313.7 mm | Colour depth: 8 bit | sRGB coverage (typical): 99% | Carbon emissions, logistics (kg of CO₂e): 2 | Carbon emissions, manufacturing (kg of CO₂e): 30 | Carbon emissions, end-of-life (kg of CO₂e): 2 | Compliance certificates: CECP | Compliance certificates: CE | Total carbon emissions, w/o use phase (kg of CO₂e): 4 | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: CCC | Compliance certificates: BIS | Compliance certificates: BSMI | Compliance certificates: GS mark | Compliance certificates: CB | Compliance certificates: EAC | European Product Registry for Energy Labelling (EPREL) code: 1881923 | VESA mounting: Yes | Storage relative humidity (H-H): 20 - 80% | AMD FreeSync: No | Built-in speaker(s): No | Vertical scan range: 50 - 100 Hz | Package depth: 373 mm | Height adjustment: Yes | USB upstream port type: USB Type-B | Cables included: DisplayPort | Feet colour: Silver | HP GTIN (EAN/UPC): 888182569252, 888182569351 | Cables included: USB Type-A to USB Type-B | Warranty card: Yes | Feet colour: Black | Built-in USB hub: Yes | Display technology: LCD | Viewable size, horizontal: 52.7 cm | Power supply type: Internal | Viewing angle, horizontal: 178° | Maximum refresh rate: 100 Hz | Pivot: Yes | Stand included: Yes | Cables included: HDMI | Power consumption (typical): 36 W | Panel mounting interface: 100 x 100 mm | Operating temperature (T-T): 5 - 35 °C | Operating relative humidity (H-H): 5 - 95% | On Screen Display (OSD): Yes | Cables included: AC | USB upstream port type: USB Type-A | Display number of colours: 16.7 million colours | HDMI version: 1.4 | Height: 313.7 mm | Pixel pitch: 0.27 x 0.27 mm | Weight (with stand): 4.7 kg | Power consumption (standby): 0.5 W | Depth (without stand): 38.5 mm | Total carbon footprint (kg of CO₂e): 40 | Package width: 625 mm | Contrast ratio (typical): 1500:1 | USB Type-A downstream ports quantity: 4 | HDMI ports quantity: 1 | Width: 538.4 mm | Colour gamut: 99% | Horizontal scan range: 30 - 111 kHz | Colour gamut standard: sRGB | Built-in camera: No | Backlight type: Edge LED | Market

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

positioning: Business | Colour gamut standard: DCI-P3 | Energy consumption (SDR) per 1000 hours: 18 kWh | Number of USB Type-B upstream ports quantity: 1 | Flicker-free technology: Yes | Viewable size, vertical: 29.5 cm | Supported video modes: 1080p | Sustainability certificates: EPEAT | Swivelling: Yes | USB hub version: 3.2 Gen 1 (3.1 Gen 1) | Display brightness: 300 cd/m² | Sustainability certificates: ENERGY STAR | Sustainability certificates: TCO | Width (without stand): 538.4 mm | Pivot angle: 0 - 90° | Colour gamut standard: Rec. 709 | Viewing angle, vertical: 178° | Touchscreen: No | Power consumption (max): 69 W | HDMI: Yes | Swivel angle range: -45 - 45° | Package height: 142 mm | Energy efficiency class (HDR): Not available | Display diagonal (metric): 60.5 cm | Tilt adjustment: Yes | Depth: 38.5 mm | Panel type: IPS | Energy efficiency class (SDR): E

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950