

Philips Evnia
27M2N3201A/00
computer
monitor 68.6 cm
(27) 1920 x
1080 pixels Full
HD LCD White



Model: 27M2N3201A/00

Manufacturer: PHILIPS

EAN: 8721038001693

Product Code: 299838

R3,165

Compatible operating systems: Mac OS X Windows 11/10 | Viewable size, vertical: 33.6 cm | Power consumption (standby): 0.5 W | Power supply type: Internal | Swivelling: Yes | Swivel angle range: -30 - 30° | AMD FreeSync: No | VESA mounting: Yes | On Screen Display (OSD) languages: Swedish | On Screen Display (OSD) languages: Hungarian | DDC/CI: Yes | Panel type: IPS | On Screen Display (OSD) languages: Polish | Power consumption (typical): 27.4 W | Backlight type: W-LED | On Screen Display (OSD) languages: English | Headphone outputs: 1 | Viewable size, horizontal: 59.8 cm | On Screen Display (OSD) languages: German | On Screen Display (OSD) languages: Italian | On Screen Display (OSD) languages: Dutch | Height adjustment: Yes | On Screen Display (OSD): Yes | Contrast ratio (typical): 1000:1 | Tilt adjustment: Yes | On Screen Display (OSD) languages: Japanese |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Touchscreen: No | Built-in USB hub: No | On Screen Display (OSD) languages: Traditional Chinese | On Screen Display (OSD) languages: French | On Screen Display (OSD) languages: Korean | On Screen Display (OSD) languages: Turkish | Market positioning: Gaming | On Screen Display (OSD) languages: Ukrainian | On Screen Display (OSD) languages: Finnish | On Screen Display (OSD) languages: Spanish | Pivot angle: -90 - 90° | On Screen Display (OSD) languages: Portuguese | On Screen Display (OSD) languages: Greek | On Screen Display (OSD) languages: Simplified Chinese | Display technology: LCD | HDMI ports quantity: 2 | Display sRGB: Yes | HDMI version: 2.0 | Display diagonal (metric): 68.6 cm | Pivot: Yes | Panel mounting interface: 100 x 100 mm | On Screen Display (OSD) languages: Russian | On Screen Display (OSD) languages: Czech | Display diagonal: 68.6 cm (27") | NVIDIA G-SYNC: No | Depth (with stand): 261 mm | Package width: 730 mm | Power consumption (off): 0.3 W | Product colour: White | Viewing angle, horizontal: 178° | Storage temperature (T-T): -20 - 60 °C | DisplayPort version: 1.4 | Package weight: 9.15 kg | Display resolution: 1920 x 1080 pixels | AC input frequency: 50/60 Hz | Height (with stand): 519 mm | Vertical scan range: 48 - 180 Hz | Package depth: 188 mm | Horizontal scan range: 30 - 200 kHz | Operating altitude: 0 - 3658 m | Screen shape: Flat | Pixel pitch: 0.31125 x 0.31125 mm | Operating relative humidity (H-H): 20 - 80% | Cables included: DisplayPort | Display brightness (typical): 300 cd/m² | Width (with stand): 614 mm | Manual: Yes | DisplayPorts quantity: 1 | LED backlight: Yes | Cable lock slot: Yes | Tilt angle range: -5 - 20° | HD type: Full HD | Response time: 1 ms | Cables included: HDMI | Package height: 478 mm | Operating temperature (T-T): 0 - 40 °C | LED indicators: Operation | Native aspect ratio: 16:9 | Viewing angle, vertical: 178° | HDCP: Yes | LED indicators: Stand-by | Cables included: AC | Display number of colours: 16.7 million colours | AC input voltage: 100 - 240 V | Cable lock slot type: Kensington | Adjustable height (max): 13 cm | Response time measurement type: GTG (Gray to Gray) | Headphone out: Yes | VESA Adaptive Sync support: Yes | LowBlue mode: Yes | Adaptive synchronisation: Yes | Energy consumption (HDR) per 1000 hours: 35 kWh | Pixel density: 81.59 ppi | Number of speakers: 2 | Weight (with stand): 5.82 kg | Dial point: Yes | Product post-consumer recycled plastic: 35% | European Product Registry for Energy Labelling (EPREL) code: 2048269 | Energy efficiency class (SDR): E | Built-in speaker(s): Yes | Height (without stand): 368 mm | Shadow control: Yes | Warnings: Do not expose to water or excessive moisture. | Maximum refresh rate: 180 Hz | Weight (without stand): 4 kg | DCI-P3 coverage: 95% | sRGB coverage (typical): 128% | Motion blur reduction: Yes | Exterior finish type: Textured | Flicker-free technology: Yes | High Dynamic Range (HDR) supported: Yes | Compliance certificates: RoHS | Energy consumption (SDR) per 1000 hours: 21 kWh | Number of OSD languages: 21 | Packaging recyclability rate: 100% | Depth (without stand): 60 mm | High Dynamic Range (HDR) technology: High Dynamic Range 10 (HDR10) | Warnings: Avoid direct contact with liquids. | NTSC coverage

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

(typical): 110% | Warnings: The monitor contains materials that may be harmful to the environment follow local regulations for the disposal of electronic devices. | Mean time between failures (MTBF): 50000 h | Response time (fast): 0.5 ms | RMS rated power: 4 W | Built-in camera: No | Brand specific technologies: Crosshair | Picture enhancement: SmartImage game | Stand included: Yes | EasyRead mode: Yes | Energy efficiency class (HDR): G | Regulatory Approvals: CB, CE Mark, TUV/ISO9241-307, TUV-BAUART, EAC, EAEU RoHS, UKCA, EMF, FCC, ICES-003 | Haze rate: 25% | Anti-glare screen: Yes | Plug and Play: Yes | Adobe RGB coverage: 90% | Dynamic contrast ratio marketing name: Mega Infinity DCR | Width (without stand): 614 mm | HDMI: Yes | Component video sync: Separate Sync | HDCP version: 1.4/2.2 | Surface hardness: 3H | Low input lag: Yes | Low Blue Light technology: Yes | Non-operating altitude: 3658 - 12192 m

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950