

**AOC G4
Q27G4ZD
computer
monitor 68.6 cm
(27) 2560 x
1440 pixels
Quad HD QD-
OLED Black, Red**



Model: Q27G4ZD

Manufacturer: AOC

EAN: 4038986183161

Product Code: 299919

R10,574

Certification: WEEE, REACH compliant, RoHS compliant | Product colour: Black | Power consumption (off): 0.3 W | Height (with stand): 537.7 mm | HD type: Quad HD | Response time: 0.03 ms | LED backlight: Yes | DisplayPorts quantity: 1 | Package width: 820 mm | Depth (with stand): 240 mm | Display diagonal: 68.6 cm (27") | Native aspect ratio: 16:9 | Tilt angle range: -3 - 21° | AC input voltage: 100 - 240 V | Display resolution: 2560 x 1440 pixels | AC input frequency: 50/60 Hz | Width (with stand): 609.3 mm | DisplayPort version: 1.4 | Viewing angle, vertical: 178° | Cable lock slot: Yes | Package weight: 10.2 kg | Package depth: 159 mm | Cable lock slot type: Kensington | Viewing angle, horizontal: 178° | Pixel pitch: 0.2292 x 0.2292 mm | Display number of colours: 1.073 billion

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

colours | Screen shape: Flat | Adjustable height (max): 13 cm | Warnings: Avoid direct contact with liquids. | Warnings: The monitor contains materials that may be harmful to the environment follow local regulations for the disposal of electronic devices. | Warnings: Do not expose to water or excessive moisture. | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: TÜV mark | Compliance certificates: KCC | Compliance certificates: CB | Compliance certificates: RoHS | Compliance certificates: CE | Compliance certificates: RCM | European Product Registry for Energy Labelling (EPREL) code: 2401828 | Compliance certificates: BSMI | Compliance certificates: KC | Compliance certificates: Minimum Energy Performance Standards (MEPS) | Low Blue Light technology: Yes | High Dynamic Range (HDR) supported: Yes | Pixel density: 108.8 ppi | High Dynamic Range (HDR) technology: DisplayHDR 400 | Depth (without stand): 51.3 mm | Energy consumption (HDR) per 1000 hours: 24 kWh | FPS counter: Yes | Game mode: Yes | Front bezel colour: Black | Low input lag: Yes | sRGB coverage (typical): 141.3% | Cable management: Yes | Surface hardness: 2H | Number of USB Type-B upstream ports quantity: 1 | Energy consumption (SDR) per 1000 hours: 24 kWh | Height (without stand): 357.7 mm | Frameless design: Yes | Bezel thickness type: Frameless | Market positioning: Gaming | Detachable stand: Yes | Brand specific technologies: Crosshair | DCI-P3 coverage: 99.4% | Width (without stand): 609.3 mm | Package height: 481 mm | Anti-glare screen: Yes | Weight (without stand): 5.2 kg | Swivel angle range: -30 - 30° | USB hub version: 3.2 Gen 1 (3.1 Gen 1) | HDMI version: 2.1 | Doesn't contain: Mercury | USB upstream port type: USB Type-B | Energy efficiency class (HDR): F | Motion blur reduction: Yes | VESA Adaptive Sync support: Yes | Viewable size, vertical: 33.4 cm | Picture-in-Picture: Yes | AMD FreeSync refresh rate range: 48 - 260 Hz | Swivelling: Yes | Display diagonal (metric): 68.5 cm | Dial point: Yes | HDMI: Yes | Adobe RGB coverage: 98.4% | Doesn't contain: PVC/BFR | Cables included: HDMI | Shadow control: Yes | Cables included: DisplayPort | Number of speakers: 2 | Cables included: USB | VESA mounting: Yes | Power consumption (standby): 0.5 W | Energy efficiency scale: A to G | Warranty period: 3 year(s) | Height adjustment: Yes | On Screen Display (OSD) languages: Turkish | Number of upstream ports: 1 | Maximum refresh rate: 280 Hz | Tilt adjustment: Yes | Pivot angle: -90 - 90° | Display technology: QD-OLED | On Screen Display (OSD) languages: Portuguese | On Screen Display (OSD) languages: English | On Screen Display (OSD) languages: German | On Screen Display (OSD) languages: Italian | On Screen Display (OSD) languages: Dutch | On Screen Display (OSD) languages: Japanese | On Screen Display (OSD) languages: Russian | On Screen Display (OSD) languages: Czech | Built-in USB hub: Yes | Cables included: AC | Power consumption (typical): 78 W | On Screen Display (OSD) languages: Traditional Chinese | On Screen Display (OSD) languages: French | On Screen Display (OSD) languages: Korean | Headphone connectivity: 3.5 mm | Weight (with stand): 6.6 kg | Response time (MPRT): 0.3 ms |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Flicker-free technology: Yes | Panel type: OLED | Power supply type: Internal | Headphone out: Yes | Built-in speaker(s): Yes | Response time measurement type: GTG (Gray to Gray) | On Screen Display (OSD) languages: Ukrainian | On Screen Display (OSD) languages: Finnish | On Screen Display (OSD) languages: Polish | On Screen Display (OSD) languages: Simplified Chinese | Backlight type: W-LED | Pivot: Yes | On Screen Display (OSD): Yes | On Screen Display (OSD) languages: Spanish | On Screen Display (OSD) languages: Croatian | HDMI ports quantity: 2 | Panel mounting interface: 100 x 100 mm | On Screen Display (OSD) languages: Swedish | RMS rated power: 4 W | Energy efficiency class (SDR): F | USB Type-A downstream ports quantity: 4 | Viewable size, horizontal: 59 cm | Contrast ratio (typical): 150000:1 | Touchscreen: No

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950