

Samsung Galaxy A56 17 cm (6.7) Dual SIM Android 15 5G USB Type-C 8 GB 256 GB 5000 mAh Graphite



Model: SM-A566BZKCEEE

Manufacturer: SAMSUNG

EAN: 8806097394587

Product Code: 300364

R8,274

Slow motion rate: 480 fps in HD, 240 fps in HD | Panorama: Yes | Height: 162.2 mm | Gorilla Glass version: Gorilla Glass Victus+ | Macro photography: Yes | Mobile network generation: 5G | Compatible memory cards: Not supported | 5G standard: Sub6 FDD | 5G bands supported: 1800 | 5G bands supported: 2300 | Wi-Fi standards: 802.11a | Wi-Fi standards: Wi-Fi 6 (802.11ax) | 5G bands supported: 850 | Product colour: Graphite | Modulation: 1024-QAM | Wi-Fi standards: 802.11g | USB version: 2.0 | 4G bands supported: 2600 | USB connector type: USB Type-C | Image stabilizer type: Optical Image Stabilization (OIS) | 5G bands supported: 2500 | 5G standard: Sub6 TDD | Processor boost frequency: 2.91 GHz | Camera image formats supported: DNG, HEIF, JPEG | Maximum refresh rate: 120 Hz | 5G bands supported: 3500 | MIMO: Yes | Battery capacity: 5000 mAh | Video formats

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

supported: FLV | Video formats supported: MKV | 5G bands supported: 2600 | 5G bands supported: 800 | 5G bands supported: 900 | 5G bands supported: 2100 | Top Wi-Fi standard: Wi-Fi 6 (802.11ax) | International Protection (IP) code: IP67 | Weight: 198 g | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Brand specific technologies: Always-on display | Processor model: 1580 | Wi-Fi standards: 802.11b | Digital zoom: 10x | Gyroscope: Yes | Resolution at capture speed: 1280x720@30fps | Resolution at capture speed: 1920x1080@60fps | RAM capacity: 8 GB | Operating system installed: Android 15 | Processor family: Samsung Exynos | 5G bands supported: 3700 MHz | AC adapter included: No | Portrait mode: Yes | 3G standards: UMTS | Platform: Android | 3G standards: WCDMA | Bluetooth version: 5.3 | Display resolution: 1080 x 2340 pixels | Energy efficiency scale: A to G | Display brightness: 1200 cd/m² | Audio system: Dolby Atmos | Processor cores: 8 | Pixel density: 385 ppi | Accelerometer: Yes | Wi-Fi standards: Wi-Fi 4 (802.11n) | Wi-Fi Direct: Yes | Third rear camera sensor size: 1/5.0" | 5G data rate (max): 2.33 Gbit/s | Energy efficiency class: B | Headphone connectivity: USB Type-C | Video formats supported: M4V | User interface (UI): One UI 7.0 | Bluetooth: Yes | GPS (satellite): Yes | 4G bands supported: 2100 | 4G data rate (max): 1200 Mbit/s | Video formats supported: 3G2 | Video formats supported: 3GP | Display diagonal: 17 cm (6.7") | Resolution at capture speed: 1920x1080@30fps | Internal storage capacity: 256 GB | Depth: 7.4 mm | Fingerprint reader: Yes | GLONASS: Yes | Resolution at capture speed: 3840x2160@30fps | Video formats supported: MP4 | Image stabilizer: Yes | Video formats supported: AVI | Video formats supported: WEBM | Ambient light sensor: Yes | Front camera resolution (numeric): 12 MP | Proximity sensor: Yes | Width: 77.5 mm | Near Field Communication (NFC): Yes | Display number of colours: 16 million colours | Battery recharge time: 1.8 h | Quasi-Zenith Satellite System (QZSS): Yes | Maximum frame rate: 480 fps | 4G standard: LTE-TDD & LTE-FDD | Rear camera type: Triple camera | Second rear camera field of view (FOV) angle: 123° | Rear camera flash: Yes | Rear camera aperture number: 1.8 | Display glass type: Gorilla Glass | 4G bands supported: 900 | 4G bands supported: 1900 | 3G bands supported: 900 | Third rear camera aperture number: 2.4 | 3G bands supported: 850 | 4G bands supported: 1800 | Front camera aperture number: 2.2 | Colour name: Awesome Graphite | SIM card capability: Dual SIM | 4G bands supported: 700 | USB Power Delivery (USB PD): Yes | Second rear camera resolution (numeric): 12 MP | Second rear camera aperture number: 2.2 | Face recognition: Yes | Position location: Yes | Night mode: Yes | 4G bands supported: 800 | Google applications: Google Maps | Rear camera sensor size: 1/1.56" | 4G bands supported: 1500 | Google applications: Google Meet | Second rear camera sensor size: 1/3.0" | 4G bands supported: 850 | Google applications: YouTube | Wireless charging: No | Google applications: Google Drive | Google applications: Gmail | Google applications: Google Play | Galileo: Yes | Flash type: LED | Google applications: Google Chrome | 3G bands supported: 2100 MHz | Rear camera field of view (FOV) angle: 84° | 3G bands supported: 1900 |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Google applications: Google Search | Fast charging: Yes | BeiDou: Yes | Front camera sensor size: 1/3.2" | Rear camera resolution (numeric): 50 MP | SIM card type: NanoSIM + eSIM | Front camera field of view (FOV) angle: 81° | Display technology marketing name: Super AMOLED | Slow motion mode: Yes | Front camera type: Single camera | Third rear camera field of view (FOV) angle: 78° | Third rear camera resolution (numeric): 5 MP | Geomagnetic sensor: Yes | Screen sharing: Yes | USB Type-C charging port: Yes | Battery endurance per cycle: 2674 min | Repairability class: C | Repeated free fall reliability class: A | Battery endurance in cycles: 2000 | USB Type-C required charging power (min): 10 W | USB Type-C required charging power (max): 45 W

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950