

Samsung Galaxy S25 FE 5G 17 cm (6.7) Dual SIM USB Type-C 8 GB 256 GB 4900 mAh White



Model: SM-S731BZWGEUE

Manufacturer: SAMSUNG

EAN: 8806097644491

Product Code: 300465

R12,910

Slow motion rate: 240fps @FHD, 120fps @FHD, 120fps @UHD | Wi-Fi standards: Wi-Fi 6E (802.11ax) | Wi-Fi standards: 802.11b | Wi-Fi standards: 802.11a | Wi-Fi standards: Wi-Fi 6 (802.11ax) | Wi-Fi standards: Wi-Fi 5 (802.11ac) | AC adapter included: No | Weight: 190 g | MIMO: Yes | Height: 161.3 mm | Display resolution: 1080 x 2340 pixels | Wi-Fi standards: 802.11g | Product colour: White | Depth: 7.4 mm | Fingerprint reader: Yes | Cables included: USB Type-C to USB Type-C | Wi-Fi standards: Wi-Fi 4 (802.11n) | Processor cores: 10 | Bluetooth: Yes | Energy efficiency class: B | Display diagonal: 17 cm (6.7") | Processor family: Samsung Exynos | Video formats supported: MKV | Display number of colours: 16 million colours | Top Wi-Fi standard: Wi-Fi 6E (802.11ax) | Video formats supported: FLV | Video formats supported: M4V | Video formats supported: MP4 | Housing material: Aluminium | Video formats supported: 3G2 | Video formats supported: 3GP | Processor model: 2400 | International Protection (IP) code: IP68 | Video formats supported: AVI | Video formats

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

supported: WEBM | USB connector type: USB Type-C | Processor boost frequency: 3.2 GHz | Width: 76.6 mm | Hall sensor: Yes | 3G bands supported: 850 | 3G bands supported: 1900 | 3G bands supported: 900 | Third rear camera aperture number: 2.4 | 4G bands supported: 2600 | 4G bands supported: 850 | 4G bands supported: 2500 | Rear camera flash: Yes | 5G standard: Sub6 SDL | Galileo: Yes | Platform: Android | 4G bands supported: 900 | Display technology marketing name: Dynamic AMOLED 2X | 4G bands supported: 1800 | 4G bands supported: 700 | 4G bands supported: 2300 | 3G standards: UMTS | Repeated free fall reliability class: A | Maximum refresh rate: 120 Hz | Position location: Yes | 4G bands supported: 1900 | Third rear camera resolution (numeric): 8 MP | 3G standards: WCDMA | Second rear camera resolution (numeric): 12 MP | Slow motion mode: Yes | 5G standard: Sub6 TDD | Rear camera type: Triple camera | Digital zoom: 30x | USB Type-C required charging power (min): 10 W | Energy efficiency scale: A to G | 5G standard: Sub6 FDD | Audio formats supported: AAC | Audio formats supported: FLAC | Audio formats supported: OGA | 4G bands supported: 2100 | 4G bands supported: 800 | Display glass type: Corning Glass | 3G bands supported: 2100 MHz | GPS (satellite): Yes | Audio formats supported: WAV | Audio formats supported: AMR | Removable battery: No | Barometer: Yes | Audio formats supported: IMY | Audio formats supported: MP3 | Audio formats supported: OTA | Speakers: stereo | Battery endurance in cycles: 2000 | NavIC: Yes | Internal storage capacity: 256 GB | Front camera type: Single camera | Gyroscope: Yes | Continuous video playback time: 28 h | Rear camera aperture number: 1.8 | Audio formats supported: MIDI | Audio formats supported: MXMF | SIM card capability: Dual SIM | Battery endurance per cycle: 2542.2 min | Accelerometer: Yes | USB Power Delivery (USB PD): Yes | Video capture resolution (max): 7680 x 4320 pixels | USB version: 2.0/3.2 Gen 1 (3.1 Gen 1) | USB Type-C charging port: Yes | Gorilla Glass version: Gorilla Glass Victus+ | SIM card ejector pin: Yes | Front camera aperture number: 2.2 | Battery capacity: 4900 mAh | Quasi-Zenith Satellite System (QZSS): Yes | Bluetooth version: 5.4 | Audio formats supported: RTTTL | RAM capacity: 8 GB | Front camera resolution (numeric): 12 MP | Image stabilizer: Yes | Audio formats supported: OGG | Audio formats supported: DSF | Panel type: AMOLED | Second rear camera aperture number: 2.2 | Audio formats supported: 3GA | SIM card type: NanoSIM + eSIM | Audio formats supported: DFF | USB Type-C required charging power (max): 45 W | GLONASS: Yes | Proximity sensor: Yes | Optical zoom: 3x | Audio formats supported: Mid | Headphone connectivity: USB Type-C | Wi-Fi Direct: Yes | Maximum frame rate: 240 fps | Audio formats supported: AWB | Audio formats supported: RTX | Audio formats supported: XMF | Audio formats supported: APE | BeiDou: Yes | Near Field Communication (NFC): Yes | 4G standard: TD-LTE & FDD-LTE | Rear camera resolution (numeric): 50 MP | Geomagnetic sensor: Yes | 5G bands supported: 2600 | 5G bands supported: 800 | 5G bands supported: 900 | 5G bands supported: 700 | 5G bands supported: 1800 | 5G bands supported: 2300 | 5G bands supported: 3700

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

MHz | 5G bands supported: 2100 | 5G bands supported: 1900 MHz | 5G bands supported: 3500 | 5G bands supported: 850 | 5G bands supported: 2500 | Mobile network generation: 5G | Image stabilizer type: Optical Image Stabilization (OIS) | Repairability class: C

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950