



DELL Plus S3225QC computer monitor 80.3 cm (31.6) 3840 x 2160 pixels 4K Ultra HD QD- OLED Black, Silver

Model: 210-BRVT

Manufacturer: DELL

EAN: 5397184962381

Product Code: 300734

R13,647

Flicker-free technology: Yes | USB Type-C downstream ports quantity: 2 | Feet colour: Silver | Built-in speaker(s): Yes | Headphone out: No | Viewable size, horizontal: 69.9 cm | RMS rated power: 25 W | Bezel width (top): 6.66 mm | Cable management: Yes | Picture-in-Picture: Yes | Maximum refresh rate: 120 Hz | Energy efficiency scale: A to G | AMD FreeSync: Yes | Height (without stand): 457.6 mm | HDCP version: 1.4/2.3 | Bezel width (side): 9.65 mm | Pixel density: 140 ppi | Weight (without stand): 6.95 kg | Built-in camera: No | USB Type-C DisplayPort Alternate Mode: Yes | USB Power

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

Delivery up to: 90 W | USB Power Delivery (USB PD): Yes | Viewable size, vertical: 39.5 cm | Swivel angle range: -4 - 4° | Number of speakers: 5 | HDMI: Yes | USB hub version: 3.2 Gen 1 (3.1 Gen 1) | Plug and Play: Yes | Width (without stand): 718.8 mm | Display brightness (peak): 1000 cd/m² | High Dynamic Range (HDR) supported: Yes | Bezel width (bottom): 5.63 cm | Low Blue Light technology: Yes | USB upstream port type: USB Type-C | Stand included: Yes | Depth (without stand): 70.3 mm | Non-operating altitude: 5000 - 12191 m | Front bezel colour: Black | DCI-P3 coverage: 99% | Weight (with stand): 9.78 kg | Detachable stand: Yes | Adjustable height (max): 11 cm | Warnings: Place the monitor on a flat and stable surface to avoid tipping and damage. | Warnings: Do not disassemble the monitor casing to avoid risk of electric shock. | Warnings: Unplug the monitor from the power source before cleaning. | Response time measurement type: GTG (Gray to Gray) | Number of USB Type-C upstream ports quantity: 1 | Energy efficiency class (HDR): G | Total carbon footprint (kg of CO₂e): 431 | Doesn't contain: Arsenic | AMD FreeSync type: FreeSync Premium Pro | Market positioning: Office | Height adjustment: Yes | Sustainability certificates: ENERGY STAR | Supported video modes: 576i | Supported video modes: 480p | Supported video modes: 1080p | Swivelling: Yes | Supported video modes: 480i | Supported video modes: 1080i | Supported video modes: 2160p | Carbon emissions, manufacturing (kg of CO₂e): 186.192 | Built-in USB hub: Yes | Power supply type: Internal | Carbon emissions, energy usage (kg of CO₂e): 195.243 | Display technology: QD-OLED | Power consumption (standby): 0.5 W | Supported video modes: 720p | Viewing angle, horizontal: 178° | Power consumption (typical): 40 W | Storage relative humidity (H-H): 5 - 90% | Energy consumption (SDR) per 1000 hours: 40 kWh | Energy consumption (HDR) per 1000 hours: 40 kWh | Package weight: 14.9 kg | Cables included: USB Type-C to USB Type-C | High Dynamic Range (HDR) technology: DisplayHDR 400 True Black | Wi-Fi: No | VESA mounting: Yes | Doesn't contain: Mercury | On Screen Display (OSD): Yes | Operating temperature (T-T): 0 - 40 °C | Operating relative humidity (H-H): 10 - 80% | Carbon emissions, logistics (kg of CO₂e): 28.015 | HDMI version: 2.1 | Storage temperature (T-T): -20 - 60 °C | Digital horizontal frequency: 25 - 300 kHz | Tilt adjustment: Yes | Digital vertical frequency: 48 - 120 Hz | Power consumption (max): 320 W | Display diagonal (metric): 80.3 cm | Carbon emissions, end-of-life (kg of CO₂e): 21.119 | Operating altitude: 0 - 5000 m | Doesn't contain: PVC/BFR | Pivot: No | Cables included: AC | Cable lock slot type: Kensington | Viewing angle, vertical: 178° | Supported video modes: 576p | Display number of colours: 1.07 billion colours | Compliance certificates: RoHS | Pixel pitch: 0.1814 x 0.1814 mm | Panel mounting interface: 100 x 100 mm | PAIA version: GaBi version 1, 2024 | Touchscreen: No | European Product Registry for Energy Labelling (EPREL) code: 2233284 | Energy efficiency class (SDR): G | HDMI ports quantity: 1 | Response time: 0.03 ms | Width (with stand): 718.8 mm | HDCP: Yes | Height (with stand): 614 mm | Native aspect ratio: 16:9 | Input current: 4 A | Cable lock slot: Yes | Tilt angle range: -5 - 21° |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Display brightness (typical): 250 cd/m² | Screen shape: Flat | Display diagonal: 80.3 cm (31.6") | Supported graphics resolutions: 1280 x 1024 (SXGA) | Supported graphics resolutions: 640 x 480 (VGA) | Supported graphics resolutions: 1280 x 800 (WXGA) | Supported graphics resolutions: 2560 x 1440 | Supported graphics resolutions: 720 x 400 | NVIDIA G-SYNC: No | Supported graphics resolutions: 3840 x 2160 | Display resolution: 3840 x 2160 pixels | AC input voltage: 100 - 240 V | Contrast ratio (dynamic): 1500000:1 | Supported graphics resolutions: 1920 x 1080 (HD 1080) | Supported graphics resolutions: 800 x 600 (SVGA) | Supported graphics resolutions: 1680 x 1050 (WSXGA+) | Supported graphics resolutions: 1024 x 768 (XGA) | Supported graphics resolutions: 1440 x 900 (WXGA+) | Supported graphics resolutions: 1152 x 864 (XGA+) | AC input frequency: 50/60 Hz | Depth (with stand): 223.7 mm | Supported graphics resolutions: 1280 x 720 (HD 720) | Supported graphics resolutions: 1280 x 960 | Product colour: Black | Power consumption (off): 0.3 W | HD type: 4K Ultra HD

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950