

Cudy LT500 wireless router Fast Ethernet Dual-band (2.4 GHz 5 GHz) 4G White



Model: LT500 OUTDOOR_EU

Manufacturer: CUDY

EAN: 6971690792848

Product Code: 300974

R1,405

VPN support: PPTP/L2TP/OpenVPN/WireGuard/IPSec/Zerotier | Windows operating systems supported: Windows Vista Business | Windows operating systems supported: Windows 8.1 | Windows operating systems supported: Windows Vista Ultimate | Windows operating systems supported: Windows Vista Home Basic x64 | Windows operating systems supported: Windows Vista Home Premium x64 | Windows operating systems supported: Windows Vista Enterprise | Windows operating systems supported: Windows 8.1 Enterprise | Windows operating systems supported: Windows Vista Home Basic | Windows operating systems supported: Windows Vista Home Premium | Windows operating systems supported: Windows 10 | Windows operating systems supported: Windows Vista Enterprise x64 | Windows operating systems supported: Windows 8 Pro x64 | Windows operating systems supported: Windows 8.1 Pro | Windows operating systems supported: Windows 8 x64 | Windows operating systems supported: Windows Vista Business x64 | PoE injector included: Yes | Product

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

type: Desktop/pole router | Windows operating systems supported: Windows 8.1 Enterprise x64 | Windows operating systems supported: Windows 8.1 Pro x64 | Windows operating systems supported: Windows 8.1 x64 | Mobile network generation: 4G | Cables included: LAN (RJ-45) | Mac operating systems supported: Yes | DSL WAN: No | WAN connection type: RJ-45 | 2G standards: GSM | 2G standards: Edge | SIM card slot: Yes | Ethernet WAN: Yes | Ethernet LAN: Yes | Supported network protocols: IPv4 / IPv6 | Universal Plug and Play (UPnP): Yes | USB port: No | WLAN data transfer rate (first band): 300 Mbit/s | Maximum Tx power (2.4 GHz): 20 dBmW | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Windows operating systems supported: Windows 10 Home x64 | 3G standards: WCDMA | Windows operating systems supported: Windows 7 Professional x64 | Windows operating systems supported: Windows 11 Enterprise | Windows operating systems supported: Windows XP Professional x64 | Windows operating systems supported: Windows 8 | Windows operating systems supported: Windows XP Home | Windows operating systems supported: Windows 10 Home | Windows operating systems supported: Windows 7 Starter x64 | Windows operating systems supported: Windows 7 Professional | Windows operating systems supported: Windows 7 | Windows operating systems supported: Windows 10 Education | Windows operating systems supported: Windows XP Professional | Windows operating systems supported: Windows XP | Wi-Fi standards: 802.11g | Windows operating systems supported: Windows 7 Home Premium x64 | Wi-Fi standards: 802.11b | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Windows operating systems supported: Windows 10 Pro | Windows operating systems supported: Windows 7 Home Premium | Windows operating systems supported: Windows 7 Starter | Windows operating systems supported: Windows 10 IoT Enterprise | Cabling technology: 10/100Base-T(X) | Wi-Fi standards: Wi-Fi 4 (802.11n) | WLAN data transfer rate (second band): 867 Mbit/s | Port forwarding: Yes | Port triggering: Yes | DHCP server: Yes | Dynamic DNS (DDNS): Yes | Windows operating systems supported: Windows Vista Ultimate x64 | Windows operating systems supported: Windows 10 IOT Core | Windows operating systems supported: Windows 8 Enterprise x64 | Windows operating systems supported: Windows 8 Pro | Windows operating systems supported: Windows 7 Enterprise | Ethernet LAN interface type: Fast Ethernet | Flash memory: 16 MB | WLAN data transfer rate (max): 867 Mbit/s | Dual SIM support: No | SIM card type: NanoSIM | Top Wi-Fi standard: Wi-Fi 5 (802.11ac) | International Protection (IP) code: IP65 | Wall mountable: Yes | 4G standard: LTE-TDD & LTE-FDD | Detachable antenna(s): Yes | Internal memory: 128 MB | Quick installation guide: Yes | Antennas quantity: 2 | Windows operating systems supported: Windows 10 Enterprise | Windows operating systems supported: Windows 7 Home Basic x64 | Windows operating systems supported: Windows 98SE | Windows operating systems supported: Windows 10 Pro x64 | Windows operating systems supported: Windows 8 Enterprise | Windows operating systems supported: Windows 7 Ultimate x64 | Windows operating

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

systems supported: Windows Vista | Windows operating systems supported: Windows 7 x64 | Windows operating systems supported: Windows 7 Home Basic | Windows operating systems supported: Windows 7 Ultimate | Windows operating systems supported: Windows 2000 | Windows operating systems supported: Windows 7 Enterprise x64 | Windows operating systems supported: Windows 11 | Windows operating systems supported: Windows 10 Education x64 | Windows operating systems supported: Windows XP Home x64 | Linux operating systems supported: Yes | Wi-Fi Multimedia (WMM)/(WME): Yes | Windows operating systems supported: Windows 10 Enterprise x64 | Windows operating systems supported: Windows 10 x64 | Wi-Fi standards: 802.11a | DMZ support: Yes | Antenna design: Internal & external | Mounting kit: Yes | DHCP client: Yes | Operating temperature (T-T): -20 - 60 °C | LED indicators: System, WLAN | Ethernet LAN (RJ-45) ports: 1 | Security algorithms: WPA2 | Security algorithms: WEP | Security algorithms: WPA2-PSK | Security algorithms: WPA-PSK | Wake-on-LAN ready: Yes | Security algorithms: WPA | Ethernet LAN data rates: 100 | Power source type: PoE | Ethernet LAN data rates: 10 | Product colour: White | Warnings: The product may emit radio waves that may interfere with other electronic devices. | Warnings: Do not open the appliance housing - risk of electric shock. | Warnings: Avoid contact with liquids as this may cause electric shock.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950