

Samsung Galaxy S26 Ultra 17.5 cm (6.9) Dual SIM Android 16.0 5G USB Type-C 16 GB 1 TB 5000 mAh Black



Model: SM-S948BZKHEUE

Manufacturer: SAMSUNG

EAN: 8806097827122

Product Code: 300976

R28,603

Slow motion rate: 240fps in FHD, 120fps in FHD, 120fps in UHD | Wi-Fi standards: Wi-Fi 6E (802.11ax) | Processor model: 8 Elite Gen 5 | Audio system: Dolby Atmos | Processor cores: 8 | Cables included: USB Type-C | Weight: 214 g | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Wi-Fi standards: Wi-Fi 7 (802.11be) | Wi-Fi standards: Wi-Fi 4 (802.11n) | Wi-Fi standards: 802.11g | Top Wi-Fi standard: Wi-Fi 7 (802.11be) | Wi-Fi standards: 802.11b | Display diagonal: 17.5 cm (6.9") | Wi-Fi standards: 802.11a | Wi-Fi standards: Wi-Fi 6 (802.11ax) | Processor boost frequency: 4.74 GHz | USB connector type: USB Type-C | AC adapter included: No | MIMO: Yes | Display number of colours: 16 million colours | Product colour: Black | Modulation: 4096-QAM | Bluetooth: Yes | Processor family:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Snapdragon | Display resolution: 3120 x 1440 pixels | Height: 163.6 mm | Compatible memory cards: Not supported | Energy efficiency class: A | Operating system installed: Android 16.0 | Depth: 7.9 mm | Width: 78.1 mm | Video formats supported: FLV | Video formats supported: M4V | Video formats supported: 3G2 | Video formats supported: 3GP | Video formats supported: MKV | International Protection (IP) code: IP68 | Video formats supported: MP4 | Video formats supported: AVI | Video formats supported: WEBM | Fourth rear camera pixel size: 0.7 μm | Front camera sensor size: 1/3.2" | 5G standard: Sub6 TDD | Gorilla Glass version: Gorilla Glass Armor 2 | Image stabilizer type: Optical Image Stabilization (OIS) | 5G standard: Sub6 SDL | Frequency band: Tri-band | Third rear camera aperture number: 2.9 | Rear camera type: Quad camera | Front camera aperture number: 2.2 | SIM card ejector pin: Yes | 5G bands supported: 3700 MHz | 5G bands supported: 2500 | 5G bands supported: 2600 | 5G bands supported: 800 | 5G bands supported: 900 | 5G bands supported: 700 | 5G bands supported: 1800 | 5G bands supported: 2300 | 5G bands supported: 850 | 5G bands supported: 1500 MHz | 5G bands supported: 1900 MHz | 5G bands supported: 3500 | 5G standard: Sub6 FDD | User interface (UI): One UI 8.5 | 5G bands supported: 2100 | AI scene recognition: Yes | Fourth rear camera resolution (numeric): 10 MP | Brand specific technologies: Always-on display | Resolution at capture speed: 1920x1080@30fps | USB Type-C required charging power (min): 10 W | Rear camera flash: Yes | Rear camera aperture number: 1.4 | Panorama: Yes | Third rear camera resolution (numeric): 50 MP | Front camera field of view (FOV) angle: 85° | Hall sensor: Yes | RAM capacity: 16 GB | Front camera type: Single camera | BeiDou: Yes | Stylus included: Yes | Front camera resolution (numeric): 12 MP | Fourth rear camera aperture number: 2.4 | Display glass type: Gorilla Glass | Mobile network generation: 5G | Energy efficiency scale: A to G | Resolution at capture speed: 1280x720@30fps | Resolution at capture speed: 1920x1080@60fps | Resolution at capture speed: 3840x2160@60fps | Third rear camera sensor size: 1/2.52" | Maximum display brightness (HDR): 2600 cd/m² | Parental control: Yes | Rear camera resolution (numeric): 200 MP | Pixel density: 499 ppi | Resolution at capture speed: 7680x4320@30fps | Portrait mode: Yes | Resolution at capture speed: 3840x2160@30fps | Short Message Service (SMS): Yes | Proximity sensor: Yes | 4G bands supported: 2600 | 4G bands supported: 850 | 4G bands supported: 2500 | Second rear camera resolution (numeric): 50 MP | Third rear camera field of view (FOV) angle: 120° | USB Power Delivery (USB PD): Yes | 4G bands supported: 700 | 4G bands supported: 2300 | 4G bands supported: 900 | Rear camera sensor size: 1/1.3" | USB Type-C charging port: Yes | 4G bands supported: 1900 | 4G bands supported: 1500 | SIM card capability: Dual SIM | 4G bands supported: 1800 | Second rear camera field of view (FOV) angle: 21° | Quasi-Zenith Satellite System (QZSS): Yes | Neural processor unit (NPU): Qualcomm Hexagon | E-mail: Yes | Gyroscope: Yes | Accelerometer: Yes | Video capture resolution (max): 4320 x 7680 pixels | Position location: Yes | 4G standard: LTE-

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

TDD & LTE-FDD | Geomagnetic sensor: Yes | Wi-Fi Direct: Yes | Second rear camera aperture number: 1.9 | Slow motion mode: Yes | 3G standards: UMTS | 3G bands supported: 850 | GLONASS: Yes | Rear camera field of view (FOV) angle: 84° | 3G standards: WCDMA | 3G bands supported: 900 | 4G bands supported: 2100 | 4G bands supported: 800 | Ambient light sensor: Yes | SIM card type: NanoSIM + eSIM | Google applications: Gmail | Google applications: Google Play | Wireless charging: Yes | Galileo: Yes | Second rear camera sensor size: 1/2.52" | Google applications: Google Search | Fast charging: Yes | Google applications: YouTube | 3G bands supported: 2100 MHz | Google applications: Google Drive | Google applications: Google Photos | 3G bands supported: 1900 | Virtual assistant: Samsung Bixby | Barometer: Yes | Google applications: Google Meet | Flash type: LED | Google applications: Google Chrome | Digital zoom: 100x | Google applications: Google Maps | Bluetooth version: 6.0 | Audio formats supported: OGG | Headphone connectivity: USB Type-C | Audio formats supported: 3GA | Audio formats supported: AAC | Audio formats supported: FLAC | Audio formats supported: WAV | Audio formats supported: AMR | Image formats supported: WBMP | Image formats supported: WEBP | Audio formats supported: AWB | Image formats supported: HEIF | Fingerprint reader: Yes | Audio formats supported: MIDI | Audio formats supported: MXMF | GPS (satellite): Yes | Audio formats supported: RTTTL | Image formats supported: JPEG | Image formats supported: PNG | Maximum refresh rate: 120 Hz | USB version: 3.2 Gen 1 (3.1 Gen 1) | Display brightness: 1500 cd/m² | Near Field Communication (NFC): Yes | Maximum frame rate: 240 fps | Image stabilizer: Yes | Audio formats supported: Mid | Audio formats supported: MP3 | Audio formats supported: OTA | Audio formats supported: M4A | Internal storage capacity: 1 TB | Battery capacity: 5000 mAh | Display technology marketing name: Dynamic AMOLED 2X | Platform: Android | Image formats supported: GIF | Video recording modes: 1080p | Video recording modes: 720p | Video recording modes: 4320p | Audio formats supported: IMY | Audio formats supported: DSF | Image formats supported: DNG | Image formats supported: BMP | Audio formats supported: OGA | Audio formats supported: DFF | Audio formats supported: RTX | Audio formats supported: XMF | Audio formats supported: APE | Video recording modes: 2160p | Battery endurance in cycles: 1200 | Repeated free fall reliability class: A | Repairability class: C | Battery endurance per cycle: 3300 min | USB Type-C required charging power (max): 60 W

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950