

LCD Monitor MSI MAG 342CQR E2 34



Gaming/Curved/21 : 9 Panel VA 3440x1440 21:9 180 ?? 1 ms MAG342CQRE2

Model: MAG 342CQR E2

Manufacturer: MSI

EAN: 4711377192125

Product Code: 309744

R7,170

The MSI ARSENAL GAMING (MAG) series is engineered to give gamers the edge they need to dominate on the virtual battlefield. Inspired by the rugged durability and unwavering reliability of military-grade equipment, the MAG series is built to provide an unwavering defense in every gaming scenario.

However, MAG isn't just about performance; it's a design language that conveys ruggedness and

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

toughness, embodying the very essence of the MAG style. For gamers who are determined to dominate their digital battlegrounds, the MAG series is here to stand with you, establishing the ultimate defense.

- VA Panel – Provides 1ms MPRT response time, optimizes screen colors and brightness
- 180Hz Refresh Rate – Respond faster with smoother frames
- 1ms MPRT Response Time – Eliminate screen tearing and choppy frame rates
- AI Vision – The new AI Vision technology can not only reveal details in dark areas but also enhance overall brightness and saturate colors
- Less Blue Light – Use a software solution to reduce the light emission in the blue-violet region of the blue light spectrum

Summary: MSI MAG 342CQR E2. Display diagonal: 86.4 cm (34"), Display resolution: 3440 x 1440 pixels, HD type: UltraWide Quad HD, Display technology: LCD, Display surface: Matt, Response time: 1 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting, Height adjustment. Product colour: Black | Vendor Homepage:

<https://www.msi.com/index.php> | Adobe RGB coverage: 93 | Colour gamut: 95 | Colour gamut standard: DCI-P3 | Contrast ratio (dynamic): 100000000:1 | Contrast ratio (typical): 3000:1 | Display brightness (typical): 300 | Display diagonal: 34 | Display diagonal (metric): 86.36 | Display number of colours: 1.073 billion colours | Display resolution: 3440 x 1440 | Display surface: Matt | Display technology: LCD | HD type: UltraWide Quad HD | Horizontal scan range: 68.47 - 268.2 | Maximum refresh rate: 180 | Native aspect ratio: 21:9 | Panel type: VA | Pixel pitch: 0.23175 x 0.23175 | Response time: 1 | Response time measurement type: GTG (Gray to Gray) | Screen curvature rating: 1500R | Screen shape: Curved | sRGB coverage (typical): 119 | Touchscreen: No | Vertical scan range: 48 - 180 | Viewable size, horizontal: 797.2 | Viewable size, vertical: 333.72 | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | Flicker-free technology: Yes | Low Blue Light technology: Yes | VESA Adaptive Sync support: Yes | Built-in camera: No | Built-in speaker(s): No | Frameless design: Yes | Market positioning: Gaming | Product colour: Black | Audio input: No | Built-in USB hub: No | DisplayPort version: 1.4a | DisplayPorts quantity: 1 | DVI port: No | HDMI: Yes | HDMI ports quantity: 2 | HDMI version: 2.0b | Headphone out: Yes | Adjustable height (max): 90 | Cable lock slot: Yes | Cable lock slot type: Kensington | Height adjustment: Yes | Panel mounting interface: 75 x 75 | Pivot: Yes | Pivot angle: -5 - 5 | Swivel angle range: -30 - 30 | Swivelling: Yes | Tilt adjustment: Yes | Tilt angle range: -5 - 20 | VESA mounting: Yes | AC input frequency: 50/60 | AC

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

input voltage: 100 - 240 | Energy consumption (HDR) per 1000 hours: 61 | Energy consumption (SDR) per 1000 hours: 31 | Energy efficiency class (HDR): G | Energy efficiency class (SDR): F | Energy efficiency scale: A to G | European Product Registry for Energy Labelling (EPREL) code: 1987406 | Power consumption (off): 0.3 | Power consumption (standby): 0.5 | Power supply type: External | Depth (with stand): 269.97 | Depth (without stand): 119.67 | Height (with stand): 513.97 | Height (without stand): 363.95 | Weight (with stand): 6950 | Weight (without stand): 5400 | Width (with stand): 808.6 | Width (without stand): 808.6 | Package depth: 225 | Package height: 509 | Package type: Box | Package weight: 10050 | Package width: 963 | Warranty period: 1 | Harmonized System (HS) code: 85285210 | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/1987406/fiches?language=EN> | Energy efficiency class: F | EPREL Registration Number: 1987406 | EPREL Version Number: 4 | Model: MAG 342CQR E2 | Model name: MAG 342CQR E2 | Units per Pallet: 0 | Unit Calculated Volume: 0.1001 | Product Net Weight: 6.95 | Unit Calculated Weight: 10.4

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950