

## LCD Monitor MSI PRO MP272PMG 27 Business Panel IPS 1920x1080 16:9 120 Hz Speakers PROMP272PMG



Model: PRO MP272PMG

Manufacturer: MSI

EAN: 4711377260442

Product Code: 309769

**R3,395** ~~R4,081~~

### Smooth Collaboration:

#### 120Hz Business Monitor with Built-in Webcam

Experience exceptional clarity and performance with our 120Hz business monitor, designed for smooth visuals and enhanced productivity. The built-in webcam makes virtual meetings effortless, while EyeErgo technology ensures comfortable viewing during long work sessions by reducing eye strain and promoting a healthier posture.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

- 68.6cm (27") Full HD 1920 x 1080 IPS
- 4ms, 16:9, 300cd/m<sup>2</sup>, 1500:1
- USB, VGA, HDMI, DisplayPort

Summary: MSI PRO MP272PMG. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 2.0. VESA mounting, Height adjustment. Product colour: Black | Vendor Homepage: <https://www.msi.com/Business-Productivity-Monitor/PRO-MP272PMG/Overview> | Adobe RGB coverage: 86 | Anti-glare screen: Yes | Colour depth: 8 | Colour gamut: 90 | Colour gamut standard: DCI-P3 | Contrast ratio (dynamic): 100000000:1 | Contrast ratio (typical): 1500:1 | DCI-P3 coverage: 90 | Display brightness (typical): 300 | Display diagonal: 27 | Display number of colours: 16.7 million colours | Display resolution: 1920 x 1080 | Display technology: LCD | HD type: Full HD | Horizontal scan range: 47.11 - 144.23 | Maximum refresh rate: 120 | Native aspect ratio: 16:9 | Panel type: IPS | Pixel pitch: 0.3114 x 0.3114 | Refresh rate optimizor: Yes | Response time: 4 | Response time (MPRT): 1 | Response time measurement type: GTG (Gray to Gray) | Screen shape: Flat | sRGB coverage (typical): 116 | Supported graphics resolutions: 1920 x 1080 (HD 1080) | Supported video modes: 1080p | Touchscreen: No | Vertical scan range: 48 - 120 | Viewable size, horizontal: 597.888 | Viewable size, vertical: 336.312 | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | AMD FreeSync: No | NVIDIA G-SYNC: No | VESA Adaptive Sync support: Yes | Built-in camera: Yes | Built-in speaker(s): Yes | Number of speakers: 2 | RMS rated power: 4 | Feet colour: Black | Frameless design: Yes | Market positioning: Business | Product colour: Black | Built-in USB hub: Yes | DisplayPort version: 1.2a | DisplayPorts quantity: 1 | HDMI: Yes | HDMI ports quantity: 1 | HDMI version: 1.4b | Headphone out: Yes | Headphone outputs: 1 | Number of USB Type-B upstream ports quantity: 1 | USB hub version: 2.0 | USB Type-A downstream ports quantity: 2 | USB upstream port type: USB Type-B | VGA (D-Sub) ports quantity: 1 | Adjustable height (max): 130 | Cable lock slot: Yes | Cable lock slot type: Kensington | Height adjustment: Yes | Panel mounting interface: 100 x 100 | Pivot: Yes | Pivot angle: -90 - 90 | Swivel angle range: -45 - 45 | Swivelling: Yes | Tilt adjustment: Yes | Tilt angle range: -5 - 20 | VESA mounting: Yes | Wall mountable: Yes | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Energy consumption (HDR) per 1000 hours: 25 | Energy consumption (SDR) per 1000 hours: 20 | Energy efficiency class (HDR): F | Energy efficiency class (SDR): E | Energy efficiency scale: A to G | Power consumption (off): 0.3 | Power consumption (standby): 0.5 | Power supply type: Internal | Depth (with stand): 227 | Depth (without stand): 46 | Height (with stand): 429 | Height (without stand): 357 | Weight (with stand): 6200 | Weight (without stand): 3500 | Width (with

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950

stand): 612 | Width (without stand): 612 | Package depth: 146 | Package height: 471 | Package type: Box | Package weight: 8500 | Package width: 854 | Cables included: HDMI/Power/USB Type-A to USB Type-B | Quick start guide: Yes | Stand included: Yes | Warranty period: 2 | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/2114142/fiches?language=EN> | Energy efficiency class: E | EPREL Registration Number: 2114142 | EPREL Version Number: 3 | Model: PRO MP272PMG | Model name: PRO MP272PMG | Included Accessories: 1x HDMI Cable (1.4), 1x USB Type-B to Type-A Cable, 1x Power Cord, 1x Quick Guide, 4x Stand Screw, 1x VESA Plate, 4x VESA Plate Screw. | Units per Pallet: 0 | Unit Calculated Volume: 0.0483 | Product Net Weight: 6.2 | Unit Calculated Weight: 8.4

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950