

Large Format Display DAHUA 50 3840 x 2160 pixels 4K Ultra HD Native aspect ratio 16:9 LED Flat DHI-LM50-F400N



Model: DHI-LM50-F400N

Manufacturer: DAHUA

EAN: 6937552417649

Product Code: 310594

R8,332

50 " | 3840 x 2160 pixels | 4K Ultra HD | 16:9 | LED | IPS | 8 ms | Flat | Contrast 1200:1 | Maximum refresh rate 60 Hz | Pixel pitch 0.285 x 0.285 mm | Built-in speaker(s) Yes | 2xHDMI ports quantity | VESA Yes Long Description: Dahua Technology F400N. Display diagonal: 127 cm (50"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub. VESA mounting. Product colour: Black | Vendor Homepage: https://display.dahuasecurity.com/business/en/products/productDetail?product_id=153337 | Bullet

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Points:

- 4K Ultra-HD resolution
- IPS panel, suitable for continuous 24/7 operation
- Ultra-narrow bezel design, elegant appearance
- 178°H/178°V extra-wide viewing angle for overall viewing performance
- High fidelity digital processing for a brilliant and vivid video
- 8ms response time for no motion blur, judder or ghosting
- Support multiple signal interfaces including HDMI, VGA, USB, etc
- Built-in speaker

| Number of speakers: 2 | RMS rated power: 20 | NVIDIA G-SYNC: No | Display diagonal: 50 | Display resolution: 3840 x 2160 | AMD FreeSync: No | HD type: 4K Ultra HD | Native aspect ratio: 16:9 | Display technology: LED | Panel type: IPS | LED backlight: Yes | Backlight type: Direct LED | Touchscreen: No | Built-in USB hub: Yes | Flicker-free technology: Yes | Low Blue Light technology: Yes | Display brightness (typical): 400 | Response time: 8 | Screen shape: Flat | Product colour: Black | Contrast ratio (typical): 1200:1 | VGA (D-Sub) ports quantity: 1 | Maximum refresh rate: 60 | Viewing angle, horizontal: 178 | HDMI: Yes | Viewing angle, vertical: 178 | HDMI ports quantity: 2 | HDMI version: 2.0 | Built-in speaker(s): Yes | Pixel pitch: 0.285 x 0.285 | Operating hours (hours/days): 24/7 | Audio input: Yes | Audio output: Yes | Headphone out: No | Built-in camera: No | Haze rate: 25 | Surface hardness: 3H | Colour gamut standard: NTSC | Cables included: AC/HDMI | Colour gamut: 72 | Remote control included: Yes | Manual: Yes | VESA mounting: Yes | Panel mounting interface: 200 x 300 | Package width: 1190 | Width (without stand): 1110.6 | Cable lock slot: No | Package depth: 125 | Depth (without stand): 81.7 | Package height: 750 | Height (without stand): 641 | Height adjustment: No | Package weight: 11600 | Weight (without stand): 8600 | Package type: Box | Energy efficiency class (SDR): F | Energy efficiency class (HDR): Not available | Energy consumption (SDR) per 1000 hours: 65.4 | Power consumption (typical): 89 | Power consumption (standby): 0.5 | Power consumption (max): 94 | Operating temperature (T-T): 0 - 40 | AC input voltage: 100 - 240 | LED indicators: Status | Storage temperature (T-T): -20 - 60 | AC input frequency: 50/60 | Operating relative humidity (H-H): 10 - 85 | Storage relative humidity (H-H): 5 - 90 | Power supply type: Internal | Model: DHI-LM50-F400N | Model name: F400N | Energy efficiency class: F | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/2419520/fiches?language=EN> | EPREL Version Number: 3 | EPREL Registration Number: 2419520 | Compliance certificates: CE/Electromagnetic Compatibility (EMC)/Low Voltage Directive (LVD) | USB 2.0 ports quantity: 2 | RS-232 ports: 1 | Frame Rate Control (FRC) colour depth: 8 | Units per Pallet: 0 | Unit Calculated Volume:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

0.1106 | Product Net Weight: 8.6 | Unit Calculated Weight: 11.3

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950