



LCD Monitor DAHUA 23.6 1920 x 1080 pixels Full HD Native aspect ratio 16:9 LED Curved DHI- LM24-E240C

Model: DHI-LM24-E240C

Manufacturer: DAHUA

EAN: 6937552412682

Product Code: 310601

R2,074

- Comfortable 1500R exquisite curvature, close to the natural look and feel of the human eye, bringing immersive visual enjoyment
- The 1920 × 1080 resolution produces clearer and more vivid pictures
- VA panel for wide viewing angles with 3-sided frameless design
- The 240 Hz high refresh rate enables you to aim at the target more quickly, eliminates picture lagging, and helps you to aim at the target faster

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

- Adaptive sync can effectively solve picture lagging and tearing

Summary: Dahua Technology LM24-E240C. Display diagonal: 59.9 cm (23.6"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black | Vendor Homepage: <https://www.dahuasecurity.com/fr/products/All-Products/Display-->

Control/Monitors/Gaming-Series/LM24-E240C=V1 | Backlight type: Edge LED | Colour depth: 8 | Colour gamut standard: NTSC | Contrast ratio (typical): 3000:1 | Display brightness (typical): 350 | Display diagonal: 23.6 | Display diagonal (metric): 60 | Display resolution: 1920 x 1080 | Display technology: LED | HD type: Full HD | High Dynamic Range (HDR) supported: Yes | High Dynamic Range (HDR) technology: High Dynamic Range 10 (HDR10) | LED backlight: Yes | Maximum refresh rate: 240 | Native aspect ratio: 16:9 | NTSC coverage (typical): 85 | Panel type: VA | Pixel density: 93.3 | Pixel pitch: 0.2716 x 0.2716 | Response time (MPRT): 1 | Screen curvature rating: 1500R | Screen shape: Curved | Supported graphics resolutions: 1920 x 1080 (HD 1080) | Supported video modes: 1080p | Surface hardness: 3H | Touchscreen: No | Viewable size, horizontal: 521.395 | Viewable size, vertical: 296.285 | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | AMD FreeSync: No | Flicker-free technology: Yes | Low Blue Light technology: Yes | NVIDIA G-SYNC: No | Built-in camera: No | Built-in speaker(s): No | Detachable stand: Yes | Feet colour: Black | Frameless design: Yes | Front bezel colour: Black | Illuminated stand: No | Market positioning: Gaming | Product colour: Black | Built-in USB hub: No | DisplayPort version: 1.4 | DisplayPorts quantity: 1 | HDMI: Yes | HDMI ports quantity: 1 | HDMI version: 2.0 | Headphone out: Yes | Bluetooth: No | Wi-Fi: No | LED indicators: Status | Panel mounting interface: 100 x 100 | Plug and Play: Yes | Tilt adjustment: Yes | Tilt angle range: -5 - 20 | VESA mounting: Yes | Wall mountable: Yes | AC adapter output voltage: 12 | Energy consumption (HDR) per 1000 hours: 25 | Energy consumption (SDR) per 1000 hours: 17.4 | Energy efficiency class (HDR): G | Energy efficiency class (SDR): E | Energy efficiency scale: A to G | Input current: 3 | Power consumption (max): 34 | Power consumption (off): 0.3 | Power consumption (standby): 0.5 | Power consumption (typical): 24 | Power supply type: External | Operating relative humidity (H-H): 10 - 85 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -20 - 60 | Bezel width (bottom): 16.4 | Bezel width (side): 3.2 | Bezel width (top): 3.2 | Depth (with stand): 202.2 | Depth (without stand): 90.7 | Height (with stand): 414.5 | Height (without stand): 320.3 | Weight (without stand): 3600 | Width (with stand): 537.9 | Width (without stand): 537.9 | Package depth: 145 | Package height: 400 | Package weight: 4200 | Package width: 623 | Cables included: DisplayPort | Manual: Yes | Power adapter included: Yes | Stand included: Yes | Automatic brightness control: No | Compliance certificates: CE/Electromagnetic

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Compatibility (EMC)/Low Voltage Directive (LVD) | Data Sheet (Link):

<https://eprel.ec.europa.eu/api/product/2398044/fiches?language=EN> | Energy efficiency class: E |
EPREL Registration Number: 2398044 | EPREL Version Number: 1 | Model name: LM24-E240C | Units
per Pallet: 0 | Unit Calculated Volume: 0.0375 | Product Net Weight: 3.6 | Unit Calculated Weight:
4.24

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950