

**Wireless Router
MIKROTIK
Chateau LTE7 ax
Wi-Fi 6
(802.11ax) SIM
card slot Yes 3G
Yes 4xLAN ports
USB port Yes
G+5HAXD2HAXD-
TC&R11E-LTE7**



Model: S53UG+5HAXD2HAXD-TC&R11E-LTE7

Manufacturer: MIKROTIK

EAN: 4752224010094

Product Code: 310889

R3,106

Chateau LTE7 ax

Your favorite high-performance home and office LTE router just got a major upgrade. Chateau LTE7 ax keeps the same powerful hardware, sleek design, and Wi-Fi 6 performance – but now features an

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

LTE Category 7 modem, expanded frequency support, and a significantly lower price than the previous LTE6 ax version.

Twice the upload speed

Depending on the LTE tower infrastructure and other variables

Expanded frequency support

Including Band 28 (700 MHz) & Band 32 (1500 MHz) for better performance in congested areas

Carrier aggregation (2×CA)

For higher efficiency and responsiveness in busy networks

Same trusted design

No changes to installation or configuration

Lower cost

Better connectivity that actually costs less, especially on volume orders

A powerful LTE router for demanding networks

Chateau LTE7 ax combines the new R11e-LTE7 modem with a quad-core ARM CPU, 1GB of RAM, Wi-Fi 6 (802.11ax) dual-band wireless, and a 2.5 Gigabit Ethernet port for ultra-fast local connections. Run multiple secure VPN tunnels, advanced firewall rules, advanced container setups, or complex routing scenarios – all while enjoying faster and more reliable mobile connectivity. Whether LTE is your primary connection or a rock-solid backup to fiber, Chateau LTE7 ax adapts to your setup effortlessly... and in style!

Perfect for home offices, businesses, and ISPs

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

With five Ethernet ports (including a 2.5G port!), 2×2 MIMO LTE and full RouterOS v7 functionality, Chateau LTE7 ax fits a wide range of use cases:

Secure home offices and remote work

LTE-based or hybrid ISP deployments

Small and medium-sized businesses

Households that want performance and clean design

It's equally comfortable in the hands of seasoned system administrators who need true flexibility – or users who just want to plug it in and forget it's there. Chateau supports the TR-069 technology that allows creating custom remote client management options. You can have the most straightforward and basic router settings on the same web-page that you are using to pay the mobile bill.

Two types of Chateau LTE7 ax users

Michael travels a lot. He has an ultra-fast ISP connection at home. 2.5 Gigabit Ethernet port is his main connection. He uses the LTE7 modem at his travel destination - instead of a hotspot.

Cynthia is a video editor. She uses the 2.5 Gigabit Ethernet to reach her NAS server with all the large media files. The LTE7 modem is her main connection to the outside world - with all the messengers, online meetings, and the occasional 4K movie streams.

The freedom of LTE

Reach consistent speeds of up to 300 Mbps with carrier aggregation, as CAT7 allows devices to use multiple bands simultaneously. That is a huge advantage in areas with many LTE users. Chateau provides better responsiveness in a crowded environment and higher efficiency for weaker signal situations in the countryside. Depending on the service provider, we have seen Internet speed doubling in rural areas after switching to carrier aggregation, so there is no need to wait for cable network expansions.

Summary: Mikrotik Chateau LTE7 ax. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 6 (802.11ax), WLAN data transfer rate (max): 1200 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s. Mobile network generation: 4G, 4G standard: LTE-TDD & LTE-FDD, 4G bands supported: 2100,1800,850,2600,900,800,700,1500,2300,2500 MHz. Product type: Tabletop router, Product colour: Black, White, International Protection (IP) code: IP20. Compliance certificates: RoHS, CE, EAC | Vendor Homepage:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

https://mikrotik.com/product/chateau_lte7_ax | Top Wi-Fi standard: Wi-Fi 6 (802.11ax) | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Wi-Fi standards: 802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 6E (802.11ax) | WLAN data transfer rate (max): 1200 | SIM card slot: Yes | Ethernet LAN: Yes | Ethernet LAN data rates: 10/100/1000 | Ethernet LAN interface type: Gigabit Ethernet | 3G bands supported: 1800/2100/850/900 | 4G bands supported: 1500/1800/2100/2300/2500/2600/700/800/850/900 | 4G standard: LTE-TDD & LTE-FDD | Mobile network generation: 4G | SIM card type: MicroSIM | DC-in jack: Yes | Ethernet LAN (RJ-45) ports: 5 | USB 2.0 ports quantity: 1 | USB port: Yes | MIMO: Yes | International Protection (IP) code: IP20 | Product colour: Black/White | Product type: Tabletop router | Antenna included: Yes | Compliance certificates: CE/EAC/RoHS | Antenna design: External | Antenna gain level (max): 6 | Antenna type: 2x2 | Antennas quantity: 2 | Transmit power: 24 | Internal memory: 1000 | Mean time between failures (MTBF): 200000 | Operating system installed: RouterOS | Processor cores: 4 | Processor frequency: 1800 | Processor manufacturer: Qualcomm | Power consumption (typical): 21.5 | Operating temperature (T-T): -40 - 70 | Model: S53UG+5HAXD2HAXD-TC&R11E-LTE7 | Model name: Chateau LTE7 ax | Units per Pallet: 0 | Units per Shipping Box: 5 | Unit Calculated Volume: 0.007488 | Unit Calculated Weight: 1.31

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950