

LCD Monitor LG 29 2560 x 1080 pixels WFHD Native aspect ratio 21:9 LED Flat 29U511A-B



Model: 29U511A-B

Manufacturer: LG

EAN: 8806096534601

Product Code: 311096

R3,251

See more, do more

The UltraWide™ Full HD (2560×1080) display offers 33% more horizontal screen space than a standard FHD (1920×1080) monitor. The virtually bezel-less design offers an uninterrupted, wider view. This allows for more efficient multitasking without switching between windows.

Detailed Contrast

This monitor supports the industry-standard HDR10 high dynamic range and covers 99% of the sRGB colour spectrum, delivering precise colour and brightness levels that bring out the vivid, dramatic visuals in content.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Switch swiftly

You can readily divide the whole display into up to 6 sections, change the theme design, or even launch a video call platform with a mapped hotkey. It also supports PBP and PIP modes for efficient multitasking across multiple input sources.

Clear motion with 1ms MBR

1ms MBR reduces motion blur and ghosting, delivering smoother gameplay and clearer visuals in fast-paced scenes.

Reader Mode

Adjusts colour temperature and brightness to help reduce eye fatigue when viewing documents for extended periods.

Flicker Safe

Flicker Safe reduces invisible flickering on the screen and provides a more comfortable working environment for your eyes.

Reduce clutter with a sleek design

The L-shaped stand provides ergonomic comfort with tilt adjustment and supports 100×100 VESA wall mounting for flexible installation and optimal workplace use.

- 29-inch 21:9 WFHD (2560x1080) IPS Display
- 3-Side Virtually Borderless Design
- sRGB 99% (Typ.), Colour Calibrated in factory
- 250nits (Typ.) Brightness / HDR 10
- 100Hz Refresh Rate, 1ms MBR

Summary: LG 29U511A-B. Display diagonal: 73.7 cm (29"), Display resolution: 2560 x 1080 pixels, HD type: WFHD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black | Vendor Homepage: <https://www.lg.com/au/monitors/ultrawide/29u511a-b/> | Anti-glare screen: Yes | Colour depth: 8 | Colour gamut standard: sRGB | Contrast ratio (typical): 1000:1 | Display brightness (typical): 250 | Display diagonal: 29 | Display diagonal (metric): 73 | Display number of colours: 16.7 million colours | Display resolution: 2560 x 1080 | Display technology: LED | HD type: WFHD | High

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Dynamic Range (HDR) supported: Yes | High Dynamic Range (HDR) technology: High Dynamic Range 10 (HDR10) | Maximum refresh rate: 100 | Native aspect ratio: 21:9 | Panel type: IPS | Pixel pitch: 0.2626 x 0.2628 | Response time: 5 | Response time measurement type: GTG (Gray to Gray) | Screen shape: Flat | sRGB coverage (typical): 99 | Touchscreen: No | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | AMD FreeSync: Yes | Flicker-free technology: Yes | NVIDIA G-SYNC: No | Built-in camera: No | Built-in speaker(s): No | Product colour: Black | Built-in USB hub: No | DisplayPort version: 1.4 | DisplayPorts quantity: 1 | HDMI: Yes | HDMI ports quantity: 1 | Height adjustment: No | Panel mounting interface: 100 x 100 | VESA mounting: Yes | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Energy consumption (HDR) per 1000 hours: 22 | Energy consumption (SDR) per 1000 hours: 20 | Energy efficiency class (HDR): F | Energy efficiency class (SDR): E | Energy efficiency scale: A to G | Power supply type: External | Depth (with stand): 223.8 | Depth (without stand): 45.3 | Height (with stand): 406.6 | Height (without stand): 313.4 | Weight (with stand): 4500 | Weight (without stand): 4000 | Width (with stand): 688.5 | Width (without stand): 688.5 | Package depth: 413 | Package height: 159 | Package weight: 6800 | Package width: 822 | Cables included: AC/HDMI | Brand specific technologies: Crosshair | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/2329253/fiches?language=EN> | Energy efficiency class: E | EPREL Registration Number: 2329253 | EPREL Version Number: 2 | Model name: 29U511A-B | Units per Pallet: 0 | Unit Calculated Volume: 0.03706 | Product Net Weight: 4.5 | Unit Calculated Weight: 6.55

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950