

**Wireless Router
ASUS TUF
Gaming BE9400
Wi-Fi 7
(802.11be) Data
speed 9400
Mbit/s Ethernet
WAN Yes WAN
connection type
RJ-45 Ethernet
LAN Yes 4xLAN
ports USB port
Yes TUF-BE9400**



Model: TUF GAMING BE9400 (TUF-BE9400)

Manufacturer: ASUS

EAN: 4711387931851

Product Code: 311630

R3,472

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

TUF Gaming BE9400

Always Strong.

Always On.

The TUF Gaming BE9400 is a durable, high-performance WiFi 7 router designed for stable, low-latency gaming. With speeds of up to 9,400Mbps, support for 320MHz channels, and Multi-Link Operation, it delivers fast and reliable connections across all your devices. It features four 2.5G LAN ports including a dedicated gaming port, to provide speedy and consistent wired connections for low-lag gameplay. Built to power through every battle, this router is ready when you are.

- Tri-band WiFi 7 throughput of up to 9400Mbps with 320MHz, MLO and 4K-QAM, enabling range of up to 2500 square feet
- Four 2.5G ports with three 2.5G LAN ports and one 2.5G WAN port
- Dedicated gaming port, one-tap game prioritization and OpenNAT for accelerating gameplay
- Advanced triple-level network security with AiProtection and pre-installed VPNs
- Easy IoT device and VPN subnetwork setup, instant connections with Smart Home Master
- Built to endure rigorous testing, ensuring reliability, stability, and long-lasting durability
- WiFi 7-enhanced AiMesh enables a secure and extendable network with compatible ASUS routers

Summary: ASUS 90IG0A30-MO9C00. WAN connection type: RJ-45. Wi-Fi band: Tri-band (2.4 GHz / 5 GHz / 6 GHz), Top Wi-Fi standard: Wi-Fi 7 (802.11be), WLAN data transfer rate (max): 9400 Mbit/s. Ethernet LAN interface type: 2.5 Gigabit Ethernet, Ethernet LAN data rates: 2500 Mbit/s, VPN support: nstant Guard VPN Client L2TP VPN Client Open VPN VPN Client PPTP VPN Client WireGuard VPN Server.... Security algorithms: SSH, WPA2-Enterprise, WPA2-Personal, WPA3-Enterprise, WPA, WPA3-Personal, WPS, WPA-Enterprise,..., Firewall security: Maximum Firewall Keyword Filter : 64 • Maximum Firewall Network Service Filter : 32 • Maximum.... Product type: Tabletop router, Product colour: Black, LED indicators: Power, LAN, WAN | Vendor Homepage:

<https://www.asus.com/networking-iot-servers/wifi-routers/asus-gaming-routers/tuf-gaming-be9400/> | Modulation: 4096-QAM/OFDMA | Top Wi-Fi standard: Wi-Fi 7 (802.11be) | Wi-Fi band: Tri-band (2.4 GHz / 5 GHz / 6 GHz) | Wi-Fi standards: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac)/Wi-Fi 6 (802.11ax)/Wi-Fi 6E (802.11ax)/Wi-Fi 7 (802.11be) | WLAN data transfer rate (first band): 688 | WLAN data transfer rate (max): 9400 | WLAN data transfer rate (second band): 2882 | WLAN data transfer rate (third band): 5764 | 3G/4G USB modem compatibility: Yes | Ethernet WAN:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Yes | SIM card slot: No | WAN connection type: RJ-45 | Built-in FTP server: Yes | Dynamic DNS (DDNS): Yes | Ethernet LAN: Yes | Ethernet LAN data rates: 2500 | Ethernet LAN interface type: 2.5 Gigabit Ethernet | Media server: Yes | Port forwarding: Yes | Port triggering: Yes | Support Samba (storage): Yes | VPN support: Instant Guard VPN Client L2TP VPN Client Open VPN VPN Client PPTP VPN Client WireGuard VPN Server IPSec VPN Server Open VPN VPN Server PPTP VPN Server WireGuard VPN Fusion Support Surfshark Support Nord VPN | Ethernet LAN (RJ-45) ports: 4 | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 1 | USB port: Yes | Bandwidth control: Yes | MU-MIMO technology: Yes | Quality of Service (QoS) support: Yes | Reset button: Yes | Wake-on-LAN ready: Yes | WPS push button: Yes | DMZ support: Yes | Firewall: Yes | Firewall security: Maximum Firewall Keyword Filter : 64 Maximum Firewall Network Service Filter : 32 Maximum Firewall URL Filter : 64 | MAC address filtering: Yes | Network address translation (NAT): Yes | Parental control: Yes | Security algorithms: SSH/WPA/WPA2-Enterprise/WPA2-Personal/WPA3-Enterprise/WPA3-Personal/WPA-Enterprise/WPA-Personal/WPS | System event log: Yes | DHCP server: Yes | LED indicators: Power,LAN,WAN | On/off switch: Yes | Product colour: Black | Product type: Tabletop router | AC adapter included: Yes | Cables included: LAN (RJ-45) | Quick start guide: Yes | Warranty card: Yes | Antenna design: External | Antennas quantity: 6 | Built-in processor: Yes | Flash memory: 256 | Internal memory: 1000 | Processor cores: 4 | Processor frequency: 1500 | AC input frequency: 50/60 | AC input voltage: 110 - 240 | Output current: 2.5 | Output voltage: 12 | Power source type: AC | Depth: 179 | Height: 191 | Weight: 764 | Width: 320 | Package depth: 236 | Package height: 82 | Package type: Box | Package weight: 1245 | Package width: 442 | Model name: 90IG0A30-MO9C00 | Units per Pallet: 0 | Units per Shipping Box: 7 | Unit Calculated Volume: 0.01025 | Unit Calculated Weight: 1.64

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950