

**Switch DAHUA
S3218-16ET-135
Switch type
Unmanaged
Switch layer L2
Rack mounting
Yes Stackable
Yes Form factor
1U 16xRJ-45
ports RJ-45
Ports Type
Gigabit Ethernet
(10/100/1000)
2xSFP module
slots quantity
Power over
Ethernet (PoE)
Yes 2xPower
over Ethernet
(PoE) ports**

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

quantity Total Power over Ethernet (PoE) budget 135 W S3218-16ET-135



Model: S3218-16ET-135

Manufacturer: DAHUA

EAN: 6923172527882

Product Code: 311829

R2,381

18-Port Unmanaged Desktop Switch with 16-Port PoE

- 16 × RJ-45 10/100 Mbps (PoE) ports, 2 × RJ-45 10/100/1000 Mbps (combo) ports and 2 × SFP 1000 Mbps (combo) ports.
- Meets the requirements of IEEE802.3af, IEEE802.3at, Hi-PoE, and IEEE802.3bt power supply standards.
- PoE watchdog real-time monitors camera statues and automatically reboots faulty network cameras.
- Up to 250 m transmission distance.
- Supports VIP ports, prioritizing transmission for port1 to port8.

Summary: Dahua Technology PoE S3218-16ET-135. Switch type: Unmanaged, Switch layer: L2. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 16. Switching optical modules type: Gigabit Ethernet. MAC address table: 8000 entries, Switching capacity: 7.2 Gbit/s. Networking standards: IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt. Power over Ethernet (PoE). Rack mounting, Form factor: 1U | Vendor Homepage: _____

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

<https://transmission.dahuasecurity.com/en/product->

[list/Business/Switches/PoESwitchForSecurity/S3218-16ET-135](#) | Switch layer: L2 | Switch type: Unmanaged | Basic switching RJ-45 Ethernet ports quantity: 16 | Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000) | SFP module slots quantity: 2 | Ethernet LAN data rates: 10,100,1000 | Networking standards: IEEE 802.3af/IEEE 802.3at/IEEE 802.3bt | Switching optical modules type: Gigabit Ethernet | Transmission distance (max): 0.25 | MAC address table: 8000 | Switching capacity: 7.2 | Throughput: 5.3568 | Form factor: 1U | Product colour: Black | Rack mounting: Yes | Stackable: Yes | AC input voltage: 100 - 240 | Power source: AC | Power over Ethernet (PoE): Yes | Power over Ethernet (PoE) ports quantity: 2 | Total Power over Ethernet (PoE) budget: 135 | Operating relative humidity (H-H): 10 - 90 | Operating temperature (T-T): -10 - 55 | Storage relative humidity (H-H): 5 - 95 | Depth: 300 | Height: 44 | Width: 440 | Manual: Yes | Package depth: 412 | Package height: 110 | Package width: 527 | Model name: S3218-16ET-135 | Units per Pallet: 0 | Units per Shipping Box: 5 | Unit Calculated Volume: 0.1941 | Unit Calculated Weight: 3.34

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950