

Samsung Galaxy S25 FE SM- S731B/DS 17 cm (6.7) Dual SIM Android 16.0 5G USB Type-C 8 GB 512 GB 4900 mAh White



Model: SM-S731BZWIEUE

Manufacturer: SAMSUNG

EAN: 8806097644576

Product Code: 340318

R14,383

Slow motion rate: 240fps @FHD, 120fps @FHD, 120fps @UHD | Housing material: Aluminium |
Battery endurance per cycle: 2557 min | Audio formats supported: AWB | Fingerprint reader: Yes |
Audio formats supported: MIDI | Audio formats supported: MXMF | Depth: 7.4 mm | Audio formats
supported: IMY | Audio formats supported: DSF | Video formats supported: M4V | Video formats
supported: AVI | Video formats supported: WEBM | Video formats supported: 3GP | Audio formats
supported: OGG | Audio formats supported: RTX | Audio formats supported: XMF | Audio formats
supported: APE | Video formats supported: FLV | Top Wi-Fi standard: Wi-Fi 6E (802.11ax) | Video
formats supported: MKV | Processor model: 2400 | International Protection (IP) code: IP68 | Audio

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices
may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or
typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

formats supported: 3GA | Audio formats supported: WAV | Audio formats supported: AMR | Audio formats supported: MP3 | Audio formats supported: OTA | Audio formats supported: Mid | Video formats supported: 3G2 | Processor cores: 10 | Audio formats supported: AAC | Audio formats supported: FLAC | Audio formats supported: OGA | Audio formats supported: DFF | Audio formats supported: RTTTL | Maximum frame rate: 240 fps | USB connector type: USB Type-C | Optical zoom: 3x | Battery endurance in cycles: 2000 | Processor boost frequency: 3.2 GHz | Energy efficiency class: B | Repairability class: C | Bluetooth: Yes | Video formats supported: MP4 | Display diagonal: 17 cm (6.7") | Audio formats supported: M4A | Display resolution: 2340 x 1080 pixels | Processor family: Samsung Exynos | Wi-Fi standards: 802.11b | Display number of colours: 16 million colours | Wi-Fi standards: 802.11a | Wi-Fi standards: Wi-Fi 6 (802.11ax) | Wi-Fi standards: Wi-Fi 4 (802.11n) | Wi-Fi standards: 802.11g | Cables included: USB Type-C | Video recording modes: 4320p | Width: 76.6 mm | Modulation: 1024-QAM | Product colour: White | Digital zoom: 30x | MIMO: Yes | Height: 161.3 mm | Weight: 190 g | Wi-Fi standards: Wi-Fi 6E (802.11ax) | AC adapter included: No | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Operating system installed: Android 16.0 | Protection features: Water resistant | Protection features: Dust resistant | Repeated free fall reliability class: A | Bluetooth version: 5.4 | Image stabilizer: Yes | USB version: 3.2 Gen 1 (3.1 Gen 1) | Battery capacity: 4900 mAh | Platform: Android | GPS (satellite): Yes | Headphone connectivity: USB Type-C | Display technology marketing name: Dynamic AMOLED 2X | Rear camera flash: Yes | GLONASS: Yes | Internal storage capacity: 512 GB | Removable battery: No | USB Type-C required charging power (min): 10 W | NavIC: Yes | 5G bands supported: 3500 | 4G bands supported: 1500 | Maximum refresh rate: 120 Hz | Gyroscope: Yes | Image stabilizer type: Optical Image Stabilization (OIS) | USB Type-C charging port: Yes | 4G bands supported: 900 | 4G bands supported: 1900 | 5G bands supported: 2500 | 4G bands supported: 2100 | 4G bands supported: 800 | 5G bands supported: 700 | 5G bands supported: 1800 | 5G bands supported: 2300 | 5G bands supported: 2600 | 5G bands supported: 800 | 5G bands supported: 900 | Rear camera type: Triple camera | Rear camera resolution (numeric): 50 MP | 4G bands supported: 2600 | 4G bands supported: 850 | 5G bands supported: 2100 | 4G bands supported: 1800 | Hall sensor: Yes | 5G bands supported: 3700 | 5G standard: Sub6 TDD | Second rear camera aperture number: 2.2 | Gorilla Glass version: Gorilla Glass Victus+ | Front camera aperture number: 2.2 | Barometer: Yes | 5G standard: Sub6 FDD | 4G standard: LTE-TDD & LTE-FDD | Geomagnetic sensor: Yes | Near Field Communication (NFC): Yes | 5G bands supported: 850 | 5G bands supported: 1500 MHz | USB Type-C required charging power (max): 45 W | BeiDou: Yes | User memory: 483.7 GB | Speakers: stereo | Second rear camera resolution (numeric): 12 MP | Frequency band: Tri-band | RAM capacity: 8 GB | 5G standard: Sub6 SDL | Wi-Fi Direct: Yes | Mobile network generation: 5G | Slow motion mode: Yes | 3G standards: WCDMA | 3G bands supported: 900 | Third rear camera aperture

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

number: 2.4 | 3G bands supported: 1900 | Ambient light sensor: Yes | Galileo: Yes | SIM card capability: Dual SIM | SIM card ejector pin: Yes | USB Power Delivery (USB PD): Yes | Video capture resolution (max): 7680 x 4320 pixels | 3G bands supported: 2100 | Position location: Yes | Rear camera aperture number: 1.8 | 5G bands supported: 1900 | 4G bands supported: 700 | 3G standards: UMTS | 3G bands supported: 850 | Third rear camera resolution (numeric): 8 MP | Quasi-Zenith Satellite System (QZSS): Yes | Proximity sensor: Yes | Front camera type: Single camera | Energy efficiency scale: A to G | Front camera resolution (numeric): 12 MP | Continuous video playback time (max): 28 h | Display glass type: Corning Glass | Accelerometer: Yes | SIM card type: NanoSIM + eSIM

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950