



Axagon EE25-A6C Screwless aluminum USB 3.2 Gen 1 - SATA 6G external box for 2.5" SSD/HDD



Model: EE25-A6C

Manufacturer: AXAGON

EAN: 8595247906502

Product Code: 399930

R797

Screwless aluminum external AXAGON EE25-A6C RAW box with USB 3.2 Gen 1 (USB 3.0) interface is designed for 2.5" SATA hard drives or SSDs. The double-sided USB-C connector on the box together with the supplied USB-C -> USB-A cable enables a reliable connection to a computer.

SATA 6G interface with UASP support allows you to enjoy the speed of modern SSDs. The TRIM feature support limits the gradual degradation of SSD performance over time. Reading S.M.A.R.T. information monitoring the condition of the external drive. Hibernation support for connected disk and box.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

The unique screwless box opening facilitates the box assembly and disassembly. The inner box frame fixes well and protects the inserted disk. Supplied foam pads allow the use of 7 mm HDD and SSD. The aluminum box body helps cool the box and allows easy disk replacement. The elegant, brushed box surface prevents unwanted fingerprints.

Input:

- USB 3.2 Gen 1 (USB 3.1 Gen 1 / USB 3.0) SuperSpeed USB.
- Speed up to 5 Gbit/s.
- Connection via reversible USB type C female connector.

Device support:

- SATA III - 6 Gb/s (600 MB/s) interface,
- Supports 2.5" SSD/HDD,
- max. disk capacity - all without restriction,
- max. 2.5" disk height – 9.5 mm.

Other features:

- Compatible with USB 3.2 Gen 1 (USB 3.1 Gen 1 / USB 3.0), backward compatible with USB 2.0.
- Supports transmission rates 5000 / 480 Mbit/s (SuperSpeed / HighSpeed).
- Compliant with Serial ATA 3.0 specification (SATA/600), transmission rates of up to 6 Gb/s (600 MB/s).
- Compliant with Serial ATA 2.0 specification (SATA/300), transmission rates of up to 3 Gb/s (300 MB/s).
- Compliant with Serial ATA 1.0 specification (SATA/150), transmission rates of up to 1.5 Gb/s (150 MB/s).
- The total bandwidth / transmission rate of the box is determined by the USB interface used (theor. 5 Gbit/s).
- Supports BOT (Bulk-Only Transport).
- Supports UASP (USB Attached SCSI Protocol) for faster data transfer in Windows 8 and above.
- Supports TRIM function to limit the gradual degradation of SSD performance over time.
- Supports S.M.A.R.T. (Self-Monitoring, Analysis, and Reporting Technology) disk health monitoring system.
- SSD/HDD boot support in external box.
- **Possibility to connect your device while running thanks to the Hot Plug support.**

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

- Full Plug and Play support.
- HDD Auto Spindown - automatic spindown of a disk after period of inactivity lasting 10 minutes.
- HDD Turn Off - turns off the disk after removing the device or sleeping the PC.
- Connection via USB-C 3.2 Gen 1 female connector.
- USB-C / USB-A cable 40 cm long is included.
- A decent LED indicating the connection to the computer's USB port (permanent light) and data transfer (blinking).
- External box dimensions 122 x 78 x 13 mm.
- Weight 80 g.

Supported OS:

- MS Windows 7 / 8 / 8.1 / 10 / 11 and later, Windows Server 2008 / 2012 / 2016 / 2019 and later (supported are all 32- and 64-bit Windows OS versions), Mac OS X 10.x and higher, Linux with kernel 2.6.x and above.
- Note: Drivers are included with supported operating systems and are installed completely automatically. No other drivers need to be installed and are not even available.

Package contains:

- USB-C 3.2 Gen 1 external box for 2.5" SATA disk,
- USB-C - USB-A cable 40 cm long,
- self-adhesive foam pads for 7 mm HDD and SSD,
- multilingual manual CZ / DE / DK / ENG / ESP / FIN / FR / GR / HR / HU / IT / NL / PL / PT / RO / RU / SK / SWE / TR / BG / CN / ARA,
- packed in a cardboard box.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950