



## **Graphics Card GIGABYTE NVIDIA GeForce RTX 5060 Ti 16 GB GDDR7 128 bit PCIE 5.0 16x GPU 2647 MHz Triple slot Fansink 1xHDMI 3xDisplayPort GV- N506TAEROOC- 16GD1.0**

Model: GV-N506TAERO OC-16GD 1.0

Manufacturer: GIGABYTE

EAN: 4719331356033

Product Code: 40578

---

## **R14,813**

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

Unlock unparalleled gaming prowess with GIGABYTE's NVIDIA graphics cards. Engineered for peak performance and visual excellence, our GPUs redefine gaming standards. With advanced cooling solutions and cutting-edge technologies, GIGABYTE NVIDIA graphics cards deliver stunning visuals and seamless gameplay experiences, empowering gamers to dominate every virtual battlefield with confidence and precision.

- Powered by the NVIDIA Blackwell architecture and DLSS 4
- Powered by GeForce RTX 5060 Ti
- Integrated with 16GB GDDR7 128bit memory interface
- WINDFORCE cooling system
- RGB Lighting
- Dual BIOS (Performance / Silent)
- Reinforced structure

Summary: GIGABYTE GeForce RTX 5060 Ti AERO OC 16G Graphics Card - 16GB GDDR7, 128bit, PCI-E 5.0, 2647MHz Core Clock, 3 x DisplayPort, 1 x HDMI, GV-N506TAERO OC-16GD. Graphics processor family: NVIDIA, Graphics processor: GeForce RTX 5060 Ti, Processor frequency: 2647 MHz. Discrete graphics card memory: 16 GB, Graphics card memory type: GDDR7, Memory bus: 128 bit, Memory clock speed: 28000 MHz. Maximum resolution: 7680 x 4320 pixels. DirectX version: 12.0, OpenGL version: 4.6. Interface type: PCI Express x16 5.0. Cooling type: Active, Number of fans: 3 fan(s) | Vendor Homepage: <https://www.gigabyte.com/> | CUDA: Yes | CUDA cores: 4608 | Graphics processor: GeForce RTX 5060 Ti | Graphics processor family: NVIDIA | Maximum displays per videocard: 4 | Maximum resolution: 7680 x 4320 | Parallel processing technology support: Not supported | Processor frequency: 2647 | Data transfer rate: 28 | Discrete graphics card memory: 16 | Graphics card memory type: GDDR7 | Memory bus: 128 | Memory clock speed: 28000 | DisplayPort version: 2.1b | DisplayPorts quantity: 3 | HDMI ports quantity: 1 | HDMI version: 2.1b | Interface type: PCI Express x16 5.0 | DirectX version: 12.0 | Dual Link DVI: No | NVIDIA G-SYNC: Yes | OpenGL version: 4.6 | Overclocked (OC) edition: Yes | TV tuner integrated: No | Warranty period: 3 | Cooling technology: GIGABYTE WINDFORCE 3X | Cooling type: Active | Form factor: Full-Height/Full-Length (FH/FL) | Number of fans: 3 | Number of slots: 2 | Product colour: White | Minimum system power supply: 650 | Supplementary power connectors: 1x 8-pin | Depth: 40 | Height: 117 | Length: 281 | Weight: 820 | Package depth: 354 | Package height: 75 | Package type: Box | Package weight: 1290 | Package width: 182.5 | Products per shipping (inner) case: 1 | Model: GV-N506TAERO OC-16GD |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950

Units per Pallet: 0 | Units per Shipping Box: 10 | Unit Calculated Volume: 0.006952 | Product Net Weight: 1 | Unit Calculated Weight: 1.38

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950