

NET CAMERA 5MP TURRETCAM/4MM WHITE 64925 AJAX

NET CAMERA 5MP TURRETCAM/4MM WHITE 64925 AJAX



Model: 64925

Manufacturer: AJAX

EAN: 4823114046308

Product Code: 406336

R6,250

TurretCam

Wired AI-powered security IP camera

Intelligence and privacy built-in

Get full control over the camera stream with precise privacy settings for each system user. Enjoy smooth and fast navigation with an intuitive interface empowered by state-of-the-art streaming technology. NDAA-compliant hardware — utilizing cutting-edge software and AI — delivers a clear image right when you need it.

Crafted lens for any space

Discover a range of versatile lens options tailored to your specific needs. Whether you require a

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

broader perspective for outdoor installations or a closer focus on corridors and compact spaces, we have you covered. Opt for more megapixels to monitor extensive areas or fewer megapixels when space is limited and ultra-high detailing isn't a priority.

Customizable video wall for simultaneous monitoring

Integrate all your visual data in a streamlined interface. The Videowall tab combines the latest snippets from IP cameras and MotionCam series detectors, offering a comprehensive view of your space. Rearrange tiles according to your preference. The video wall is accessible on both mobile and desktop apps.

Built-in motion detection

Optimize your video archive by setting up the pixel movement detection feature. Define specific zones to ensure recordings are triggered only when movement occurs in the selected area. This conserves space and streamlines archive navigation.

Keep sensitive info in the private zone

Enhance privacy by setting up privacy zones. This feature allows hiding parts of the frame. For instance, if a safe is in view, activity around it can be recorded without revealing its contents by setting up the right zone. This option ensures that personal and sensitive information remains private, especially in a highly secure environment.

Passwordless authentication is key

Our cameras do not have default passwords, eliminating a potential system weakness. Passwordless authentication via mTLS ensures that the camera can be connected to one space only.

Each cloud-endpoint interaction is authenticated through encrypted certificates, eliminating password risks. Adding a camera is effortless via the Ajax app, ensuring a seamless and secure installation process.

Hassle-free installation and setup

Ajax cameras simplify the installation process, making it a breeze with minimal disassembly and an included template for precise hole placement, quality hex key, and secure screw design. Everything

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

is seamlessly set up through the app, whether you're on-site or accessing remotely.

Summary: Ajax TurretCam. Type: IP security camera, Placement supported: Indoor & outdoor, Connectivity technology: Wired. Mounting type: Ceiling, Product colour: White, Form factor: Turret. Field of view (FOV) angle: 85°. Fixed focal length: 4 mm. Night vision distance: 35 m | Vendor Homepage: <https://ajax.systems/> | Form factor: Turret | IK code: IK08 | International Protection (IP) code: IP65 | Mounting type: Ceiling | Product colour: White | Connectivity technology: Wired | Day/night mode: Yes | Placement supported: Indoor & outdoor | Type: IP security camera | Wide Dynamic Range (WDR): Yes | Field of view (FOV) angle: 85 | Number of sensors: 1 | Fixed focal length: 4 | Number of lenses: 1 | Night vision: Yes | Night vision distance: 35 | Frame rate: 25 | Maximum resolution: 2880 x 1620 | Supported graphics resolutions: 2880 x 1620 | Supported video modes: 1620p | Total megapixels: 5 | Video compression formats: H.264/H.265 | Video formats supported: H.264/H.265 | Video recording: Yes | Audio formats supported: G.711 µ-law/G.711 A-law/G.722/G.726 | Built-in microphone: Yes | Bluetooth: No | Ethernet LAN: Yes | Wi-Fi: No | Built-in HDD: No | Card reader integrated: Yes | Compatible memory cards: MicroSD (TransFlash) | Human and vehicle targets classification: Yes | Video motion detection: Yes | Reset button: Yes | Web-based management: Yes | Power source type: PoC | Operating relative humidity (H-H): 0 - 90 | Operating temperature (T-T): -30 - 60 | Depth: 98 | Height: 103 | Weight: 496 | Width: 98 | Manual: Yes | Mounting kit: Yes | Number of cameras: 1 | Model: TurretCam (5 Mp/4 mm) | Units per Pallet: 0 | Units per Shipping Box: 6 | Unit Calculated Volume: 0.003439 | Unit Calculated Weight: 0.775

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950