ITWorkup - Level up your IT!
Waterfall Office Park, 28 Augrabies Rd Vorna Valley, Midrand, 1685
Generated: 2026-11-06 08:37



CPU COOLER S_MULTI/G89.GHS[illegible]6S LIAN LI

Model: G89.GHSLCD36SW.00

Manufacturer: LIAN LI

EAN: 4718466015761

Product Code: 406597

R4,502

Lian Li HSLCD36SW White (G89.GHSLCD36SW.00)

Unleash Power, Elevate Style

Experience a PC aesthetic revolution with
HydroShift AIO’s side-mounted coolant pathway,
integrating cooling tubes with the radiator for a sleek, flawless look.

SIDE-MOUNTED DESIGN

The HydroShift AIO features an innovative side-mounted design for its cooling tubes, which are snugly attached to the side of the radiator. Combined with several thoughtful design elements, this ensures a clean and streamlined appearance for the entire cooling setup once installed.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Pre-Installed Mounting Brackets

Fixed brackets on the radiator ensure the coolant tubes stay securely in place, with an additional bracket included for cases with limited top-mount space.

Server-Grade Ribbed Tubes

These highly durable and flexible tubes allow tight bends without compromising internal diameter or flow rate.

Cable Clips

Used to organize the cooling tubes and cables extending from the pump, ensuring a smooth and cohesive overall appearance.

Pump cover

Used to conceal the pump bracket, maintaining a sleek and clean aesthetic throughout.

Dual Direction L-Shaped Shrouds

Customizable for either side of the radiator to maintain a consistent and stylish appearance.

MINIATURE YET MIGHTY

HydroShift AIO delivers near-identical performance to the GA II Performance while boasting a significantly reduced size. The new design also eliminates the water isolation chamber, reducing the size of the water chamber.

Compared to the GA II LCD that uses Asetek’s 8th Gen solution, the HydroShift AIO is quieter and more efficient. Our tests indicate that when benchmarking the Intel® Core™ i9 processor 14900K at 280W, the CPU temperature for the HydroShift AIO is reduced by 2.5°C compared to the GA II LCD. At the same time, acoustic noise is lowered by 3dbA.

ENHANCED DISPLAY

Featuring a 480×480 resolution, 500 nits brightness, and 24-bit full color, customizable via L-Connect 3.

Real-time monitoring

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

The real-time monitoring feature displays load, temperature, frequency, and other CPU/GPU info, with an adjustable layout. The number of sensors has increased from 2 to 4 compared to the GA II LCD version.

Dynamic effects

Once the monitoring information layout is set, dynamic effects can be added for enhancement. The intensity and speed of these effects can be freely adjusted, or they can be set to change in response to the monitored hardware information.

Captured screenshots or recorded videos

Capture and display images with the screenshot feature. The screen recording function lets you loop selected video parts, which can also serve as backgrounds for hardware monitoring info.

New theme

The HydroShift AIO release brings L-Connect 3 updates with multiple themes like Atmosphere, Planet City, and Steampunk, also compatible with the GA II LCD series. These themes offer unique visuals and preset layouts for hardware monitoring.

OPTIMIZED CABLE MANAGEMENT

Compared to previous AIO products, the HydroShift AIO has optimized its cable management.

The fan cables are integrated into the cooling tubes, simplifying the connection process.

The USB cable is now also integrated into the pump.

6-YEAR WARRANTY

With a 6-year warranty, including the fans and the controller, and compensation for hardware damage due to leakage (non-manmade causes) within three years, HydroShift AIO prioritizes both performance and peace of mind.

- Shifted AIO tubes for a near-tubeless aesthetic
- Features server-style ribbed tubes for tight bending radius
- Performance-enhanced and noise-optimized pump

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

- Features a 2.88” IPS LCD screen with a 480×480 resolution
- Powered by L-Connect 3 for screen display content
- Pre-installed daisy-chainable radiator fans or UNI FAN TL fans

Summary: Lian Li HSLCD36SW. Type: All-in-one liquid cooler, Fan diameter: 12 cm, Rotational speed (min): 200 RPM, Rotational speed (max): 2500 RPM, Bearing type: Fluid Dynamic Bearing (FDB). Product colour: White | Vendor Homepage: https://lian-li.com/product/hydroshift-aio/?cn-reloaded=1 | Ventiliatoriaus skersmuo: 120 | Tipas: Universalusis skystinis aušintuvas | Palaikomi procesoriaus lizdai: AM4 lizdas/AM5 lizdas/LGA 1700 | Tinkama vieta: Kompiuterio korpusui | Sukimosi greitis (min.): 200 | Sukimosi greitis (maks.): 2500 | Didžiausias oro srautas: 73.14 | Ventiliatoriaus laikiklio tipas: Hidrodinaminis guolis (FDB) | Siurblio variklio greitis (maks.): 3800 | Ventiliatoriaus statinis slėgis: 5 | Produkto spalva: Balta | Radiatoriaus medžiaga: Aliuminio | Ventiliatorių skaičius: 3 | Plaukmenų skaičius: 1 | Apšvietimo LED: Taip | Apšvietimo spalva: Daugybė | Ekrano tipas: LCD | Radiatoriaus plotis: 403 | Radiatoriaus gylis: 124.5 | Radiatoriaus aukštis: 27 | Vamzdžio ilgis: 475 | Vandens bloko plotis: 72 | Vandens bloko gylis: 72 | Vandens bloko aukštis: 59 | Ventiliatoriaus matmenys (plotis x gylis x aukštis): 124 x 120 x 28 | Garantinis laikotarpis: 6 | Pakuotės tipas: „Box“ | Garso lygis: 29.8 | Bruto svoris: 3.44 | Neto svoris: 2 | Vienetų skaičius vienoje siuntimo dėžėje: 4 | Vieneto plotis: 17 | Vienetų skaičius ant paletės: 0 | Shipping Box Height: 37 | Vieneto gylis: 46 | Vieneto aukštis: 21 | Name: CPU COOLER S_MULTI/G89.GHSLCD36SW.00 LIAN LI | Model: G89.GHSLCD36SB.00 | Model name: Lian Li HSLCD36SW White (G89.GHSLCD36SW.00)

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950