

NET CAMERA 4MP IR BULLET/IPC-HFW2449S-S-IL-0280B DAHUA

NET CAMERA 4MP IR BULLET/IPC- HFW2449S-S-IL- 0280B DAHUA



Model: IPC-HFW2449S-S-IL-0280B

Manufacturer: DAHUA

EAN: 6923172537744

Product Code: 406680

R4,181

Launched by Dahua Technology, WizSense is a series of AI products and solutions that adopt independent AI chip and deep learning algorithm. It focuses on human and vehicle with high accuracy, enabling users to fast act on defined targets. Based on Dahua's advanced technologies, WizSense provides intelligent, simple and inclusive products and solutions.

With advanced deep learning algorithm, Dahua WizSense 2 Series network camera supports intelligent functions, such as perimeter protection and smart motion detection. With starlight technology, this series camera provides a better image effect in the condition of low illuminance.

- 4-MP 1/2.9" CMOS image sensor, low luminance, and high definition image
- Outputs max. 4 MP (2688 × 1520)@20 fps, and supports 2560 × 1440 @25/30 fps

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

- H.265 codec, high compression rate, ultra-low bit rate
- Built-in warm light/IR LED, the max. illumination distance is 30 m and the max. warm light distance is 30 m
- ROI, SMART H.264+/H.265+, flexible coding, applicable to various bandwidth and storage environments
- Rotation mode, WDR, 3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes
- Intelligent monitoring: Intrusion, tripwire (the two functions support the classification and accurate detection of vehicle and human)
- Supports max. 256 G Micro SD card; built in MIC
- 12 VDC/PoE power supply, easy for installation
- IP67 protection
- SMD Plus

Summary: Dahua Technology WizSense IPC-HFW2449S-S-IL. Type: IP security camera, Placement supported: Indoor & outdoor, Connectivity technology: Wired. Mounting type: Ceiling/wall, Product colour: White, Form factor: Bullet. Minimum illumination: 0.0008 lx, Angle of rotation: 360°, Tilt angle range: 0 - 90°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.9 mm (1 / 2.9"). Closest focusing distance: 0.9 m | Vendor Homepage: <https://www.dahuasecurity.com/products/All-Products/Network-Cameras/WizSense-Series/2-Series/Smart-Dual-Illuminators/IPC-HFW2449S-S-IL> | Form factor: Bullet | Mounting type: Ceiling/wall | Product colour: White | Housing material: Metal | International Protection (IP) code: IP67 | Type: IP security camera | Connectivity technology: Wired | Placement supported: Indoor & outdoor | Wide Dynamic Range (WDR): Yes | Certification: CE-LVD: EN 62368-1 CE-EMC: 2014/30/EU FCC: 47 CFR FCC Part 15, Subpart B | Minimum illumination: 0.0008 | Angle of rotation: 360 | Tilt angle range: 0 - 90 | Pan range: 0 - 360 | White balance: Auto/Manual/Natural/Outdoor/Street lamp | Camera shutter speed: 1/3 - 1/100000 | Adjustment shutter speed: Auto/Manual | Optical sensor size: 1/2.9 | Progressive scan: Yes | Sensor type: CMOS | Number of lenses: 2 | Fixed focus: Yes | Maximum aperture number: 1.6 | Closest focusing distance: 0.9 | Night vision: Yes | Night vision distance: 30 | LED type: IR | Number of illumination LEDs: 1 | Maximum resolution: 2688 x 1520 | Total megapixels: 4 | Video compression formats: H.264/H.264+/H.264B/H.264H/H.265/H.265+/M-JPEG | Supported graphics resolutions: 1280 x 720 (HD 720)/1280 x 960/1920 x 1080 (HD 1080)/2304 x 1296/2560 x 1440/2688 x 1520/342 x 240/352 x 288/640 x 480 (VGA)/704 x 480/704 x 576 | Noise reduction: Yes | Noise reduction technology: 3D noise reduction | Gain control type: Auto/Manual | Back Light Compensation (BLC): Yes | Bit rate

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

control: Constant Bit Rate (CBR)/Variable Bit Rate (VBR) | Highlight Compensation (HLC): Yes | Privacy masking: Yes | Region of Interest (ROI) encoding: Yes | Audio formats supported: G.711 μ -law/G.711 A-law/G.726/PCM | Signal-to-Noise Ratio (SNR): 56 | Built-in microphone: Yes | Ethernet LAN: Yes | Ethernet interface type: Fast Ethernet | Supported network protocols: IPv4; IPv6; HTTP; TCP; UDP; ARP; RTP; RTSP; RTCP; RTMP; SMTP; FTP; SFTP; DHCP; DNS; DDNS; NTP; Multicast; ICMP; IGMP | Wi-Fi: No | Bluetooth: No | Number of users: 6 | Built-in HDD: No | Card reader integrated: Yes | Compatible memory cards: MicroSD (TransFlash) | Maximum memory card size: 256 | Internal memory: 128 | ROM capacity: 128 | Ethernet LAN (RJ-45) ports: 1 | HTTPS encryption: Yes | Intelligent Video Surveillance (IVS) system features: Intrusion/Tripwire | Mirror: Yes | Privacy protection: Yes | Video motion detection: Yes | Web-based management: Yes | Web browser: Yes | Management software: DSS; DMSS | Power source type: DC,PoE | Power consumption (typical): 2.1 | Power consumption (max): 4.4 | Power consumption (Power over Ethernet (PoE)): 2.5 | Operating temperature (T-T): -40 - 60 | Storage temperature (T-T): -40 - 60 | Operating relative humidity (H-H): 0 - 95 | Mobile operating systems supported: Android/iOS | Width: 70 | Depth: 166.2 | Height: 70 | Weight: 480 | Package weight: 590 | Number of cameras: 1 | Unit Calculated Weight: 0.643 | Product Net Weight: 0.48 | Unit Calculated Volume: 0.002862 | Units per Shipping Box: 20 | Units per Pallet: 0 | Shipping Box Height: 23.5 | Name: NET CAMERA 4MP IR BULLET/IPC-HFW2449S-S-IL-0280B DAHUA | Model: IPC-HFW2449S-S-IL-0280B

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950