



CPU COOLER S_MULTI/G89.GA2T24INW.00 LIAN LI



Model: G89.GA2T24INW.00

Manufacturer: LIAN LI

EAN: 4718466013576

Product Code: 406782

R3,817

With UNI FAN SL-INF

Easily match the AIO fans to your case fans with this visually stunning option

IMPROVED DESIGNS, IMPROVED PERFORMANCE

Compared to the Galahad AIO, the Galahad II Trinity series shows significant improvement in cooling performance thanks to the many design changes that were introduced.

CHOOSE PREFERABLE LOOK

The Galahad II Trinity series' pump cap has three interchangeable designs, each with a unique look and two rings of colors that can be individually controlled with different lighting effects.

HIGH DENSITY ALUMINUM RADIATOR

This 27mm thick radiator features single-wave radiator fins with 20 FPI (fins per inch), which is less airflow restrictive and can result in greater thermal performance.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

DAISY-CHAINABLE ARGB FAN

The ARGB PWM fans can be daisy-chained by a single short cable which can be hidden inside the frame of the fan. The 120mm fan is 25mm thick and is equipped with fluid dynamic bearings for stable and quiet operations while effectively providing airflow to the radiator.

MOUNT IN ANY WAY

This innovative 45° tubing connector gives the tubes the freedom of 360° rotation, allowing the Galahad II Trinity series to be installed in many different ways.

INSTALATION MADE EASY, FOR YOU

The Galahad II Trinity series introduces redesigned mounting backplates to provide a hassle-free installation to users while maintaining compatibility with most mainstream CPU sockets. The backplates have a one-piece design with fixed struts to make installation easier.

It also comes with a thermal paste control film and spreader to help ensure the right amount of thermal paste is applied for effective heat dissipation.

SEAMLESS SOFTWARE

Control and preview with precision the lighting effect and real-time motor speed of the Galahad II Trinity Pump and fans with the L-Connect 3.

SIMPLE CONNECTION

The controller is built into the pump and the fan can be connected to the pump to control via L-Connect 3.

- 3 interchangeable pump looks that can be customized with L-Connect 3
- Factory installed with ARGB daisy-chainable radiator fans or UNI FAN SL-INF
- Pump motor speed goes up to 3200RPM
- Includes a newly designed copper plate and creates straightened Liquid coolant pathway
- 45-degree tubing connector with tubes' inner diameter increased to 7mm

Summary: Lian Li GA II TRINITY. Type: All-in-one liquid cooler, Fan diameter: 12 cm, Maximum air pressure: 2.66 mmH2O, Bearing type: Fluid Dynamic Bearing (FDB). Product colour: White | Vendor Homepage: <https://lian-li.com/product/galahad-ii-trinity/> | Fan diameter: 120 | Type: All-in-one liquid cooler | Supported processor sockets: Socket AM4/Socket AM5 | Suitable location: Computer case |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Maximum airflow: 61.3 | Maximum air pressure: 2.66 | Bearing type: Fluid Dynamic Bearing (FDB) | Fan noise level (max): 29 | Pump noise level: 16.59 | Quantity per pack: 1 | Fan speed (min): 2100 | Pump motor speed: 3200 | Product colour: White | Radiator material: Aluminum | Number of fans: 2 | Number of fins: 1 | Radiator width: 277.5 | Radiator depth: 119.2 | Radiator height: 27 | Tube length: 385 | Pump width: 74 | Pump depth: 74 | Pump height: 69 | Fan dimensions (W x D x H): 120 x 120 x 25 | Cables included: 4-pin,SATA | Mounting kit: Yes | Screws included: Yes | RGB controller included: Yes | CPU bracket(s): Yes | Unit Calculated Weight: 2.57 | Product Net Weight: 1.5 | Unit Calculated Volume: 0.01294 | Units per Shipping Box: 6 | Unit Width: 23.5 | Shipping Box Height: 48 | Unit Depth: 31 | Unit Height: 15 | Name: CPU COOLER S_MULTI/G89.GA2T24INW.00 LIAN LI | Model: G89.GA2T24INW.00 | Model name: GA II Trinity SL-INF 240, GA2T24INW WHITE

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950