

Power Supply MONTECH CENTURY II ATX 1200 W CENTURYII1200

Model: CENTURY II 1200

Manufacturer: MONTECH

EAN: 4710562746365

Product Code: 406840

R3,744

Powering the Next CENTURY

CENTURY II is a next-generation breakthrough in power supply design. Featuring a sleek metallic silver finish, latest ATX 3.1 support, and enhanced ventilation, it delivers exceptional performance and reliability. Engineered to redefine value in high-performance power supply units.

A Signature of Montech Innovation

Innovative variations of the Montech symbol, complemented by a brand-new font for Century II. Stylish design perfectly aligns with the signature aesthetic of the top panel, creating a bold and cohesive look.

All Time Peak Efficiency

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Delivers efficient performance across all load levels, surpassing low-load efficiency benchmarks to meet Platinum standards.

80 PLUS & Cybenetics Platinum Certified

Recognized for top-tier efficiency and performance. Delivers maximum power with optimal energy savings.

First-Class Gear Support: 12V-2x6 Cable

Standardize the 12V-2x6 cable for top compatibility with the latest graphics card.

Modern Power for the Future

Built to ATX 3.1 and PCIe 5.1 platforms, catering the top-tier efficiency and compatibility.

Precise Power Architecture in Operation

With Active PFC, Half Bridge LLC, and DC-to-DC technology, this advanced circuit design maximizes power efficiency, guarantees reliable performance and operation.

Reliability from Start to Finish

100% Japanese capacitors in the advanced power architecture ensure stable, long-term reliable operation.

135mm FDB Fan Enhancement

Experience quiet performance with Century II’s 135mm Fluid Dynamic Bearing fan.

Efficient Cooling, Quiet Performance

Optimized 135mm fan size with Smart Zero Fan mode, ensuring ideal ventilation while maintaining a low noise level.

Flat & Flexible fof a Sleek Build

With included flat cables and a fully modular design, experience a neater build and easier maintenance.

Ultimate Protection: Guaranteed for 10 Years

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Equipped with OPP, OVP, UVP, SCP, OCP, and OTP protections, ensuring industrial-grade safety for your system. With a 10-year warranty, you get unmatched reliability and peace of mind for the long haul.

- A Signature of Montech Innovation
- All Time Peak Efficiency
- 80 PLUS & Cybenetics Platinum Certified
- First-Class Gear Support: 12V-2x6 Cable
- Modern Power for the Future
- Precise Power Architecture in Operation
- Reliability from Start to Finish
- 135mm FDB Fan Enhancement
- Efficient Cooling, Quiet Performance
- Flat & Flexible fof a Sleek Build

Summary: Montech CENTURY II 1200W. Total power: 1200 W, AC input voltage: 100 - 240 V, AC input frequency: 50/60 Hz. Motherboard power connector: 20+4 pin ATX, Motherboard power cable length: 60 cm, SATA power cable length: 950 mm. Purpose: PC, Power supply unit (PSU) form factor: ATX, 80 PLUS certification: 80 PLUS Gold. Product colour: Silver, Black, Cooling type: Active, Fan diameter: 13.5 cm. Compliance certificates: BSMI, CB, CCC, EAC, Electromagnetic Compatibility (EMC), Federal Communications Commission (FCC),... | Vendor Homepage: https://www.montechpc.com/century-ii-1200w | Bendroji galia: 1200 | AC įėjimo įtampa: 100 - 240 | AC įėjimo dažnis: 50/60 | Įvesties srovė: 10 | Galios koeficiento pataisos (PFC) tipas: Aktyvus | Kompleksinė galia (+3,3 V): 100 | Kompleksinė galia (+12 V): 1200 | Kompleksinė galia (+5V): 100 | Kompleksinė galia (–12 V): 3.6 | Kompleksinė galia (+5 VSB): 15 | Didžiausia išėjimo įtampa (+3,3 V): 20 | Didžiausia išėjimo įtampa (+12 V): 100 | Didžiausia išėjimo įtampa (+5 V): 20 | Didžiausia išėjimo įtampa (–12 V): 0.3 | Didžiausia išėjimo įtampa (+12 VSB): 3 | Maitinimo apsaugos ypatybės: Apsauga nuo per didelės įtampos/Apsauga nuo perkaitimo/Minimaliosios įtampos apsauga/Trumpasis jungimas/Viršijus galią/Viršijus nuolatinę srovę | Motininės plokštės maitinimo jungtis: 20+4 pin ATX | Motininės plokštės maitinimo kabelio ilgis: 600 | SATA elektros jungčių skaičius: 4 | SATA maitinimo kabelio ilgis: 950 | SATA maitinimo kabelių skaičius: 3 | Periferinė (Molex) galios jungtis (4-pin): 1 | Periferinio („Molex“) maitinimo kabelio ilgis: 950 | PCI „Express“ maitinimo jungtys (6 + 2 kontaktai): 3 | „PCI Express“ maitinimo jungtys (16 kontaktų): 1 | CPU maitinimo jungtis (4 + 4 kaisčiai): Taip | Perdavimo laidu tipas: Visiškai modulinis | Sertifikatas 80 PLUS: 80 PLUS Gold | Paskirtis: PC |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Maitinimo bloko (PSU) formos koeficientas: ATX | ATX versija: 3.1 | Aušinimo padengimo tipas: FDB | Produkto spalva: Juoda/Sidabras | Aušinimo tipas: Aktyvus | Ventiliatoriaus skersmuo: 135 | Ventiliatorių skaičius: 1 | Iliuminacija: Ne | On/off mygtukas: Taip | Darbo temperatūros diapazonas (TT): 0 - 50 | Atitikties sertifikatai: BSMI/CB/CCC/cTUVus/EAC/Elektromagnetinis suderinamumas (EMS)/Federalinė ryšių komisija (FCC)/KC/KCC/RCM/RoHS/TÜV mark/Žemos įtampos direktyva (LVD) | Atitiktis direktyvai (EEĮ) dėl elektrinės ir elektroninės įrangos atliekų: Taip | Plotis: 150 | Ilgis: 140 | Aukštis: 86 | Pakuotės tipas: „Box“ | Garantinis laikotarpis: 10 | Kilmės šalis: Kinija | Bruto svoris: 3.2 | Neto svoris: 1 | Vienetų skaičius vienoje siuntimo dėžėje: 4 | Vieneto plotis: 21 | Vienetų skaičius ant paletės: 0 | Shipping Box Height: 26 | Vieneto gylis: 29.5 | Vieneto aukštis: 11 | Name: CASE PSU ATX 1200W/CENTURY II 1200 MONTECH | Model: CENTURY II 1200W | Model name: CENTURY II 1200W

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950