ITWorkup - Level up your IT!
Waterfall Office Park, 28 Augrabies Rd Vorna Valley, Midrand, 1685
Generated: 2026-11-06 02:31



CPU COOLER S_MULTI/G89.GA2[illegible].00 LIAN LI

Model: G89.GA2T36B.00

Manufacturer: LIAN LI

EAN: 4718466013507

Product Code: 406850

R3,633

Система рідинного охолодження Lian Li Galahad II Trinity 360 Black (G89.GA2T36B.00)

High Performance RGB Fan

Pushing air through the radiator effectively while maintaining the stunning looks of RGB fans.

IMPROVED DESIGNS, IMPROVED PERFORMANCE

Compared to the Galahad AIO, the Galahad ll Trinity series shows significant improvement in cooling performance thanks to the many design changes that were introduced.

CHOOSE PREFERABLE LOOK

The Galahad II Trinity series’ pump cap has three interchangeable designs, each with a unique look and two rings of colors that can be individually controlled with different lighting effects.

HIGH DENSITY ALUMINUM RADIATOR

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

This 27mm thick radiator features single-wave radiator fins with 20 FPI (fins per inch), which is less airflow restrictive and can result in greater thermal performance.

DAISY-CHAINABLE ARGB FAN

The ARGB PWM fans can be daisy-chained by a single short cable which can be hidden inside the frame of the fan. The 120mm fan is 25mm thick and is equipped with fluid dynamic bearings for stable and quiet operations while effectively providing airflow to the radiator.

MOUNT IN ANY WAY

This innovative 45° tubing connector gives the tubes the freedom of 360° rotation, allowing the Galahad ll Trinity series to be installed in many different ways.

INSTALATION MADE EASY, FOR YOU

The Galahad II Trinity series introduces redesigned mounting backplates to provide a hassle-free installation to users while maintaining compatibility with most mainstream CPU sockets. The backplates have a one-piece design with fixed struts to make installation easier.
It also comes with a thermal paste control film and spreader to help ensure the right amount of thermal paste is applied for effective heat dissipation.

SEAMLESS SOFTWARE

Control and preview with precision the lighting effect and real-time motor speed of the Galahad II Trinity Pump and fans with the L-Connect 3.

SIMPLE CONNECTION

The controller is built into the pump and the fan can be connected to the pump to control via L-Connect 3.

- 3 interchangeable pump looks that can be customized with L-Connect 3
- Factory installed with ARGB daisy-chainable radiator fans or UNI FAN SL-INF
- Pump motor speed goes up to 3200RPM
- Includes a newly designed copper plate and creates straightened Liquid coolant pathway
- 45-degree tubing connector with tubes’ inner diameter increased to 7mm

Summary: Lian Li GA II TRINITY. Type: All-in-one liquid cooler, Fan diameter: 12 cm, Maximum air

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

pressure: 3.66 mmH2O, Bearing type: Fluid Dynamic Bearing (FDB). Product colour: Black | Vendor Homepage: https://lian-li.com/product/galahad-ii-trinity/ | Ventiliatoriaus skersmuo: 120 | Tipas: Universalusis skystinis aušintuvas | Palaikomi procesoriaus lizdai: AM4 lizdas/AM5 lizdas | Tinkama vieta: Kompiuterio korpusui | Didžiausias oro srautas: 89.1 | Didžiausias oro slėgis: 3.66 | Ventiliatoriaus laikiklio tipas: Hidrodinaminis guolis (FDB) | Ventiliatoriaus triukšmo lygis (maks.): 35.4 | Siurblio triukšmo lygis: 16.59 | Kiekis pakuotėje: 1 | Siurblio variklio greitis: 3200 | Ventiliatoriaus greitis (maks.): 2450 | Produkto spalva: Juoda | Radiatoriaus medžiaga: Aliuminio | Ventiliatorių skaičius: 3 | Plaukmenų skaičius: 1 | Radiatoriaus plotis: 397.5 | Radiatoriaus gylis: 119.2 | Radiatoriaus aukštis: 27 | Vamzdžio ilgis: 385 | Siurblio plotis: 74 | Siurblio gylis: 74 | Siurblio aukštis: 69 | Ventiliatoriaus matmenys (plotis x gylis x aukštis): 120 x 120 x 25 | Pridėti kabeliai: 4-pin,SATA | Montavimo rinkinys: Taip | Pridėti sraigtai: Taip | Pridedamas RGB valdiklis: Taip | CPU laikiklis(iai): Taip | Bruto svoris: 2.98 | Neto svoris: 1.5 | Vienetų skaičius vienoje siuntimo dėžėje: 4 | Vieneto plotis: 14 | Shipping Box Height: 46 | Vieneto gylis: 45 | Vieneto aukštis: 21.5 | Name: CPU COOLER S_MULTI/G89.GA2T36B.00 LIAN LI | Model: G89.GA2T36B.00 | Model name: Lian Li Galahad II Trinity 360 Black (G89.GA2T36B.00)

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950