



# **FLASHLIGHT EDC SERIES/EDC17 EU (CLASS 1) NITECORE**

Model: EDC17 EU (CLASS 1)

Manufacturer: NITECORE

EAN: 6952506409648

Product Code: 407183

---

## **R2,712**

---

The Nitecore EDC17 EU ultra slim flashlight has a maximum output of 1500 lumens from the NiteLab UHi 25 LED and a range of up to 230 meters. The EDC17 EU is powered by a built-in 1500mAh Li-ion battery which can provide up to 260 hours of runtime and is USB-C rechargeable. Power indicator lights on the side of the EDC17 display the remaining battery power, with flashing indicator when power is below 10%.

This next-generation flashlight is engineered for ultimate versatility, featuring three powerful light sources — White Light, UV Light, and a Class 1 Green Laser. The UV light delivers up to 1350mW of output, ensuring exceptional signal penetration for deeper, longer-range, and more precise detection. Meanwhile, the

The EDC17 features a detachable high-hardness silicon nitride ceramic tip, for quick glass breaking.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Operation control via a slide switch and M button:

M Button:

Short Press: Light source switching

Press and Hold: Direct access to green laser

Slide Switch:

On/Off

Brightness Level Adjustment

Brightness Levels:

White Light

High: 1500 lumens, 1hr 45min runtime, 230m beam distance

Mid: 220 lumens, 3hr 30 min runtime, 95m beam distance

Low: 50 lumens, 16hr runtime, 45m beam distance

Ultralow: 1 lumen, 260hr runtime, 8m beam distance

UV Light

Level 1: 220mW, 13hr runtime

Level 2: 650mW, 5hr runtime

Level 3: 1350mW, 2hr runtime

Green Laser

0.39mW, 72hr runtime

Advanced Temperature Regulation (ATR) adjusts the output of the EDC17 based on the working and ambient temperatures. This feature ensures that the device maintains optimal performance

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

while preventing the LED from overheating. The output measurements account for the total runtime, including periods of reduced brightness due to temperature changes or built-in protection mechanisms, which may cause the brightness level to drop

Maximum beam distance 230 meters, waterproof to IPX7 and resistant to impacts up to 2 meters.

Nitecore EDC17 EU Includes: EDC17 Torch, Wrist Lanyard, USB-C Charging Cable, Spare Fixing Screw and Tail Replacement Module.

Vendor Homepage: [https://www.nitecore.co.uk/products/nitecore-edc17.html?srsId=AfmBOoqtzV6x4cf\\_3UwpssTiLehTAGHnk4jI\\_n6\\_IBsZ1tICcB\\_1hNMM](https://www.nitecore.co.uk/products/nitecore-edc17.html?srsId=AfmBOoqtzV6x4cf_3UwpssTiLehTAGHnk4jI_n6_IBsZ1tICcB_1hNMM) | Product colour: Black | Flashlight modes: High/Low/Medium/Ultralow | Battery capacity: 1500 | Battery technology: Lithium-Ion (Li-Ion) | Battery type: Built-in battery | Charging source: USB | Rechargeable battery: Yes | Model: EDC17 | Units per Shipping Box: 1 | Unit Calculated Volume: 0.0005265 | Unit Calculated Weight: 0.18