



FLASHLIGHT PRECISE SERIES/4000 LUMENS P20iX NITECORE

Model: P20iX

Manufacturer: NITECORE

EAN: 6952506406722

Product Code: 407222

R2,589 ~~R4,093~~

The P20iX is the Xtreme Performance i-Generation 21700 Tactical Flashlight designed with the i-generation ultimate revolution. The groundbreaking i-Generation technology has brought infinite possibilities to the design of tactical flashlights. It is now unprecedentedly upgraded to enable a more reliable and rapid operation of tactics with an Xtreme performance.

Utilizing 4 x CREE XP-L2 V6 LEDs, the P20iX has a max output of 4,000 lumens, a max throw of 221m and a peak beam intensity of 12,200cd, ideal for law enforcement, assault operations, self-defense, search and patrols. The independently controlled quadruple LEDs are powered by a constant current circuit to provide a durable usage with guaranteed safety.

The ultimate dual tail switch design includes the Tactical Tail Switch for momentary-on and constant-

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

on illumination and the STROBE READY™ Mode Button for output adjustment and instantly accessing STROBE / TURBO. The randomly changing STROBE Mode with randomly changing frequencies can cause stronger dizzying effects due to the inadaptability of the naked eyes. With two user modes available, it has the Daily Mode specially designed for daily uses and the Tactical Mode for self-defense and operations. When the light is off in Tactical Mode, half press or full press the Power Button to directly access TURBO when STROBE is not memorized. The instant dazzle strike of 4,000 lumens enables an abrupt disturbance to your adversary, ideal for self-defense and law enforcement.

The P20iX is powered by a 21700 i Series Battery and compatible with 2 x CR123/RCR123 batteries. As a patent product developed by NITECORE, the 21700 i Series Battery is a proprietary 21700 rechargeable Li-ion battery featuring dual way output with positive and negative polarities at both ends and a high energy density. Thanks to the groundbreaking technology and techniques, it enables a highly efficient output by minimizing the loss of power due to internal resistance and is compatible with modular extensions of intelligent communications and controlling systems. It offers 350 hours ultra long runtime which enables a consistent usage of 14 days on ULTRALOW.

The USB-C charging port is available with a reversible plug-in. The charging port cover provides excellent water, dust and impact resistance. The integrated ATR technology regulates the output of the P20iX according to the working condition and ambient environment to maintain the optimal performance. The strike bezel is upgraded with high hardness silicon nitride ceramics, which enable a quick and easy operation for self-defense and glass breaking with a smooth surface to prevent accidental scratches on the clothes or the backpack.

The P20iX is ultra compact and lightweight with a standard tube diameter of 1" (25.4mm) and compatible with NITECORE gun mounts including GM02MH, GM03, GM04 and more. Specially designed for law enforcement, the included compact NTH20 Tactical Holster enables a quick draw of the flashlight with an adjustable stopper on the clip to suit belts of various sizes and compatible with the MOLLE System. It can be used combined with NTR10 Tactical Ring Pro, which can keep a two-handed grip of the firearm while carrying or operating a flashlight, easy for continuous and stable shooting and reloading. Other optional accessories include the TSL10i signal light and F21i fast charging power system. It is all-weather applicable, IP68 rated, 2m submersible and waterproof, and 2m impact resistant.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Summary: Nitecore P20iX. Flashlight type: Tactical flashlight, Product colour: Black, Housing material: Aluminium. Waterproof up to: 2 m, Shockproof up to: 2 m, International Protection (IP) code: IP68. Lamp type: LED, Lamps quantity: 4 lamp(s), Luminous flux: 4000 lm. Charging source: USB, Battery technology: Lithium-Ion (Li-Ion), Battery capacity: 5000 mAh. Height: 141.5 mm, Weight: 116 g, Head diameter: 3.18 cm | Vendor Homepage: <https://flashlight.nitecore.com/Server/detail/ad/1627> | Control type: Buttons | Designed for children: No | Flashlight type: Tactical flashlight | Housing material: Aluminium | LED indicators: Yes | Product colour: Black | International Protection (IP) code: IP68 | Shockproof: Yes | Shockproof up to: 2 | Splash proof: Yes | Waterproof: Yes | Waterproof up to: 2 | Flashlight modes: High/Low/Medium/Strobe mode/Turbo | Lamp type: LED | Lamps quantity: 4 | LED type: CREE XP-L2 V6 | Light beam distance (max): 221 | Light beam distance (min): 5 | Light colour: White | Light output (max): 4000 | Light output (min): 2 | Luminous flux: 4000 | Luminous intensity: 12200 | Number of power levels: 7 | Battery capacity: 5000 | Battery life (boost mode): 0.3 | Battery life (max): 350 | Battery technology: Lithium-Ion (Li-Ion) | Battery type: 21700 | Charging source: USB | Number of batteries supported: 1 | Rechargeable battery: Yes | Head diameter: 31.8 | Height: 141.5 | Weight: 116 | Quantity per pack: 1 | Model: P20iX | Units per Shipping Box: 1 | Unit Calculated Volume: 0.001377 | Unit Calculated Weight: 0.46

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950