



ITWorkup - Level up your IT!

Waterfall Office Park, 28 Augrabies Rd Vorna Valley, Midrand, 1685

Generated: 2026-09-06 10:30:33

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

A white, rectangular outdoor Wi-Fi router with two long, silver, telescopic antennas. The Cudy logo is visible on the front of the device.

Cudy Indoor/Outdoor 4G Cat 6 AC1200 Wi-Fi Router, LT700 Outdoor 1.0 wireless router Gigabit Ethernet Dual- band (2.4 GHz 5 GHz) White



Model: LT700 Outdoor_EU

Manufacturer: CUDY

EAN: 6971690793142

Product Code: 420617

R3,074

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Ethernet LAN data rates: 10 | AC input frequency: 50/60 Hz | AC input voltage: 100 - 240 V | Ethernet LAN data rates: 1000 Mbit/s | LED indicators: System, WLAN | Ethernet LAN data rates: 100 | Reset button: Yes | DHCP client: Yes | Product colour: White | MIMO: Yes | Wake-on-LAN ready: Yes | Networking standards: IEEE 802.3af | Networking standards: IEEE 802.3at | Windows operating systems supported: Windows Vista Enterprise | Storage temperature (T-T): -40 - 70 °C | Weight: 466.5 g | Package depth: 107 mm | Internal memory: 128 MB | Windows operating systems supported: Windows 8 Pro x64 | Power source type: PoE | Quick installation guide: Yes | Package weight: 869 g | Windows operating systems supported: Windows Vista Business | Windows operating systems supported: Windows 8.1 | Ethernet WAN: Yes | Security algorithms: WPA | WLAN data transfer rate (max): 867 Mbit/s | Security algorithms: WPA3 | Storage relative humidity (H-H): 5 - 90% | Security algorithms: WPA2 | Windows operating systems supported: Windows 8 x64 | Windows operating systems supported: Windows Vista Business x64 | Operating relative humidity (H-H): 0 - 100% | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Short Message Service (SMS): Yes | WLAN data transfer rate (first band): 300 Mbit/s | Wi-Fi standards: 802.11a | WAN connection type: RJ-45 | Mac operating systems supported: Yes | DSL WAN: No | Windows operating systems supported: Windows Vista Ultimate | Windows operating systems supported: Windows 7 Ultimate x64 | Windows operating systems supported: Windows Vista | Windows operating systems supported: Windows 10 Enterprise | Windows operating systems supported: Windows 7 Home Basic x64 | Windows operating systems supported: Windows 8.1 Pro | Windows operating systems supported: Windows 10 Pro | Windows operating systems supported: Windows 7 Home Premium | Windows operating systems supported: Windows 7 Starter | Windows operating systems supported: Windows 10 IoT Enterprise | Windows operating systems supported: Windows 10 Enterprise x64 | Windows operating systems supported: Windows 10 x64 | Windows operating systems supported: Windows 98SE | Windows operating systems supported: Windows 10 Pro x64 | Windows operating systems supported: Windows 8 Enterprise | Windows operating systems supported: Windows 7 x64 | Product type: Desktop/pole router | Windows operating systems supported: Windows Vista Home Premium x64 | Windows operating systems supported: Windows 10 Education x64 | Windows operating systems supported: Windows XP Home x64 | Cables included: LAN (RJ-45) | Windows operating systems supported: Windows Vista Home Premium | Windows operating systems supported: Windows XP Home | Windows operating systems supported: Windows 10 Home | Windows operating systems supported: Windows 7 Starter x64 | Windows operating systems supported: Windows 7 Home Basic | Windows operating systems supported: Windows 7 Ultimate | Windows operating systems supported: Windows 2000 | Height: 240 mm | USB port: No | Wi-Fi standards: 802.11b | Windows

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

operating systems supported: Windows Vista Enterprise x64 | Windows operating systems supported: Windows 8.1 Enterprise x64 | Windows operating systems supported: Windows 8.1 Pro x64 | Windows operating systems supported: Windows 8.1 x64 | Antenna gain level (max): 5 dBi | Windows operating systems supported: Windows 7 Home Premium x64 | Windows operating systems supported: Windows 7 Enterprise x64 | Windows operating systems supported: Windows 11 | Width: 100 mm | Windows operating systems supported: Windows 8.1 Enterprise | Windows operating systems supported: Windows 7 Professional | Windows operating systems supported: Windows 7 | 3G standards: WCDMA | Windows operating systems supported: Windows 10 Education | Windows operating systems supported: Windows XP Professional | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Output voltage: 48 V | Windows operating systems supported: Windows XP | Mobile network generation: 4G | Detachable antenna(s): Yes | Windows operating systems supported: Windows XP Professional x64 | Wi-Fi standards: Wi-Fi 4 (802.11n) | DMZ support: Yes | Warnings: Do not expose the device to extreme temperatures. | Windows operating systems supported: Windows Vista Home Basic | Windows operating systems supported: Windows 10 Home x64 | Windows operating systems supported: Windows 8 | SIM card type: NanoSIM | Windows operating systems supported: Windows Vista Home Basic x64 | Windows operating systems supported: Windows 7 Professional x64 | Windows operating systems supported: Windows 11 Enterprise | Package width: 324 mm | 2G standards: Edge | SIM card slot: Yes | 2G standards: GSM | Depth: 53.7 mm | Wall mountable: Yes | Number of products included: 1 pc(s) | 4G standard: LTE-TDD & LTE-FDD | Operating temperature (T-T): -20 - 60 °C | Antenna connector type: SMA | Flash memory: 16 MB | Ethernet LAN: Yes | Port triggering: Yes | Port forwarding: Yes | Warnings: Do not dismantle the unit yourself, there is a risk of electric shock. | Ethernet LAN (RJ-45) ports: 1 | Windows operating systems supported: Windows 10 | Windows operating systems supported: Windows Vista Ultimate x64 | Windows operating systems supported: Windows 10 IOT Core | Windows operating systems supported: Windows 8 Enterprise x64 | Windows operating systems supported: Windows 8 Pro | Windows operating systems supported: Windows 7 Enterprise | Antennas quantity: 4 | Linux operating systems supported: Yes | WLAN data transfer rate (second band): 867 Mbit/s | Cabling technology: 10/100/1000Base-T(X) | DHCP server: Yes | Universal Plug and Play (UPnP): Yes | Wi-Fi standards: 802.11g | Compliance certificates: Federal Communications Commission (FCC) | Mounting kit: Yes | Top Wi-Fi standard: Wi-Fi 5 (802.11ac) | International Protection (IP) code: IP65 | Package height: 86 mm | Warnings: Do not expose the device to water or moisture. | Supported network protocols: IPv4 / IPv6 | Compliance certificates: CE | MU-MIMO technology: Yes | Wi-Fi Multimedia (WMM)/(WME): Yes | PoE injector included: Yes | Antenna design: Internal & external | Dual SIM support: No | Ethernet LAN interface type: Gigabit Ethernet | Dynamic DNS (DDNS): Yes

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950