

# Charger SkyRC MC3000

Model: SK-100083-02

Manufacturer: SKYRC

EAN: 6930460004574

Product Code: 424383

## R3,163

### SkyRC MC3000 AA / AAA charger

The MC3000 charger was born out of SkyRC's need for a versatile, precise and powerful charger tailored for single-purpose cylindrical batteries. With this product, you will no longer experience problems with cages, wiring, terminals and other DIY solutions.

### Unique charger

MC3000 was designed out of the need for a versatile, precise and powerful SkyRC charger tailored for single-target cylindrical batteries. With this charger, you will no longer experience problems with cages, holders, cumbersome wiring, clamps and similar DIY solutions. The MC3000 is customized for a wide range of sizes (over 42) and types (over 7) of batteries that charge at 3 A and discharge at 2 A.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

## Functionality and safety

The charger has 6 modes of operation - charging, discharging, refreshing, forming (for NiMH, NiCd, Eneloop only), charge-discharge cycle and storage (for Lixx only). Rubber feet and a 10° tilt allow a better view of charging and increase cooling efficiency at the bottom of the charger. Charger safety is ensured by multiple types of limits - time, voltage, capacity, etc.

## Efficient cooling

Built-in two aluminum fans effectively get rid of the heat generated by the charger. The cooling ensures efficient air exchange, even at low operating speed.

## Easy-to-read display

The 128x64 pixel screen shows 5 different work tabs. 8 Buttons guarantee simplicity of programming and operation of the device. 4 numbered buttons represent the corresponding battery slot. The remaining buttons are used to operate the charger. The device allows you to save up to 30 charging profiles, which can be called up and used for the current charge at any time with a few clicks.

## Included:

- Charger
- Power adapter

| | |
|---|---|
| **Manufacturer** | SkyRC |
| **Model** | SK-100083-02 |
| **Charging current** | 0.05 A - 3 A |
| **Delta Peak** | 1 - 20 mV |
| **Discharge current** | 0,05 - 2 A |
| **Battery capacity** | 500 - 50000 mAh |
| **Number of cycles** | 1 - 12 |
| **Final charging current** | 100 mAh |
| **Operating temperature** | 0°-40°C |
| **Supply current** | 12 V / 2.5 A |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

| | |
|---|---|
| **USB current** | 5 V / 2.1 A |
| **Weight** | 600 g |
| **Dimensions** | 200 x 124 x 69 mm |

Net weight: 600, Box length: 25,50, Box width: 24,50, Box height: 9,50, Gross weight: 1270, Charging power (W): 50, Input voltage AC (V): 240, Discharge power (W): 15, Charging current (A): 0,05-3, GPSR Link: https://psr-assets.innpro.pl/rc_models/sg_rc_models_charging.pdf, PPWR: https://ppwr.innpro.pl/skyrc

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950