



LCD Monitor VIEWSONIC VG2709-2K- MHD-2 27 2560x1440 16:9 100Hz 4 ms Speakers Colour Black VG2709- 2K-MHD-2

Model: VG2709-2K-MHD-2

Manufacturer: VIEWSONIC

EAN: 766907027136

Product Code: 42604

R4,968

The ViewSonic VG2709-2K-MHD is a 27" QHD monitor featuring HDMI and Display Port inputs for business and home use. The variable refresh rate, eye-care technology, and various ViewMode presets cater for optimal screen performance and comfortable viewing without tearing or stuttering. Expand your workspace and experience truly seamless, ergonomic multitasking on just one screen with a VESA-compatible mount at low energy consumption.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Ergonomic Workstation

Discover a monitor designed to overcome the challenges of the modern work setup

Extraordinary Wide-Angle Vision

Enjoy vivid colors with consistent brightness and amazing accuracy no matter the vantage point. SuperClear® IPS monitor features ultra-wide 178-degree vertical and horizontal viewing angles that deliver the same image quality with true color accuracy and consistency from screen to print.

QHD 2560x1440

This 27" diagonal screen with QHD 2560 X 1440 resolution doubles the number of pixels offered by FHD 1080p, providing unparalleled work quality for detail-minded professionals.

HDR10 Delivers Stellar Contrast and Color Accuracy

Compatible with the industry-standard HDR10 High Dynamic Range, this monitor delivers highly defined color, brightness, and contrast greatly exceeding the capabilities of ordinary SDR products.

Complete Ergonomic Flexibility

Effortlessly swivel the display up to 360° degrees, tilt up to --3.5°~28° degrees, raise up to 130 mm, and pivot up to 180° degrees for portrait viewing. The VG2709-2K-MHD offers a full range of convenient flexibility for all tasks and workflows.

Connection Flexibility

HDMI and DisplayPort inputs give you the freedom to connect your monitor to a wide range of devices.

Build-in Speakers

Integrated with dual 2.5-watt stereo speakers as well as incredible screen performance, this monitor provides complete multi-sensory immersion.

Borderless Design for Seamless Viewing

Break free from bulky bezels. The multi-monitor capabilities are housed within a 3-side borderless screen that offers a clean aesthetic.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Relieve your Eyes from Strain

Reduce your eye strain and keep your eyes feeling fresh. Flicker-Free technology and a Blue Light Filter eliminate screen flickering from extended viewing periods.

Variable Refresh Rate Delivers Smooth, Continuous Visuals

Variable Refresh Rate technology eliminates screen tearing and choppy frame rates for smooth and seamless visuals in every scene.

Color Rendering Options

ViewSonic's ViewMode offers "Game", "Movie", "Web", "Text", and "Mono" presets. These presets enhance gamma curve, color temperature, contrast, and brightness to deliver optimized, satisfactory viewing.

Certified for Environmental Sustainability

The VG2709-2K-MHD is Energy Star certified for sustainability, reducing energy costs and greenhouse gases. The display is also TCO certified for sustainability.

*Energy savings may vary based on actual usage and other factors.

*Certifications and safety regulations dependent on the purchase area.

Dimension & I/O Ports

Conveniently mount the monitor to your preference by utilizing the 100mm x 100mm VESA-compatible mount design.

- SuperClear® IPS panel with QHD 2560 X 1440 resolution
- HDMI and Display Port inputs for simple connectivity
- Super narrow bezel with dual 2.5W speakers
- Ergonomic tilt, swivel, pivot and height adjustment capabilities
- 75Hz Refresh rate delivers fluid visuals

Summary: Viewsonic VG Series VG2709-2K-MHD-2. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black | Vendor Homepage: <https://www.viewsonic.com/ua/products/lcd/VG2709-2K-MHD> | Anti-glare screen: Yes | Colour depth:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

8 | Colour gamut: 72 | Colour gamut standard: NTSC | Contrast ratio (typical): 1000:1 | Display brightness (peak): 350 | Display diagonal: 27 | Display number of colours: 16.7 million colours | Display resolution: 2560 x 1440 | Display technology: LED | HD type: Quad HD | Horizontal scan range: 31 - 115 | Maximum refresh rate: 75 | Native aspect ratio: 16:9 | NTSC coverage (typical): 72 | Panel type: IPS | Pixel pitch: 0.233 x 0.233 | Response time: 4 | Response time (fast): 5 | Screen shape: Flat | sRGB coverage (typical): 104 | Surface hardness: 3H | Vertical scan range: 48 - 75 | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | Game mode: Yes | Low Blue Light technology: Yes | Built-in speaker(s): Yes | Number of speakers: 2 | RMS rated power: 2.5 | Feet colour: Black | Product colour: Black | DisplayPort version: 1.4 | DisplayPorts quantity: 1 | HDMI: Yes | HDMI ports quantity: 2 | HDMI version: 1.4 | Headphone connectivity: 3.5 mm | Headphone out: Yes | Adjustable height (max): 130 | Height adjustment: Yes | Panel mounting interface: 100 x 100 | Pivot: Yes | Pivot angle: 90 - 90 | Swivelling: Yes | Tilt adjustment: Yes | Tilt angle range: -3.5 - 28 | VESA mounting: Yes | AC input voltage: 100 - 240 | Energy consumption (HDR) per 1000 hours: 23 | Energy consumption (SDR) per 1000 hours: 21 | Energy efficiency class (HDR): E | Energy efficiency class (SDR): E | Energy efficiency scale: A to G | Power consumption (standby): 0.5 | Power supply type: Internal | Operating relative humidity (H-H): 20 - 90 | Operating temperature (T-T): 0 - 40 | Depth (with stand): 233 | Depth (without stand): 53 | Height (with stand): 538 | Height (without stand): 366 | Weight (with stand): 6.7 | Weight (without stand): 4.6 | Width (with stand): 614 | Width (without stand): 614 | Package depth: 140 | Package height: 465 | Package type: Box | Package weight: 8100 | Package width: 775 | Cables included: HDMI/Power | Quick start guide: Yes | Stand included: Yes | Sustainability certificates: ENERGY STAR | Weight: 6700 | Harmonized System (HS) code: 8528521000 | Pallet gross height: 2130 | Pallet gross length: 1000 | Pallet gross width: 1200 | Products per master (outer) case: 1 | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/1948365/fiches?language=EN> | Energy efficiency class: E | EPREL Registration Number: 1948365 | EPREL Version Number: 1 | Model: VG2709-2K-MHD-2 | Model name: VG2709-2K-MHD-2 | Included Accessories: 3-pin Plug (IEC C13 / CEE22) x1, HDMI Cable (v2.0; Male-Male) x1, Quick Start Guide x1 | Unit Calculated Volume: 0.04959 | Product Net Weight: 6.7 | Unit Calculated Weight: 7.95

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950