



## **LCD Monitor VIEWSONIC VA2708-2K-HD 27 4K Panel IPS 2560x1440 100Hz Matte 1 ms Tilt Colour Black VA2708- 2K-HD**

Model: VA2708-2K-HD

Manufacturer: VIEWSONIC

EAN: 766907027150

Product Code: 42697

---

## **R3,565**

---

The ViewSonic VA2708-2K-HD is a 27" QHD monitor featuring HDMI and DisplayPort inputs for business and home use. The optimal screen performance and comfortable viewing without tearing or stuttering are delivered through variable refresh rate, eye-care technology, and various ViewMode presets. Simply expand your workspace and experience truly seamless, ergonomic multitasking on just one screen with a VESA-compatible mount at a low power consumption.

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

## **Extraordinary Wide-Angle Vision**

Enjoy vivid colors with consistent brightness and amazing accuracy no matter the vantage point. SuperClear® IPS monitor features ultra-wide 178-degree vertical and horizontal viewing angles that deliver the same image quality with true color accuracy and consistency from screen to print.

## **QHD 2560x1440**

This 27" diagonal screen with QHD 2560 X 1440 resolution doubles the number of pixels offered by FHD 1080p, providing unparalleled work quality for detail-minded professionals.

## **HDR10 Delivers Stellar Contrast**

Compatible with the industry-standard HDR10 High Dynamic Range, this monitor delivers highly defined color, brightness, and contrast greatly exceeding the capabilities of ordinary SDR products.

## **Smooth Visuals With 100Hz Variable Refresh Rate**

With a fast 100Hz screen refresh rate, you can experience a truly fluid visual display. This results in improved viewing clarity, reduced screen stutter during fast-moving action scenes, and benefits work-related tasks, reducing eye strain and increasing productivity.

## **React Instantly**

Experience better performance and smooth pixel transitions with a fast 1ms (MPRT) response time. React faster and work with precision.

## **Eye ProTech for Comfortable Viewing**

Reduce digital eye strain and maintain fresh-feeling eyes with ViewSonic Eye ProTech. The Flicker-Free technology and the blue light filter eliminate screen flickering and minimize harmful blue light emissions, ensuring comfortable screen viewing even during extended periods of use.

## **Borderless Design for Seamless Viewing**

Break free from bulky bezels with an impressive 3-side borderless screen. Enjoy the sleeker look that delivers clean aesthetic and seamless multi-monitor capabilities.

## **Connection Flexibility**

HDMI and DisplayPort (DP) inputs give you the freedom to connect your monitor to a wide range of

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

devices.

### **Color Rendering Options**

ViewSonic's ViewMode offers "Game", "Movie", "Web", "Text", and "Mono" presets. These presets enhance gamma curve, color temperature, contrast, and brightness to deliver optimized, satisfactory viewing.

### **Low Energy Consumption**

Designed with energy efficiency in mind, ViewSonic's Eco Mode successfully reduces carbon footprint and significantly lowers office overhead costs.

### **Dimension & I/O Ports**

Conveniently mount the monitor to your preference by utilizing the 75mm x 75mm VESA-compatible mount design.

- 2K QHD 2560 X 1440 resolution
- SuperClear® IPS panel
- 100Hz Variable refresh rate delivers fluid visuals
- 1ms (MPRT) response time for precision
- HDR10 Delivers Stellar Contrast and Color Accuracy

Summary: Viewsonic VA VS19990. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: 2K Ultra HD, Display technology: LED, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black | Vendor Homepage: <https://www.viewsonic.com/global/products/lcd/va2708-2k-hd> | Anti-glare screen: Yes | Colour depth: 8 | Colour gamut standard: NTSC/sRGB | Contrast ratio (dynamic): 50000000:1 | Contrast ratio (typical): 1000:1 | Digital horizontal frequency: 30 - 150 | Digital vertical frequency: 48 - 100 | Display brightness (typical): 250 | Display diagonal: 27 | Display diagonal (metric): 69 | Display number of colours: 16.7 million colours | Display resolution: 2560 x 1440 | Display technology: LED | HD type: 2K Ultra HD | High Dynamic Range (HDR) supported: Yes | High Dynamic Range (HDR) technology: High Dynamic Range 10 (HDR10) | Maximum refresh rate: 100 | Native aspect ratio: 16:9 | NTSC coverage (typical): 80 | Panel type: IPS | Pixel pitch: 0.233 x 0.233 | Response time: 1 | Screen shape: Flat | sRGB coverage (typical): 111 | Surface hardness: 3H | Touchscreen: No | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | Flicker-free

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950

technology: Yes | Low Blue Light technology: Yes | Mac operating systems supported: Yes | Windows operating systems supported: Windows 10/Windows 11 | Built-in camera: No | Built-in speaker(s): No | Market positioning: Business | Product colour: Black | Built-in USB hub: No | DC-in jack: Yes | DisplayPort version: 1.4 | DisplayPorts quantity: 1 | HDCP: Yes | HDCP version: 2.2 | HDMI: Yes | HDMI ports quantity: 2 | HDMI version: 2.0 | Headphone out: Yes | Cable lock slot: Yes | Cable lock slot type: Kensington | Height adjustment: No | On Screen Display (OSD): Yes | Panel mounting interface: 75 x 75 | Tilt angle range: -5 - 15 | VESA mounting: Yes | AC input voltage: 100 - 240 | Energy consumption (HDR) per 1000 hours: 24 | Energy consumption (SDR) per 1000 hours: 24 | Energy efficiency class (HDR): F | Energy efficiency class (SDR): F | Power consumption (max): 32 | Power consumption (standby): 0.5 | Power consumption (typical): 30 | Operating relative humidity (H-H): 20 - 90 | Operating temperature (T-T): 0 - 40 | Depth (with stand): 190 | Depth (without stand): 52.74 | Height (with stand): 449.89 | Height (without stand): 362.99 | Weight (with stand): 4100 | Weight (without stand): 3300 | Width (with stand): 613.19 | Width (without stand): 613.19 | Package depth: 107 | Package height: 458 | Package type: Box | Package weight: 5500 | Package width: 676 | Cables included: HDMI | Power adapter included: Yes | Quick start guide: Yes | Stand included: Yes | Sustainability certificates: ErP | Compliance certificates: BIS/CB/CE/EAC/Electromagnetic Compatibility (EMC)/PSE/REACH/RoHS/VCCI/WEEE | Weight: 4100 | Harmonized System (HS) code: 8528521000 | Pallet gross height: 2201 | Pallet gross length: 1000 | Pallet gross width: 1200 | Products per master (outer) case: 1 | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/1948382/fiches?language=EN> | Energy efficiency class: F | EPREL Registration Number: 1948382 | EPREL Version Number: 2 | Model: VA2708-2K-HD | Model name: VA2708-2K-HD | Included Accessories: HDMI Cable (v2.0; Male-Male) x1, AC/DC Adapter x1, Quick Start Guide x1, Power plug x1 or 2 (by country) for VSE | Unit Calculated Volume: 0.03015 | Product Net Weight: 4.1 | Unit Calculated Weight: 5.4

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950