



AOC G4 24G42E computer monitor 61 cm (24) 1920 x 1080 pixels Full HD LCD Black



Model: 24G42E

Manufacturer: AOC

EAN: 4038986642583

Product Code: 47273

R2,186

Display brightness (typical): 300 cd/m² | Tilt angle range: -3 - 21° | Power consumption (off): 0.3 W | Display diagonal: 61 cm (24") | FPS counter: Yes | LED backlight: Yes | Product colour: Black | Dial point: Yes | Storage relative humidity (H-H): 5 - 93% | Contrast ratio (dynamic): 80000000:1 | Input current: 1.5 A | Package depth: 395 mm | HD type: Full HD | HDMI version: 2.0 | Depth (with stand): 193.9 mm | Storage temperature (T-T): -25 - 55 °C | Package height: 126 mm | Cable lock slot: Yes | Pixel pitch: 0.2745 x 0.2745 mm | AC input voltage: 100 - 240 V | HDCP: Yes | LED indicators: Yes | Display number of colours: 16.7 million colours | Operating altitude: 0 - 5000 m | Tilt adjustment: Yes | Native aspect ratio: 16:9 | Height adjustment: No | Power consumption (typical): 19 W | Built-in USB hub: No | Panel mounting interface: 100 x 100 mm | Viewing angle, horizontal: 178° | Response time: 1 ms | DisplayPorts quantity: 1 | Headphone outputs: 1 | Cables included: HDMI | Package width: 610 mm | VESA mounting: Yes | Cables included: AC | Width (with stand): 540 mm | Touchscreen: No |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Power consumption (max): 29 W | Screen shape: Flat | Operating temperature (T-T): 0 - 40 °C | Height (with stand): 424.3 mm | Viewing angle, vertical: 178° | DisplayPort version: 1.4 | HDMI ports quantity: 1 | Operating relative humidity (H-H): 10 - 85% | Digital horizontal frequency: 30 - 200 kHz | Display resolution: 1920 x 1080 pixels | AC input frequency: 50/60 Hz | Digital vertical frequency: 48 - 180 Hz | Cables included: DisplayPort | Package weight: 5.61 kg | Cable lock slot type: Kensington | Power consumption (standby): 0.3 W | Depth (without stand): 50.6 mm | On Screen Display (OSD) languages: Polish | On Screen Display (OSD) languages: English | Panel type: Fast IPS | Display diagonal (metric): 60.5 cm | On Screen Display (OSD) languages: Simplified Chinese | On Screen Display (OSD) languages: German | On Screen Display (OSD) languages: Italian | On Screen Display (OSD) languages: Dutch | Game mode: Yes | Front bezel colour: Black | High Dynamic Range (HDR) technology: High Dynamic Range 10 (HDR10) | Weight (without stand): 2.62 kg | On Screen Display (OSD) languages: Swedish | Width (without stand): 540 mm | On Screen Display (OSD) languages: Spanish | On Screen Display (OSD) languages: Croatian | Anti-glare screen: Yes | On Screen Display (OSD) languages: Japanese | Built-in camera: No | On Screen Display (OSD) languages: Ukrainian | On Screen Display (OSD) languages: Finnish | On Screen Display (OSD) languages: Russian | On Screen Display (OSD) languages: Czech | On Screen Display (OSD) languages: Portuguese | Low Blue Light technology: Yes | DCI-P3 coverage: 93.9% | On Screen Display (OSD) languages: Traditional Chinese | On Screen Display (OSD) languages: French | On Screen Display (OSD) languages: Korean | On Screen Display (OSD): Yes | Energy efficiency scale: A to G | VESA Adaptive Sync support: Yes | Flicker-free technology: Yes | Response time measurement type: GTG (Gray to Gray) | Power supply type: Internal | HDCP version: 2.2 | On Screen Display (OSD) languages: Turkish | Plug and Play: Yes | Backlight type: W-LED | Adobe RGB coverage: 91.5% | Built-in speaker(s): No | Viewable size, horizontal: 52.7 cm | Stand included: Yes | Headphone out: Yes | Viewable size, vertical: 29.6 cm | HDMI: Yes | Contrast ratio (typical): 1000:1 | Colour gamut standard: sRGB | European Product Registry for Energy Labelling (EPREL) code: 2125808 | Colour gamut standard: DCI-P3 | Maximum refresh rate: 180 Hz | Colour gamut standard: Adobe RGB | sRGB coverage (typical): 129.3% | DDC/CI: Yes | Frameless design: Yes | Compliance certificates: RoHS | Compliance certificates: CE | Headphone connectivity: 3.5 mm | Compliance certificates: Federal Communications Commission (FCC) | Warnings: The monitor contains materials that may be harmful to the environment follow local regulations for the disposal of electronic devices. | Warnings: Do not expose to water or excessive moisture. | Height (without stand): 325 mm | Display technology: LCD | Non-operating altitude: 0 - 12192 m | Number of OSD languages: 19 | Detachable stand: Yes | High Dynamic Range (HDR) supported: Yes | Compliance certificates: CB | Warnings: Avoid direct contact with liquids. |

Weight (with stand): 3 kg | Market positioning: Gaming | Pixel density: 92.56 ppi | Response time

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

(MPRT): 0.5 ms | Warranty period: 3 year(s) | Energy efficiency class (SDR): E | Energy consumption (SDR) per 1000 hours: 18 kWh | Shadow control: Yes | Energy consumption (HDR) per 1000 hours: 22 kWh | Low input lag: Yes | Energy efficiency class (HDR): F | Motion blur reduction: Yes

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950