



## **AOC G4 27G42E computer monitor 68.6 cm (27) 1920 x 1080 pixels Full HD LCD Black**

Model: 27G42E

Manufacturer: AOC

EAN: 4038986642590

Product Code: 47275

## **R2,600**

Energy consumption (HDR) per 1000 hours: 28 kWh | Energy efficiency class (SDR): E | Warnings: The monitor contains materials that may be harmful to the environment follow local regulations for the disposal of electronic devices. | Warnings: Do not expose to water or excessive moisture. | Colour gamut standard: DCI-P3 | Warnings: Avoid direct contact with liquids. | Low input lag: Yes | Motion blur reduction: Yes | Energy efficiency class (HDR): G | Response time (MPRT): 0.5 ms | Response time measurement type: GTG (Gray to Gray) | European Product Registry for Energy Labelling (EPREL) code: 2125815 | Colour gamut standard: sRGB | Shadow control: Yes | Power consumption (typical): 22 W | Built-in USB hub: No | Energy consumption (SDR) per 1000 hours: 21 kWh | Display technology: LCD | HDMI ports quantity: 1 | DDC/CI: Yes | Contrast ratio (typical): 1000:1 | HDMI version: 2.0 | Display diagonal (metric): 68.6 cm | Tilt adjustment: Yes | Built-in camera: No | Colour gamut standard: Adobe RGB | Compliance certificates: Federal Communications Commission (FCC) |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Compliance certificates: CB | Compliance certificates: RoHS | Compliance certificates: CE | On Screen Display (OSD) languages: German | On Screen Display (OSD) languages: Italian | On Screen Display (OSD) languages: Dutch | On Screen Display (OSD) languages: Simplified Chinese | On Screen Display (OSD) languages: Swedish | Power consumption (standby): 0.3 W | Flicker-free technology: Yes | Digital horizontal frequency: 30 - 200 kHz | On Screen Display (OSD) languages: Portuguese | Viewable size, vertical: 33.6 cm | Power supply type: Internal | HDCP version: 2.2 | Panel type: Fast IPS | Height adjustment: No | Maximum refresh rate: 180 Hz | High Dynamic Range (HDR) supported: Yes | Package height: 454 mm | Non-operating altitude: 0 - 12192 m | Height (without stand): 449.7 mm | Headphone connectivity: 3.5 mm | On Screen Display (OSD): Yes | Energy efficiency scale: A to G | On Screen Display (OSD) languages: Japanese | On Screen Display (OSD) languages: Turkish | On Screen Display (OSD) languages: Polish | On Screen Display (OSD) languages: Ukrainian | On Screen Display (OSD) languages: Finnish | On Screen Display (OSD) languages: Spanish | On Screen Display (OSD) languages: Croatian | Market positioning: Gaming | Low Blue Light technology: Yes | Headphone out: Yes | Touchscreen: No | Depth (without stand): 51.2 mm | Headphone outputs: 1 | Built-in speaker(s): No | On Screen Display (OSD) languages: Russian | On Screen Display (OSD) languages: Czech | Game mode: Yes | Digital vertical frequency: 48 - 180 Hz | Backlight type: W-LED | On Screen Display (OSD) languages: English | Weight (without stand): 3.44 kg | Plug and Play: Yes | On Screen Display (OSD) languages: Traditional Chinese | On Screen Display (OSD) languages: French | On Screen Display (OSD) languages: Korean | Number of OSD languages: 19 | Viewable size, horizontal: 59.8 cm | Front bezel colour: Black | Stand included: Yes | Width (without stand): 613.9 mm | HDMI: Yes | Weight (with stand): 3.83 kg | Detachable stand: Yes | Storage relative humidity (H-H): 5 - 93% | Width (with stand): 613.9 mm | Input current: 1.5 A | Native aspect ratio: 16:9 | Screen shape: Flat | Contrast ratio (dynamic): 80000000:1 | AC input voltage: 100 - 240 V | Operating altitude: 0 - 5000 m | HD type: Full HD | DisplayPort version: 1.4 | Product colour: Black | Display resolution: 1920 x 1080 pixels | AC input frequency: 50/60 Hz | LED indicators: Yes | Package width: 690 mm | Operating relative humidity (H-H): 10 - 85% | LED backlight: Yes | Cables included: HDMI | Viewing angle, horizontal: 178° | Display number of colours: 16.7 million colours | Power consumption (max): 34 W | Viewing angle, vertical: 178° | Power consumption (off): 0.3 W | Package depth: 126 mm | Cables included: AC | Response time: 1 ms | Package weight: 6.4 kg | Height (with stand): 366.3 mm | Cables included: DisplayPort | Display diagonal: 68.6 cm (27") | Storage temperature (T-T): -25 - 55 °C | Pixel pitch: 0.3108 x 0.3108 mm | DisplayPorts quantity: 1 | Operating temperature (T-T): 0 - 40 °C | Depth (with stand): 197.6 mm | Tilt angle range: -5 - 23° | Display brightness (typical): 300 cd/m<sup>2</sup> | HDCP: Yes | Dial point: Yes | FPS counter: Yes | High

**Dynamic Range (HDR) technology: High Dynamic Range 10 (HDR10) | Frameless design: Yes | Anti-**

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

glare screen: Yes | VESA Adaptive Sync support: Yes

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950