



## **DELL UltraSharp U2424H computer monitor 60.5 cm (23.8) 1920 x 1080 pixels Full HD LCD Black, Silver**

Model: 210-BKTZ

Manufacturer: DELL

EAN: 5397184821381

Product Code: 47320

---

## **R4,823**

---

Cable lock slot: Yes | Pixel pitch: 0.2745 x 0.2745 mm | Microphone in: No | Surface hardness: 3H | Swivelling: Yes | Tilt adjustment: Yes | DisplayPort version: 1.4 | HDCP: Yes | Height (with stand): 496.5 mm | HDMI version: 1.4 | Supported video modes: 720p | Flicker-free technology: Yes | USB Type-C downstream ports quantity: 1 | Heavy metals free: Hg (mercury) | Display brightness (typical): 250 cd/m<sup>2</sup> | Non-operating altitude: 5000 - 12192 m | Height adjustment: 15 cm | PC Audio in: No | Display number of colours: 16.7 million colours | Vertical scan range: 48 - 120 Hz | Low Blue Light technology: Yes | Touchscreen: No | Viewing angle, vertical: 178° | Supported video modes: 576p | Tilt angle range: -5 - 21° | Display diagonal (metric): 60.47 cm | Input current: 1.5 A | Built-in

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

USB hub: Yes | Power consumption (off): 0.3 W | On Screen Display (OSD): Yes | Energy efficiency scale: A to G | Built-in camera: No | Screen shape: Flat | Display technology: LCD | Supported video modes: 480p | Supported video modes: 1080p | Panel mounting interface: 100 x 100 mm | HDCP version: 1.4 | Viewing angle, horizontal: 178° | Supported video modes: 1080i | Energy consumption (SDR) per 1000 hours: 14 kWh | Native aspect ratio: 16:9 | Operating altitude: 0 - 5000 m | Power consumption (typical): 13.7 W | Display diagonal: 60.5 cm (23.8") | Pivot angle: -90 - 90° | Height adjustment: Yes | Horizontal scan range: 31 - 135 kHz | Sustainability certificates: RoHS | Pixel density: 92.53 ppi | Sustainability certificates: ENERGY STAR | Sustainability certificates: TCO | Backlight type: Edge LED | sRGB coverage (typical): 100% | Product colour: Black | Depth (with stand): 181.8 mm | Storage temperature (T-T): -20 - 60 °C | Maximum refresh rate: 120 Hz | Height (without stand): 311.2 mm | Power supply type: Internal | Viewable size diagonal: 60.5 cm | Anti-glare screen: Yes | Display resolution: 1920 x 1080 pixels | AC input frequency: 50/60 Hz | Operating relative humidity (H-H): 10 - 80% | Width (with stand): 538.6 mm | DisplayPort cable length: 1.8 m | Market positioning: Business | AC input voltage: 100 - 240 V | RGB colour space: DCI-P3 | AMD FreeSync: No | Cables included: DisplayPort | Cables included: USB Type-A to USB Type-C | Bezel width (side): 5.8 mm | Panel type: IPS | Weight (without stand): 3.52 kg | Weight (with stand): 5.09 kg | Viewable size, vertical: 29.6 cm | Cable lock slot type: Kensington | Cables included: AC | Headphone out: Yes | Stylus included: No | Operating temperature (T-T): 0 - 40 °C | NVIDIA G-SYNC: No | Package weight: 7.92 kg | USB upstream port type: USB Type-C | High Dynamic Range (HDR) supported: No | Pivot: Yes | Viewable size, horizontal: 52.7 cm | Stand included: Yes | Built-in speaker(s): No | Storage relative humidity (H-H): 5 - 90% | USB hub version: 3.2 Gen 2 (3.1 Gen 2) | DisplayPorts quantity: 2 | Number of USB Type-C upstream ports quantity: 1 | Feet colour: Silver | Response time: 8 ms | Quick start guide: Yes | Depth (without stand): 49.1 mm | Power consumption (max): 72 W | Swivel angle range: -45 - 45° | HD type: Full HD | Response time (fast): 5 ms | Wi-Fi: No | VESA mounting: Yes | Bezel width (bottom): 8.95 mm | Power consumption (standby): 0.5 W | Energy efficiency class (HDR): Not available | Front bezel colour: Black | Doesn't contain: PVC/BFR | Sustainability compliance: Yes | Width (without stand): 538.6 mm | Supported graphics resolutions: 640 x 480 (VGA) | Contrast ratio (typical): 1000:1 | Remote control included: No | Colour gamut: 85% | Power adapter included: Yes | Supported graphics resolutions: 1024 x 768 (XGA) | Supported graphics resolutions: 720 x 480 | Supported graphics resolutions: 1600 x 900 | Supported graphics resolutions: 1280 x 720 (HD 720) | USB Type-A downstream ports quantity: 3 | Supported graphics resolutions: 1920 x 1080 (HD 1080) | Supported graphics resolutions: 800 x 600 (SVGA) | AC (power) in: Yes | HDMI: Yes | HDMI ports quantity: 1 | Energy efficiency class (SDR): D | Supported graphics resolutions: 1280 x 1024 (SXGA) | Supported graphics resolutions: 1152 x 864 (XGA+) | Bezel width

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

(top): 5.8 mm | Supported graphics resolutions: 720 x 400 | European Product Registry for Energy Labelling (EPREL) code: 1585527 | Warnings: Do not disassemble the monitor casing to avoid risk of electric shock. | Warnings: Unplug the monitor from the power source before cleaning. | Warnings: Place the monitor on a flat and stable surface to avoid tipping and damage.

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950