



DELL E Series E2425HM computer monitor 60.5 cm (23.8) 1920 x 1080 pixels Full HD LCD Black

Model: 210-BRDN

Manufacturer: DELL

EAN: 5397184962428

Product Code: 47327

R2,111

Windows operating systems supported: Windows 11 | Cables included: DisplayPort | Windows operating systems supported: Yes | Windows operating systems supported: Windows 10 | Built-in speaker(s): No | Headphone out: No | Pixel pitch: 0.2745 x 0.2745 mm | Carbon emissions, logistics (kg of CO₂e): 9.685 | Storage relative humidity (H-H): 5 - 90% | Cable lock slot type: Kensington | Height adjustment: No | Contrast ratio (typical): 1000:1 | Vertical scan range: 50 - 100 Hz | Weight (without stand): 2.81 kg | Power supply type: Internal | Cable management: Yes | Low Blue Light technology: Yes | Bezel width (side): 5.8 mm | Viewable size diagonal: 60.5 cm | AMD FreeSync: No | Pixel density: 93 ppi | Plug and Play: Yes | Width (without stand): 538.6 mm | Market positioning: Office | HDMI: Yes | Backlight type: Edge LED | VGA (D-Sub) ports quantity: 1 | Height (without

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

stand): 324.2 mm | Touchscreen: No | Power consumption (max): 28.5 W | Non-operating altitude: 0 - 12192 m | Built-in camera: No | NTSC coverage (typical): 72% | HDMI version: 1.4 | Viewable size, vertical: 29.6 cm | Panel type: IPS | Supported video modes: 720p | Flicker-free technology: Yes | Tilt adjustment: Yes | Supported video modes: 576p | Horizontal scan range: 30 - 110 kHz | Maximum refresh rate: 100 Hz | Bezel width (top): 5.8 mm | On Screen Display (OSD): Yes | Energy efficiency scale: A to G | HDMI ports quantity: 1 | Doesn't contain: PVC/BFR | Doesn't contain: Mercury | Doesn't contain: Arsenic | Bezel width (bottom): 1.74 cm | Warranty card: Yes | Power consumption (standby): 0.3 W | Viewable size, horizontal: 52.7 cm | Stand included: Yes | Feet colour: Black | VESA mounting: Yes | Depth (without stand): 47.7 mm | HDCP version: 1.4 | Panel mounting interface: 100 x 100 mm | Total carbon footprint (kg of CO2e): 149 | Weight (with stand): 3.15 kg | Supported video modes: 480p | Supported video modes: 1080p | Display technology: LCD | Response time (fast): 5 ms | Power consumption (typical): 14.3 W | Sustainability certificates: ENERGY STAR | Sustainability certificates: TCO | Built-in USB hub: No | Front bezel colour: Black | Sustainability certificates: EPEAT Climate + | Sustainability certificates: EPEAT Gold | Energy efficiency class (SDR): D | Energy consumption (SDR) per 1000 hours: 14 kWh | Energy efficiency class (HDR): Not available | Anti-glare screen: Yes | Dell Display Manager (DDM) compatibility: Yes | Dell ComfortView technology: Yes | Surface hardness: 3H | DisplayPort cable length: 1.8 m | Cable lock slot: Yes | Supported graphics resolutions: 1280 x 1024 (SXGA) | AC input voltage: 100 - 240 V | Operating altitude: 0 - 5000 m | Display resolution: 1920 x 1080 pixels | AC input frequency: 50/60 Hz | Supported graphics resolutions: 1024 x 768 (XGA) | Supported graphics resolutions: 1152 x 864 (XGA+) | Supported graphics resolutions: 720 x 400 | Supported graphics resolutions: 1600 x 900 | Package weight: 5.18 kg | Native aspect ratio: 16:9 | Supported graphics resolutions: 640 x 480 (VGA) | LED indicators: Yes | DisplayPorts quantity: 1 | Display brightness (typical): 250 cd/m² | HDCP: Yes | Height (with stand): 412.4 mm | Power consumption (off): 0.3 W | HD type: Full HD | Display diagonal: 60.5 cm (23.8") | Operating temperature (T-T): 0 - 40 °C | Storage temperature (T-T): -20 - 60 °C | Operating relative humidity (H-H): 10 - 80% | Tilt angle range: -5 - 21° | Product colour: Black | Screen shape: Flat | Display number of colours: 16.7 million colours | DisplayPort version: 1.2 | Viewing angle, vertical: 178° | Response time: 8 ms | Quick start guide: Yes | Width (with stand): 538.6 mm | LED backlight: Yes | Viewing angle, horizontal: 178° | Supported graphics resolutions: 1280 x 720 (HD 720) | Supported graphics resolutions: 1920 x 1080 (HD 1080) | Supported graphics resolutions: 800 x 600 (SVGA) | Depth (with stand): 171 mm | NVIDIA G-SYNC: No | Carbon emissions, manufacturing (kg of CO2e): 66.603 | Carbon emissions, end-of-life (kg of CO2e): 2.235 | Total carbon emissions, w/o use phase (kg of CO2e): 78.672 | Carbon emissions, energy usage (kg of CO2e): 70.328 | Compliance certificates: RoHS | PAIA version: GaBi version 1, 2024 | European Product Registry for Energy

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Labelling (EPREL) code: 2192921 | Warnings: Unplug the monitor from the power source before cleaning. | Warnings: Do not disassemble the monitor casing to avoid risk of electric shock. | Warnings: Place the monitor on a flat and stable surface to avoid tipping and damage. | Response time measurement type: GTG (Gray to Gray)

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950