



OMEN by HP 23.8 inch FHD 165Hz Gaming Monitor - OMEN 24

Model: 780D9E9#ABB

Manufacturer: HEWLETT-PACKARD

EAN: 197029614469

Product Code: 47344

R2,450

Bundled software: OMEN Gaming Hub | Certification: Australian-New Zealand MEPS BIS BSMI CB CCC CE CEL CSA EAC FCC ISO 9241-307 KC/KCC NOM PSB TUV Bauart TUV LBL VCCI Vietnam MEPS WEEE ISC California Energy Commission (CEC) WW application ICE Ukraine certificates TÜV Flicker free certified UAE safety UAE RoHS South Africa safety Microsoft WHQL Certification (Windows 11 and Windows 10) | Packaging content: Monitor DisplayPort™ cable Warranty card Quick Setup Poster AC power cord | Display diagonal: 60.5 cm (23.8") | Package width: 595 mm | Cables included: DisplayPort | Height (with stand): 465.3 mm | Horizontal scan range: 30 - 210 kHz | Response time: 1 ms | Operating temperature (T-T): 5 - 35 °C | Depth (with stand): 198.3 mm | Supported graphics resolutions: 1280 x 1024 (SXGA) | DisplayPort version: 1.4 | Viewing angle, vertical: 178° | Aspect ratio: 16:9 | Cables included: AC | Package weight: 9.33 kg | DisplayPorts quantity: 1 | Quick start guide: Yes | Weight: 6.35 kg | Power consumption (max): 40 W | LED backlight: Yes | Supported graphics resolutions: 640 x 480 (VGA) | Supported graphics resolutions: 720 x 400 | Supported

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

graphics resolutions: 1920 x 1080 (HD 1080) | Supported graphics resolutions: 800 x 600 (SVGA) | Supported graphics resolutions: 1680 x 1050 (WSXGA+) | Vertical scan range: 60 - 165 Hz | Supported graphics resolutions: 1024 x 768 (XGA) | Supported graphics resolutions: 1440 x 900 (WXGA+) | Supported graphics resolutions: 1280 x 720 (HD 720) | Supported graphics resolutions: 1280 x 800 | NVIDIA G-SYNC: No | Storage relative humidity (H-H): 20 - 80% | Supported graphics resolutions: 1600 x 900 | Package height: 407 mm | Package type: Box | Display surface: Matt | Width (with stand): 539.4 mm | Contrast ratio (dynamic): 10000000:1 | Tilt angle range: -5 - 23° | Operating relative humidity (H-H): 20 - 80% | AC input voltage: 100 - 240 V | Display brightness (typical): 300 cd/m² | Display resolution: 1920 x 1080 pixels | AC input frequency: 50/60 Hz | HD type: Full HD | Power consumption (off): 0.3 W | Package depth: 164 mm | Product colour: Black | HDCP: Yes | Native aspect ratio: 16:9 | Power consumption (typical): 25 W | Viewing angle, horizontal: 178° | Pixel pitch: 0.28 x 0.28 mm | Display number of colours: 16.7 million colours | Cable lock slot: No | Screen shape: Flat | Energy consumption (SDR) per 1000 hours: 18 kWh | Energy efficiency class (HDR): E | AMD FreeSync type: FreeSync Premium | Energy efficiency class (SDR): E | Display diagonal (metric): 60.5 cm | Height: 321.5 mm | Width (without stand): 539.4 mm | On Screen Display (OSD): Yes | Panel type: IPS | UNSPSC-code: 43211902 | Supplied AC adapter type: 197029615145 | Pallet dimensions (W x D x H): 1200 x 994 x 2180 mm | Tilt adjustment: Yes | Audio output: Yes | HDMI version: 2.0 | Headphone outputs: 1 | Built-in speaker(s): No | Pivot angle: -90 - 90° | Built-in USB hub: No | Touchscreen: No | sRGB coverage (typical): 99% | Display brightness: 300 cd/m² | Depth: 52 mm | General Product Safety Regulation (GPSR) URL: <https://support.hp.com/gb-en/product/setup-user-guides/hp-deskjet-2700-all-in-one-printer-series/model/31598160?sku=5AR83B&serialnumber=5AR83B> | Viewable size, vertical: 29.6 cm | Power supply type: Internal | Height adjustment: Yes | Market positioning: Gaming | HP segment: Home | Feet colour: Black | Depth (without stand): 52 mm | Backlight type: Edge LED | Warranty card: Yes | Flicker-free technology: Yes | Pivot: Yes | Stand included: Yes | Headphone out: Yes | Compliance certificates: CB | Compliance certificates: EAC | Compliance certificates: RoHS | Compliance certificates: CE | Compliance certificates: BIS | Built-in camera: No | Compliance certificates: BSMI | Compliance certificates: CCC | Panel mounting interface: 100 x 100 mm | Weight (with stand): 6.35 kg | Compliance certificates: Federal Communications Commission (FCC) | Pixel density: 93 ppi | DCI-P3 coverage: 90% | AMD FreeSync: Yes | Warnings: The monitor contains materials that may be harmful to the environment follow local regulations for the disposal of electronic devices. | Power consumption (standby): 0.5 W | Warnings: Do not expose to water or excessive moisture. | Maximum refresh rate: 165 Hz | Height (without stand): 321.5 mm | Warnings: Avoid direct contact with liquids.

| Surface hardness: 3H | Viewable size, horizontal: 52.7 cm | Display technology: LCD | Energy

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

efficiency scale: A to G | Anti-glare screen: Yes | Low Blue Light technology: Yes | Adjustable height (max): 10 cm | Response time measurement type: GTG (Gray to Gray) | VESA Adaptive Sync support: Yes | Headphone connectivity: 3.5 mm | Pallet gross weight: 595 kg | Haze rate: 25% | VESA mounting: Yes | Detachable stand: Yes | HDMI: Yes | HDMI ports quantity: 2 | Contrast ratio (typical): 1000:1 | Colour gamut standard: sRGB | Colour gamut: 99% | Colour gamut standard: DCI-P3 | Colour depth: 8 bit | Width: 539.4 mm

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950