



Philips V Line 241V8AW/00 LED display 60.5 cm (23.8) 1920 x 1080 pixels Full HD LCD White



Model: 241V8AW/00

Manufacturer: PHILIPS

EAN: 8712581804343

Product Code: 47388

R1,953

Compatible operating systems: Mac OS X Windows 11/10/8.1/8 | Warnings: Do not disassemble the monitor casing to avoid risk of electric shock. | Warnings: Place the monitor on a flat and stable surface to avoid tipping and damage. | Warnings: Unplug the monitor from the power source before cleaning. | European Product Registry for Energy Labelling (EPREL) code: 1742925 | Colour gamut standard: sRGB | Tilt angle range: -5 - 20° | Width (without stand): 540 mm | VGA (D-Sub) ports quantity: 1 | Display resolution: 1920 x 1080 pixels | Viewing angle, vertical: 178° | Horizontal scan range: 30 - 85 kHz | HDMI: Yes | Width (with stand): 540 mm | Power consumption (typical): 21.64 W | On Screen Display (OSD) languages: Ukrainian | On Screen Display (OSD) languages: Finnish | Package depth: 121 mm | LowBlue mode: Yes | Package height: 415 mm | Display diagonal (metric): 60.5 cm | Cables included: HDMI | VESA Adaptive Sync support: Yes | Dynamic contrast ratio

marketing name: Mega Infinity DCR | Low Blue Light technology: Yes | Exterior finish type: Textured |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Market positioning: Home | Packaging recyclability rate: 100% | Cable lock slot type: Kensington | Depth (with stand): 220 mm | Storage temperature (T-T): -20 - 60 °C | Sync-on-green (SOG): Yes | Flicker-free technology: Yes | Pixel density: 93 ppi | Number of OSD languages: 20 | Surface hardness: 3H | Display sRGB: Yes | Display diagonal: 60.5 cm (23.8") | Height (without stand): 322 mm | Built-in camera: No | Product colour: White | Viewing angle, horizontal: 178° | NVIDIA G-SYNC: No | AMD FreeSync: No | On Screen Display (OSD) languages: Greek | Operating relative humidity (H-H): 20 - 80% | Height (with stand): 416 mm | Viewable size, vertical: 29.6 cm | On Screen Display (OSD) languages: Russian | On Screen Display (OSD) languages: Czech | Cables included: AC | Maximum refresh rate: 75 Hz | Mean time between failures (MTBF): 30000 h | On Screen Display (OSD) languages: Turkish | On Screen Display (OSD) languages: Portuguese | Native aspect ratio: 16:9 | Picture enhancement: SmartImage | Screen shape: Flat | Package weight: 4.22 kg | On Screen Display (OSD) languages: English | Tilt adjustment: Yes | Audio output: Yes | Weight (without stand): 2.49 kg | Display brightness (typical): 250 cd/m² | On Screen Display (OSD) languages: Polish | Power supply type: Internal | Viewable size, horizontal: 52.7 cm | HDCP: Yes | On Screen Display (OSD) languages: Spanish | Regulatory Approvals: CB CE Mark EAC FCC ICES-003 TUV Ergo TUV/GS | Anti-glare screen: Yes | Built-in speaker(s): Yes | Operating temperature (T-T): 0 - 40 °C | Number of speakers: 2 | Vertical scan range: 48 - 75 Hz | RMS rated power: 4 W | LED indicators: Stand-by | Sustainability certificates: RoHS | Power consumption (off): 0.3 W | On Screen Display (OSD): Yes | On Screen Display (OSD) languages: Swedish | On Screen Display (OSD) languages: Hungarian | Power consumption (standby): 0.5 W | Manual: Yes | On Screen Display (OSD) languages: Simplified Chinese | Operating altitude: 0 - 3658 m | Display technology: LCD | Depth (without stand): 51 mm | On Screen Display (OSD) languages: German | On Screen Display (OSD) languages: Italian | On Screen Display (OSD) languages: Dutch | Plug and Play: Yes | HDMI version: 1.4 | Stand included: Yes | AC input frequency: 50/60 Hz | On Screen Display (OSD) languages: Japanese | Weight (with stand): 2.87 kg | LED indicators: Operation | EasyRead mode: Yes | Contrast ratio (typical): 1000:1 | HDCP version: 1.4 | Component video sync: Sync-on-green (SOG) | VESA mounting: Yes | Sustainability certificates: Federal Communications Commission (FCC) | Sustainability certificates: TUV | Sustainability certificates: CE | Heavy metals free: Hg (mercury) | AC input voltage: 100 - 240 V | HD type: Full HD | On Screen Display (OSD) languages: Traditional Chinese | On Screen Display (OSD) languages: French | On Screen Display (OSD) languages: Korean | Panel type: IPS | Height adjustment: No | Component video sync: Separate Sync | Energy efficiency class (SDR): E | HDMI ports quantity: 1 | DDC/CI: Yes | PC Audio in: Yes | Sustainability compliance: Yes | Haze rate: 25% | Backlight type: W-LED | Built-in USB hub: No | Sustainability certificates: CB | Package width: 608 mm | Cable lock slot: Yes | Panel mounting interface: 100 x 100 mm | Touchscreen: No | Display

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

number of colours: 16.7 million colours | Pixel pitch: 0.275 x 0.275 mm | Non-operating altitude:
3658 - 12192 m

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950