



## **Philips 1000 series 27E2N1100L/00 computer monitor 68.6 cm (27) 1920 x 1080 pixels Full HD LCD Black**



Model: 27E2N1100L/00

Manufacturer: PHILIPS

EAN: 8721038000375

Product Code: 47393

## **R1,974**

Digital vertical frequency: 48 - 100 Hz | Cables included: HDMI | Response time (MPRT): 1 ms | VESA mounting: Yes | Viewing angle, horizontal: 178° | Digital horizontal frequency: 30 - 115 kHz | Package width: 690 mm | Package depth: 126 mm | Height adjustment: No | Built-in USB hub: No | Cables included: Power | Storage temperature (T-T): -20 - 60 °C | Panel type: VA | Operating relative humidity (H-H): 20 - 80% | HDMI ports quantity: 1 | Panel mounting interface: 100 x 100 mm | Cable lock slot type: Kensington | Tilt adjustment: Yes | HDMI version: 1.4 | Haze rate: 25% | AMD FreeSync: No | Display number of colours: 16.7 million colours | Non-operating altitude: 3658 - 12192 m | Power supply type: External | Built-in camera: No | Package height: 420 mm | Power consumption

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

(typical): 17.6 W | Warnings: Unplug the monitor from the power source before cleaning. | Pixel pitch: 0.3114 x 0.3114 mm | Display sRGB: Yes | Viewable size, horizontal: 59.8 cm | Flicker-free technology: Yes | VGA (D-Sub) ports quantity: 1 | Horizontal scan range: 30 - 115 kHz | On Screen Display (OSD) languages: Swedish | On Screen Display (OSD) languages: Hungarian | Warnings: Place the monitor on a flat and stable surface to avoid tipping and damage. | Vertical scan range: 48 - 100 Hz | On Screen Display (OSD) languages: Greek | Built-in speaker(s): No | Plug and Play: Yes | Weight (with stand): 3.05 kg | Warnings: Do not disassemble the monitor casing to avoid risk of electric shock. | On Screen Display (OSD) languages: Turkish | Surface hardness: 3H | Market positioning: Home | Operating temperature (T-T): 0 - 40 °C | Response time measurement type: GTG (Gray to Gray) | Heavy metals free: Hg (mercury) | Backlight type: W-LED | Display diagonal (metric): 68.6 cm | On Screen Display (OSD): Yes | Display technology: LCD | On Screen Display (OSD) languages: Ukrainian | On Screen Display (OSD) languages: Finnish | Regulatory Approvals: CE Mark, CB, ETL, CEC, CEL, CCC, CECP, UKCA, EMF, FCC, ICES-003 | On Screen Display (OSD) languages: Polish | On Screen Display (OSD) languages: Traditional Chinese | On Screen Display (OSD) languages: French | On Screen Display (OSD) languages: Korean | On Screen Display (OSD) languages: German | On Screen Display (OSD) languages: Italian | On Screen Display (OSD) languages: Dutch | Viewing angle, vertical: 178° | Touchscreen: No | On Screen Display (OSD) languages: Russian | On Screen Display (OSD) languages: Czech | Viewable size, vertical: 33.6 cm | Power consumption (standby): 0.5 W | Mean time between failures (MTBF): 50000 h | On Screen Display (OSD) languages: Portuguese | On Screen Display (OSD) languages: Spanish | On Screen Display (OSD) languages: Simplified Chinese | On Screen Display (OSD) languages: Japanese | DDC/CI: Yes | On Screen Display (OSD) languages: English | Contrast ratio (typical): 4000:1 | Number of OSD languages: 21 | Maximum refresh rate: 100 Hz | Depth (without stand): 32 mm | Component video sync: Separate Sync | Picture enhancement: SmartImage | EasyRead mode: Yes | Low Blue Light technology: Yes | Anti-glare screen: Yes | Packaging recyclability rate: 100% | LowBlue mode: Yes | Adaptive synchronisation: Yes | Compliance certificates: RoHS | HDCP version: 1.4 | Component video sync: Sync-on-green (SOG) | Exterior finish type: Textured | Energy efficiency class (HDR): Not available | Energy efficiency class (SDR): D | Doesn't contain: Mercury | European Product Registry for Energy Labelling (EPREL) code: 2030696 | Energy consumption (SDR) per 1000 hours: 16 kWh | HDMI: Yes | Dynamic contrast ratio marketing name: Mega Infinity DCR | Width (without stand): 614 mm | Weight (without stand): 2.69 kg | Height (without stand): 363 mm | Pixel density: 81.59 ppi | Height (with stand): 457 mm | Width (with stand): 614 mm | Response time: 4 ms | Package weight: 5.2 kg | Display brightness (typical): 250 cd/m<sup>2</sup> | Cable lock slot: Yes | Power consumption (off): 0.3 W | **Product colour: Black | Tilt angle range: -5 - 20° | LED backlight: Yes | HD type: Full HD | HDCP:**

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Yes | Screen shape: Flat | Display resolution: 1920 x 1080 pixels | AC input frequency: 50/60 Hz |  
Display diagonal: 68.6 cm (27") | Depth (with stand): 200 mm | LED indicators: Operation | Operating  
altitude: 0 - 3658 m | NVIDIA G-SYNC: No | Native aspect ratio: 16:9 | AC input voltage: 100 - 240 V |  
LED indicators: Stand-by

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950