



Shelly 1 Gen3 Set of 4 Controller WiFi/Bluetooth

Model: 1Gen3x4

Manufacturer: SHELLY

EAN: 3800235261781

Product Code: 515583

R2,091

Shelly 1 Gen3 Set of 4 Controller WiFi/Bluetooth

Shelly 1 Gen3 is not just a controller - it's a full-fledged smart home hub that offers unparalleled control, flexibility and security. Easily integrated into your existing infrastructure, this controller allows you to create advanced automation systems without investing in costly solutions. With Shelly 1 Gen3, you can transform your home and office into smart, energy-efficient and convenient spaces that respond to your needs. The kit includes 4 pieces of product.

Smart control at your fingertips

Shelly 1 Gen3 is an advanced Wi-Fi-enabled smart controller that revolutionizes the way you manage your home and office. Featuring a 1-channel dry contact rated at 16A, this versatile controller allows you to remotely control a wide range of home and office appliances, wherever you are. Upgrade

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

standard electrical boxes, outlets and light switches without complicated installations.

Advanced technology and high performance

Shelly 1 Gen3 is equipped with the new ESP-Shelly-C38F processor with 8 MB of memory, which significantly increases its performance and efficiency. The increased durability of the terminals and the high level of security guarantee reliable operation for years to come. A Wi-Fi range enhancer and built-in Bluetooth gateway ensure a stable connection, enabling fast and smooth management of devices throughout the home.

Uncompromised compatibility and ease of integration

You don't need an additional HUB to use Shelly 1 Gen3. The controller is fully compatible with the Shelly Smart Control app, various home automation protocols, and popular platforms and voice assistants such as Alexa and Google Home. In addition, the Shelly 1 Gen3 supports KNXnet/IP communications, making it ideal for advanced automation projects.

Versatile automation

The Shelly 1 Gen3 is the ideal choice for automating lighting, managing garage doors, upgrading legacy equipment, and many other applications. With the ability to set custom schedules, scenes and integrate with other Shelly devices, you can create a smart system that adapts to your lifestyle. Automate garden irrigation, control home temperature or manage lighting, all remotely and effortlessly.

Security and reliability

Shelly 1 Gen3 provides a high level of security with advanced encryption. With support for various security protocols, you can rest assured that your data and devices are protected at the highest level. In addition, the device looks stylish and minimalist with its compact size and blue color. Invest in the Shelly 1 Gen3 today and discover a new dimension of comfort and control over your environment!

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Manufacturer	Shelly
Model	1Gen3x4
Dimensions	37 x 42 x 16 mm
Weight	26 g
Maximum torque of screw terminals	0.4 Nm
Wire cross section	0.2 to 2.5 mm ² (solid, wire and bootlace type fittings)
Wire length without insulation	6 to 7 mm
Mounting	Wall console / flush-mounted box
Housing material	plastic
Color	blue
Ambient temperature during operation	-20°C to 40°C
Ambient humidity during operation	30% to 70% RH
Maximum altitude	2000m
Power source	110-240 V~24-48 V□ 12 V□
Power consumption	1.2 W
Maximum switching voltage	240 V~30 V□
Maximum switching current	16 A (240 V~) 10 A (30 V□)
Internal temperature sensor	Yes
Wi-Fi protocol	802.11 b/g/n
Wi-Fi radio frequency	2401-2483 MHz
Maximum Wi-Fi RF power	20 dBm
Wi-Fi range	Up to 50 meters in open space, up to 30 meters in closed space (depending on conditions)
Bluetooth version	4.2
Bluetooth radio frequency	2400 - 2483.5 MHz
Maximum Bluetooth RF power	4 dBm

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Bluetooth range	Up to 30 meters in open space, up to 10 meters in closed space (depending on conditions)
CPU	ESP-Shelly-C38F
Flash memory	8 MB
Number of schedules	20
Webhooks (URL shares)	20 with 5 URLs per hook
Ability to increase Wi-Fi coverage	Yes
BLE gateway	Yes
Scripts	Yes
MQTT	Yes
Encryption	Yes

Category: Switches , GPSR Link: https://psr-assets.innpro.pl/smarthome/sg_smarthome_controls.pdf,
Gross weight: 130, Net weight: 100, Box length: 8,00, Box width: 4,50, Box height: 4,00, Information
about data generation: <https://dataact.innpro.pl/shelly/3800235261781>

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950