

TP-Link Archer T4E Internal WLAN 867 Mbit/s



Model: Archer T4E

Manufacturer: TP-LINK

EAN: 8885020628517

Product Code: 607396

R1,117

Mounting brackets included: Yes | Resource CD: Yes | Operating modes: Infrastructure mode | Compliance certificates: RoHS | Compliance certificates: CE | Compliance certificates: Federal Communications Commission (FCC) | Host interface: PCI Express | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | PCI Card form factor: Half-height (low-profile) | Detachable antenna(s): Yes | Transmit power range: 59.5 - 92 dBmW | Harmonized System (HS) code: 85176990 | WLAN data transfer rates supported: 11 | Bandwidth (first): 2.4 GHz | Conflict-Free: Yes | Height: 21.5 mm | Operating temperature (T-T): 0 - 40 °C | Security algorithms: WPA | Modulation: DBPSK | Quick installation guide: Yes | Wi-Fi: Yes | Windows operating systems supported: Windows 10 | Windows operating systems supported: Windows 10 IOT Core | Windows operating systems supported: Windows 8 Enterprise x64 | Windows operating systems supported: Windows 8 Pro | Windows operating systems supported: Windows 7 Enterprise | Windows operating systems supported: Windows 7 Professional x64 | Wi-Fi standards: 802.11g | Windows operating systems supported: Windows 8.1 Enterprise x64 | Windows operating systems supported: Windows 8.1 Pro x64 | Windows operating systems supported: Windows 8.1 x64 | Windows operating systems supported: Windows 10 Enterprise x64 |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Windows operating systems supported: Windows 10 x64 | Windows operating systems supported: Windows 10 Pro x64 | Windows operating systems supported: Windows 8 Enterprise | Security algorithms: 802.1x RADIUS | Windows operating systems supported: Windows 8.1 Enterprise | Windows operating systems supported: Windows 7 Professional | Windows operating systems supported: Windows 7 | Windows operating systems supported: Windows 10 Education x64 | Windows operating systems supported: Windows XP Home x64 | Windows operating systems supported: Windows 7 Home Premium x64 | Windows operating systems supported: Windows 7 Enterprise x64 | Storage temperature (T-T): -40 - 70 °C | Windows operating systems supported: Windows XP Home | Windows operating systems supported: Windows 10 Home | Windows operating systems supported: Windows 7 Starter x64 | Modulation: 256-QAM | WLAN data transfer rates supported: 54 | WLAN data transfer rates supported: 867 Mbit/s | Antennas quantity: 2 | Security algorithms: WPA2-PSK | Networking standards: IEEE 802.11a | Antenna: Yes | Windows operating systems supported: Windows 8 x64 | Windows operating systems supported: Windows 10 Education | Windows operating systems supported: Windows XP Professional | Windows operating systems supported: Windows XP | Low-profile bracket: Yes | Bandwidth (second): 5 GHz | Networking standards: IEEE 802.11g | Networking standards: IEEE 802.11n | Security algorithms: 64-bit WEP | Security algorithms: WPA2 | Modulation: OFDM | Package width: 207 mm | Width: 120.8 mm | Security algorithms: 128-bit WEP | Wi-Fi standards: 802.11b | Windows operating systems supported: Windows 10 Enterprise | Windows operating systems supported: Windows 7 Home Basic x64 | Modulation: CCK | Top Wi-Fi standard: Wi-Fi 5 (802.11ac) | Package weight: 300 g | Windows operating systems supported: Windows 8.1 | Windows operating systems supported: Windows 7 Ultimate x64 | Windows operating systems supported: Windows 7 x64 | Windows operating systems supported: Windows 8 Pro x64 | Windows operating systems supported: Windows 8.1 Pro | Windows operating systems supported: Windows 10 Pro | Windows operating systems supported: Windows 7 Home Premium | Windows operating systems supported: Windows 7 Starter | Windows operating systems supported: Windows 10 IoT Enterprise | Interface: WLAN | Component for: PC | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Networking standards: IEEE 802.11b | Security algorithms: WPA-PSK | Storage relative humidity (H-H): 5 - 90% | Windows operating systems supported: Windows 10 Home x64 | Windows operating systems supported: Windows 8 | Modulation: 64-QAM | Networking standards: IEEE 802.11ac | Modulation: 16-QAM | Package depth: 148 mm | Windows operating systems supported: Windows XP Professional x64 | Package type: Box | Windows operating systems supported: Windows 7 Home Basic | Windows operating systems supported: Windows 7 Ultimate | Wi-Fi standards: 802.11a | WLAN data transfer rates supported: 300 Mbit/s | Wi-Fi standards: Wi-Fi 4 (802.11n) | Modulation: DQPSK | Operating relative humidity (H-H): 10 - 90% | Package height: 42

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

mm | Internal: Yes | Depth: 115.2 mm | Maximum data transfer rate: 867 Mbit/s | Quantity per pack:
1 pc(s) | Product colour: Green | Product colour: Black | Connectivity technology: Wireless |
Sustainability compliance: Yes | Antenna design: External | Transmitting power (CE): 23 dBm |
Transmitting power (FCC): 24 dBm

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950