



ITWorkup - Level up your IT!

Waterfall Office Park, 28 Augrabies Rd Vorna Valley, Midrand, 1685

Generated: 2026-08-29 12:03:26

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Ubiquiti U7 Pro XG 5800 Mbit/s White Power over Ethernet (PoE)



Model: U7-PRO-XG

Manufacturer: UBIQUITI

EAN: 810177160632

Product Code: 611483

R5,266

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Wireless meshing: Yes | Coverage area: 140 m² | Maximum Tx power (6 GHz): 24 dBmW | 6 GHz: Yes | Maximum data transfer rate (6 GHz): 5800 Mbit/s | Maximum Tx power (5 GHz): 26 dBmW | Access point management: Wi-Fi schedule | Maximum Tx power (2.4 GHz): 23 dBmW | Compliance certificates: Industry Canada (IC) | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: CE | Spatial streams: 6 | Rate limiting: Yes | Fast roaming: Yes | Width: 206 mm | MIMO type: Multi User MIMO | Product colour: White | 2.4 GHz: Yes | Ethernet LAN data rates: 5000 | Power over Ethernet (PoE): Yes | Operating temperature (T-T): -30 - 40 °C | Maximum data transfer rate (2.4 GHz): 688 Mbit/s | Placement: Ceiling, Wall | Ethernet LAN data rates: 2500 Mbit/s | Power over Ethernet (PoE) type supported: PoE+ | 5 GHz: Yes | Height: 206 mm | Maximum data transfer rate: 5800 Mbit/s | Frequency band: 2.4, 5, 6 GHz | Operating relative humidity (H-H): 5 - 95% | Depth: 32.5 mm | Ethernet LAN (RJ-45) ports: 1 | MIMO: Yes | Reset button: Yes | Antenna gain level (max): 6 dBi | Quantity per pack: 1 pc(s) | Maximum data transfer rate (5 GHz): 4300 Mbit/s | Antenna type: Internal | Weight: 750 g | LED indicators: Status | Number of users: 300 user(s) | Networking standards: IEEE 802.11k | Networking standards: IEEE 802.11r | Networking standards: IEEE 802.11ax | Housing material: Metal, Polycarbonate (PC) | Networking standards: IEEE 802.11v | Networking standards: IEEE 802.11n | Security algorithms: PPSK | Networking standards: IEEE 802.11ac | Networking standards: IEEE 802.11be | Power consumption (max): 22 W | Band steering: Yes | Mounting kit: Yes | VLAN support: Yes | Ethernet LAN data rates: 10000 Mbit/s | Ethernet LAN data rates: 1000 Mbit/s | Fit AP mode features: Hotspot 2.0

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950