

HP Smart Tank 790 All-in-One Printer Thermal inkjet A4 4800 x 1200 DPI 15 ppm Wi-Fi



Model: 4WF66A

Manufacturer: HEWLETT-PACKARD

EAN: 195908302858

Product Code: 649623

R6,153

Compatible operating systems: Windows 11 Windows 10 Windows 7 macOS 10.14 Mojave macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 13 Ventura macOS 14 Sonoma Chrome OS | Recommended system requirements: Windows 10 7 32-bit or 64-bit 2 GB available hard disk space Internet connection Internet Explorer. macOS v10.14 Mojave macOS v10.15 Catalina macOS v11 Big Sur 2 GB HD Internet required. | Bundled software: HP Printer Software, available online | Box contents: HP Smart Tank 790 All-in-One 3 x HP GT53XL 135-ml Black Original Ink Bottle HP GT52 Cyan Original Ink Bottle HP GT52 Magenta Original Ink Bottle HP GT52 Yellow Original Ink Bottle Power cord PHA Setup guide Reference guide Ink caution flyer Regulatory flyers warranty flyers For more information about fill and yield, see <http://www.hp.com/go/learnaboutsupplies> | Certification: CISPR 32:2015/EN 55032:2015+A11:2020 Class B CISPR24:2010+A1:2015/EN

55024:2010+A1:2015 EN55035:2017+A11:2020/CISPR35:2016 EN 61000-3-2:2019 EN 61000-3-

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

3:2013+A1:2019 FCC CFR 47 Part 15 Subpart B ICES-003 Issue 7:2020 EN 301 489-1 V2.2.3 EN 301 489-17 V3.2.2 | Depth: 364 mm | Copy speed (colour, normal quality, A4): 22 cpm | Scanner type: Flatbed scanner | Maximum print size: 216 x 355.6 mm | Mac operating systems supported: Mac OS X 12.0 Monterey | Auto document feeder (ADF) input capacity: 35 sheets | Package depth: 284 mm | Mac operating systems supported: Mac OS X 13.0 Ventura | Mac operating systems supported: Mac OS X 10.14 Mojave | Touchscreen: Yes | Wi-Fi: Yes | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Built-in processor: Yes | Mac operating systems supported: MacOS | AC input frequency: 50/60 Hz | Copy speed (black, normal quality, A4): 23 cpm | Mac operating systems supported: Mac OS X 14.0 Sonoma | Ethernet LAN: Yes | Direct printing: Yes | Maximum scan resolution: 1200 x 1200 DPI | Scanning: Colour scanning | USB 2.0 ports quantity: 1 | Operating relative humidity (H-H): 15 - 80% | Operating temperature (T-T): 5 - 40 °C | Copier resize: 25 - 400% | PictBridge: No | Package width: 484 mm | Storage temperature (T-T): -40 - 60 °C | Product colour: Grey | Custom media width: 88.9 - 215.9 mm | Internal memory: 256 MB | Power consumption (off): 0.1 W | Display diagonal: 7.62 cm (3") | Height: 240.3 mm | Bluetooth: Yes | Card reader integrated: No | Print technology: Thermal inkjet | Printing: Colour printing | Package height: 410 mm | AC input voltage: 100 - 240 V | Windows operating systems supported: Windows 10 | Cables included: AC | Windows operating systems supported: Windows 7 | Package weight: 10.7 kg | Optical scanning resolution: 1200 x 1200 DPI | Borderless printing media sizes: Letter | Maximum scan area: 216 x 297 mm | Width: 427.5 mm | Weight: 7.7 kg | Borderless printing media sizes: A4 | Windows operating systems supported: Windows 11 | Processor frequency: 800 MHz | Scan to: Software | Built-in display: Yes | Custom media length: 127 - 355.6 mm | Copying: Colour copying | USB port: Yes | Faxing: Colour faxing | Image formats supported: TIFF | Fax resolution (black): 300 x 300 DPI | Number of print heads: 2 | Time to first page (colour, normal): 16 s | Duplex scanning: No | Print speed (black, draft quality, A4/US Letter): 23 ppm | Junk barrier supported: Y | Image formats supported: BMP | Maximum copy resolution: 600 x 600 DPI | Control type: Buttons, Touch | Image formats supported: PNG | Greyscale levels: 256 | Print resolution colour: 4800 x 1200 DPI | Page description languages: PCL 3 GUI | Image formats supported: JPEG | Fax resolution (colour): 200 x 200 DPI | Power consumption (sleep): 1.1 W | Print speed (colour, draft quality, A4/US Letter): 22 ppm | Modem speed: 33.6 Kbit/s | Power supply type: Internal | ID-card copy function: Yes | Input colour depth: 24 bit | Wi-Fi Direct: Yes | Total input capacity: 250 sheets | Duplex copying: Yes | Fax delayed sending: Yes | Non-operating relative humidity (non-condensing): 5 - 90% | Duplex printing: Yes | Maximum ISO A-series paper size: A4 | Non-ISO print media sizes: Legal | Fax forwarding: Yes | Duplex functions: Fax | Fax transmission speed: 4 sec/page | Maximum number of input trays: 1 |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Mobile printing technologies: Apple AirPrint | UNSPSC-code: 43212110 | Time to first page (black, normal): 14 s | Paper tray media weight: 60 - 250 g/m² | Envelope feeder: No | Print speed (colour, normal quality, A4/US Letter): 9 ppm | Document formats supported: PDF | ISO C-series sizes (C0...C9): C6 | Number of print cartridges: 4 | ISO C-series sizes (C0...C9): C5 | HP segment: Home | Duplex printing mode: Auto | Warranty card: Yes | Recommended operating temperature range (T-T): 15 - 30 °C | Fax speed dialing (max numbers): 99 | All-In-One-multitasking: Yes | Mobile printing technologies: Mopria Print Service | Borderless printing: Yes | Scan drivers: TWAIN | Total number of input trays: 1 | Print speed (black, normal quality, A4/US Letter): 15 ppm | Maximum duty cycle: 6000 pages per month | Fax memory: 100 pages | Total carbon emissions, w/o use phase (kg of CO₂e): 147 | Envelopes sizes: C6 | Print resolution black: 1200 x 1200 DPI | Recommended humidity operating range: 20 - 80% | Total output capacity: 100 sheets | JIS B-series sizes (B0...B9): B5 | Envelopes sizes: C5 | Maximum resolution: 4800 x 1200 DPI | Custom media sizes: 88.9 x 127 mm to 215.9 x 355.6 mm | Maximum input capacity: 250 sheets | Maximum output capacity: 100 sheets | Envelopes sizes: DL | Auto reduction: Yes | Recommended duty cycle: 400 - 1200 pages per month | Scan technology: CIS | Auto fit function: Yes | ISO A-series sizes (A0...A9): A4 | Paper tray media types: Recycled paper | Paper tray media types: Plain paper | Paper tray media types: Glossy paper | Paper tray media types: Matte paper | ISO A-series sizes (A0...A9): A6 | Paper tray media types: Lightweight paper | Number of users: 3 user(s) | ISO A-series sizes (A0...A9): A5 | Auto document feeder (ADF): Yes | Other operating systems supported: ChromeOS | Carbon emissions, logistics (kg of CO₂e): 50 | TWAIN version: 2.1 | Photo paper sizes: 10x15 cm | Sound power level (printing): 6.5 dB | Colour display: No | Carbon emissions, manufacturing (kg of CO₂e): 377 | HP GTIN (EAN/UPC) with options: (301) 884962772683 (LS1) 199764688446 (LS2) 199764688453 (LS3) 199764688460 | Other EU Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction | Paper tray media types: Photo paper | Sound pressure level (printing): 59.4 dB | Print margins (top, bottom, right, left): 3.3 mm | Typical electricity consumption (TEC) number: 0.20 kWh/Week | Total carbon footprint (kg of CO₂e): 13.5 | Carbon emissions, end-of-life (kg of CO₂e): 0.8 | Photo paper sizes (imperial): 4x6 | Speed dialling: Yes | Warnings: Follow local regulations for the disposal of electronic multifunctional devices. | Maximum internal memory: 256 MB | Auto-redialing: Yes | Printing colours: Black, Cyan, Magenta, Yellow | Photo paper sizes (imperial): 5x7 | Warnings: Do not dispose of used appliances and toner cartridges in the regular rubbish bin, they may contain substances harmful to the environment. | Maximum number of copies: 99 copies | Duplex faxing: Yes | Photo paper sizes (imperial): 8x10 | Compliance certificates: CECP | Print speed (ISO/IEC 24734) black: 15 ppm | HP GTIN (EAN/UPC): 884962772683, 199764688446,

199764688453, 199764688460 | Warnings: Avoid contact with ink, may cause skin irritation. |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

General Product Safety Regulation (GPSR) URL: <https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-professional-cp5225-printer-series/model/3974359?sku=CE711A&serialnumber=CE711A> https://kaas.hpcloud.hp.com/pdf-public/pdf_10 | Sustainable technologies and materials: 25% post-consumer recycled plastic Recyclable through HP Planet Partners | Sustainability compliance: Yes | Print speed (ISO/IEC 24734) colour: 9 ppm

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950