

# HP LaserJet Pro MFP 3102fdw Printer



Model: 3G630F

Manufacturer: HEWLETT-PACKARD

EAN: 195122461898

Product Code: 649786

## R5,906

Replacement cartridges: HP 139A Original Black LaserJet Toner CartridgeW1390A (~1,500 yield) HP 139X Original Black LaserJet Toner CartridgeW1390X (~4,000 yield) | Manufacturer warranty: One-year limited warranty Warranty and support options vary by product, country, and local legal requirements | Compatible operating systems: Windows 11 Windows 10 macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 15 Sequoia Linux | Recommended system requirements: Microsoft Windows 11 10 2 GB available hard disk space Internet connection Microsoft Internet Explorer or Edge. Apple macOS v10.15 Catalina macOS v11 Big Sur macOS v12 Monterey 2 GB HD Internet required. | Box contents: HP LaserJet Pro MFP 3102fdw Printer HP Black LaserJet Toner Introductory Cartridge (yield ~1000 pages) Setup Guide Reference Guide Regulatory Flyer Warranty Guide Power cord | Bundled software: No CD inbox (except Indonesia and China Gov) Downloadable Software from [hp.com](http://hp.com), [hpsmart.com/setup](http://hpsmart.com/setup), in-OS app stores. CD include HP Software Installer, Uninstaller, printer driver and other essential tools | Certification: CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B EN 61000-3-2:2014 EN 61000-3-3:2013 EN 55035:2017 FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6 | Package width: 497 mm | Mac operating systems supported: Mac OS X 12.0 Monterey | Printing: Mono printing | Ethernet LAN

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[itworkup.co.za](http://itworkup.co.za) | [sales@itworkup.co.za](mailto:sales@itworkup.co.za) | +27 (11)541-9950

data rates: 10,100 Mbit/s | Display: CGD | Maximum print size: 207 x 348 mm | Mac operating systems supported: MacOS | Mac operating systems supported: Mac OS X 10.15.3 Catalina | USB 2.0 ports quantity: 1 | Security algorithms: SNMP | Package height: 490 mm | Copy speed (black, normal quality, A4): 33 cpm | Package depth: 379 mm | Bluetooth: Yes | Wi-Fi: Yes | Depth: 398.2 mm | Ethernet LAN: Yes | Direct printing: Yes | Scanning: Colour scanning | Custom media width: 76 - 216 mm | Product colour: White | Power consumption (off): 0.06 W | Built-in display: Yes | Windows operating systems supported: Windows 11 | Height: 313.2 mm | Auto document feeder (ADF) input capacity: 50 sheets | AC input voltage: 220 - 240 V | Display diagonal: 6.86 cm (2.7") | Cabling technology: 10/100Base-T(X) | Package weight: 13.6 kg | Optical scanning resolution: 1200 x 1200 DPI | Weight: 10.5 kg | Maximum scan area: 216 x 297 mm | Wi-Fi standards: Wi-Fi 4 (802.11n) | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Built-in processor: Yes | Operating temperature (T-T): 15 - 32.5 °C | AC input frequency: 50/60 Hz | Copying: Mono copying | Operating relative humidity (H-H): 10 - 80% | Copier resize: 25 - 400% | Custom media length: 127 - 356 mm | Processor frequency: 800 MHz | Storage temperature (T-T): -20 - 60 °C | Internal memory: 512 MB | Width: 418 mm | Windows operating systems supported: Windows 10 | Cables included: AC | Print technology: Laser | Linux operating systems supported: Yes | Power consumption (PowerSave): 0.06 W | Maximum input capacity: 250 sheets | Scan to: Software | Scan to: TWAIN | Greyscale levels: 256 | Non-ISO print media sizes: 16K | Maximum copy resolution: 300 x 300 DPI | Non-ISO print media sizes: L | Maximum resolution: 1200 x 1200 DPI | Modem speed: 33.6 Kbit/s | Non-ISO print media sizes: Oficio | Colour display: Yes | Power consumption (ready): 4.5 W | Page description languages: URF | USB port: Yes | All-In-One-multitasking: Yes | Wi-Fi Direct: Yes | Duplex functions: Print | Number of print cartridges: 1 | Optical scanning resolution (colour): 1200 x 1200 ppi | Recommended operating temperature range (T-T): 17.5 - 25 °C | UNSPSC-code: 43212110 | Maximum output capacity: 150 sheets | Auto reduction: Yes | ISO B-series sizes (B0...B9): B5 | Maximum duty cycle: 50000 pages per month | Optical scanning resolution (black): 1200 x 1200 ppi | Print speed (black, normal quality, A4/US Letter): 33 ppm | ISO C-series sizes (C0...C9): C6 | Page description languages: PCL 5c | Number of users: 10 user(s) | ISO A-series sizes (A0...A9): A6 | ISO A-series sizes (A0...A9): A4 | ISO A-series sizes (A0...A9): A5 | Other operating systems supported: Linux | Maximum number of input trays: 1 | Duplex scanning: No | Total output capacity: 150 sheets | Faxing: Mono faxing | HP segment: Small medium business | Envelopes sizes: B5 | Secure printing: Yes | Sound power level (printing): 6.6 dB | Scan speed (colour): 8 ppm | Acoustic pressure emissions bystander (ready): 14 dB | Fax memory: 500 pages | Scan technology: CIS | Auto fit function: Yes | Sound pressure level (scanning): 47 dB | Maximum internal memory: 512 MB | Printing colours: Black | Speed dialling: Yes | Duplex printing mode: Auto |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Warranty card: Yes | Page description languages: PCLmS | Recommended duty cycle: 350 - 2500 pages per month | Duplex printing: Yes | Total input capacity: 250 sheets | ISO C-series sizes (C0...C9): C5 | Page description languages: PDF | Paper tray media types: Plain paper | Acoustic power emissions (ready): 32 dB | Harmonized System (HS) code: 8443310000 | Photo paper sizes: 10x15 cm | Envelopes sizes: DL | Recommended humidity operating range: 30 - 70% | Maximum number of copies: 999 copies | Sound pressure level (printing): 53 dB | Maximum ISO A-series paper size: A4 | Optical scanning resolution (ADF): 300 x 300 DPI | Fax delayed sending: Yes | Fax forwarding: Yes | Paper tray media types: Postcard | Scan drivers: TWAIN | Cartridge(s) included: Yes | Power consumption (printing): 436 W | Paper tray media types: Labels | Total number of input trays: 1 | Sustainable technologies and materials: Mercury free | Scanner type: Flatbed & ADF scanner | Control type: Buttons, Touch | Power consumption (sleep): 1.31 W | Fax transmission speed: 3 sec/page | Envelopes sizes: C6 | Scan speed (black): 19 ppm | Included cartridge capacity (black): 1000 pages | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Envelopes sizes: C5 | Document formats supported: PDF | HP Dynamic security: Yes | Document formats supported: XPS | Typical electricity consumption (TEC) number: Blue Angel: 0.402 kWh/week | Warm-up time: 55 s | Paper tray 1 input capacity: 250 sheets | Print resolution black: 1200 x 1200 DPI | Printer fonts: TrueType | Paper tray media types: Cut sheet | Page description languages: PWG | Time to first copy (black, normal): 6.2 s | Paper tray media types: Glossy paper | Image formats supported: JPG | Image formats supported: TIFF | Fax resolution (black): 300 x 300 DPI | Doesn't contain: Mercury | Auto-redialing: Yes | JIS B-series sizes (B0...B9): B5 | JIS B-series sizes (B0...B9): B6 | Time to first page (black, normal): 7 s | Custom media sizes: Width 76 to 216 mm Length 127 to 356mm | Printer fonts: Scalable | Input colour depth: 24 bit | Duplex copying: Yes | Power supply type: Internal (built-in) Power Supply | Mobile printing technologies: Mopria Print Service | Mobile printing technologies: Apple AirPrint | Paper tray media weight: 60 - 163 g/m<sup>2</sup> | Sustainability compliance: Yes | HP GTIN (EAN/UPC) with options: (301) 884962772683 (LS1) 199764688446 (LS2) 199764688453 (LS3) 199764688460 | Carbon emissions, manufacturing (kg of CO<sub>2</sub>e): 377 | Carbon emissions, logistics (kg of CO<sub>2</sub>e): 50 | Carbon emissions, end-of-life (kg of CO<sub>2</sub>e): 0.8 | General Product Safety Regulation (GPSR) URL: <https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-professional-cp5225-printer-series/model/3974359?sku=CE711A&serialnumber=CE711A> [https://kaas.hpcloud.hp.com/pdf-public/pdf\\_10](https://kaas.hpcloud.hp.com/pdf-public/pdf_10) | HP GTIN (EAN/UPC): 884962772683, 199764688446, 199764688453, 199764688460 | Total carbon emissions, w/o use phase (kg of CO<sub>2</sub>e): 147 | Total carbon footprint (kg of CO<sub>2</sub>e): 13.5 | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: CCC | Compliance certificates: BSMI | Compliance certificates: GS mark | Compliance certificates: CE | Compliance certificates: BIS | Compliance certificates: EAC

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950