



HP Color LaserJet Enterprise LaserJet Enterprise M480f Multifunction Color Printer, Ethernet Only; Copier, Scanner

Model: 3QA55A

Manufacturer: HEWLETT-PACKARD

EAN: 193905216840

Product Code: 650265

R20,753

Manufacturer warranty: One-year, On-site Repair 24-hour / 7 day a week phone support |

Recommended system requirements: 2 GB available hard disk space Internet connection or USB port

Internet browser. 2 GB available hard disk space Internet connection or USB port Internet browser. |

Compatible operating systems: Windows 11 Windows 10 Windows 8 Windows 8.1 Windows 7

Windows Client OS Android iOS Mobile OS macOS 10.12 Sierra macOS 10.13 High Sierra macOS

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

10.14 Mojave macOS 10.15 Catalina | Box contents: HP Color LaserJet Enterprise MFP M480f printer
HP Black Original LaserJet Toner Cartridge (~2,400 pages) HP Cyan, Magenta, Yellow Original
LaserJet Toner Cartridges (~2,100 pages each) Getting started Guide 1 Power cord | Replacement
cartridges: HP 415A Black Original LaserJet Toner Cartridge (2,400 pages) W2030A, HP 415A Cyan
Original LaserJet Toner Cartridge (2,100 pages) W2031A, HP 415A Yellow Original LaserJet Toner
Cartridge (2,100 pages) W2032A, HP 415A Magenta Original LaserJet Toner Cartridge (2,100 pages)
W2033A, HP 415X High Yield Black Original LaserJet Toner Cartridge (7,500 pages) W2030X, HP
415X High Yield Cyan Original LaserJet Toner Cartridge (6,000 pages) W2031X, HP 415X High Yield
Yellow Original LaserJet Toner Cartridge (6,000 pages) W2032X, HP 415X High Yield Magenta
Original LaserJet Toner Cartridge (6,000 pages) W2033X | Certification: CISPR 22:2008 (International)
Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN
55035:2017, EN 55024:2010+A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013. Other EMC
approvals as required by individual countries. | Operating temperature (T-T): 15 - 32.5 °C | Ethernet
LAN: Yes | Direct printing: Yes | Maximum scan resolution: 600 x 600 DPI | Depth: 472 mm |
Processor frequency: 800 MHz | Windows operating systems supported: Windows 8.1 | Weight: 23.2
kg | Cabling technology: 10/100/1000Base-T(X) | Print technology: Laser | Package weight: 26.3 kg |
Package width: 597 mm | Windows operating systems supported: Windows 8 | Height: 399.8 mm |
Windows operating systems supported: Windows 11 | Windows operating systems supported:
Windows 7 | Wi-Fi: Yes | Windows operating systems supported: Windows 10 | Cables included: AC |
Product colour: White | Custom media width: 76 - 216 mm | Power consumption (off): 0.08 W |
Storage temperature (T-T): -20 - 40 °C | Package depth: 497 mm | Internal memory: 2048 MB |
Bluetooth: Yes | Mac operating systems supported: Mac OS X 10.13 High Sierra | Mac operating
systems supported: Mac OS X 10.15.3 Catalina | Display diagonal: 10.9 cm (4.3") | Printing: Colour
printing | Mac operating systems supported: Mac OS X 10.12 Sierra | Mac operating systems
supported: Mac OS X 10.15 Catalina | Built-in processor: Yes | Mac operating systems supported:
MacOS | Display: LCD | AC input voltage: 200 - 240 V | USB 2.0 ports quantity: 3 | Ethernet LAN data
rates: 10,100,1000 Mbit/s | Mac operating systems supported: Mac OS X 10.14 Mojave | Faxing:
Colour faxing | Scanning: Colour scanning | Scan to: File | Copier resize: 25 - 400% | Custom media
length: 127 - 356 mm | Built-in display: Yes | Security algorithms: HTTPS | Security algorithms: EAP-
PEAP | Scan to: USB | Copy speed (black, normal quality, A4): 27 cpm | Card reader integrated: No |
Maximum print size: 212 x 352 mm | Auto document feeder (ADF) input capacity: 50 sheets |
Security algorithms: SSL/TLS | Scan to: E-mail | USB port: Yes | Width: 415.4 mm | Maximum scan
area: 216 x 297 mm | Number of print cartridges: 4 | Operating relative humidity (H-H): 30 - 70% |
Scan to: Image | Scan to: Fax | Scan to: PC | Optical scanning resolution: 600 x 600 DPI | Security

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices
may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or
typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

algorithms: EAP-TLS | Scanner type: Flatbed scanner | AC input frequency: 50 Hz | Power consumption (PowerSave): 0.08 W | Copying: Colour copying | Scan to: FTP | Package height: 490 mm | Scan to: SMB | Security algorithms: SNMPv3 | Digital sender: Yes | Security algorithms: FIPS 140 | Copy speed (colour, normal quality, A4): 27 cpm | Envelope feeder: No | Paper tray media types: Plain paper | Optical scanning resolution (black): 600 x 600 ppi | Paper tray media types: Rough paper | Recommended humidity operating range: 10 - 90% | Duplex scan speed (black): 35 ppm | Acoustic power emissions (ready): 36 dB | Printer fonts: PostScript | Paper tray media weight: 60 - 200 g/m² | Paper tray 2 input capacity: 250 sheets | Total input capacity: 300 sheets | N-in-1 print function: Yes | Page description languages: PDF 1.7 | Duplex scanning mode: Auto | Page description languages: PCL 5 | Page description languages: PCL 6 | Fax resolution (colour): 300 x 300 DPI | Acoustic pressure emissions bystander (ready): 20 dB | Optical scanning resolution (colour): 600 x 600 ppi | HP segment: Business | Printer fonts: TrueType | Sound pressure level (scanning): 46 dB | Printer fonts: PCL | Duplex copying: Yes | HP Dynamic security: Yes | Printer fonts: Scalable | Watermark printing: Yes | Printer fonts: Windows | Book copy function: Yes | Typical electricity consumption (TEC) number: Blue Angel: 1.051 kWh/week Energy Star 3.0: 0.425 kWh/week | Print resolution colour: 600 x 600 DPI | Paper tray media types: Labels | HP Auto-On/Auto-Off: Yes | Paper tray media types: Bond paper | Paper tray media types: Postcard | Maximum number of input trays: 3 | Paper tray media types: Recycled paper | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Paper tray media types: Glossy paper | Paper tray media types: Photo paper | Print resolution black: 600 x 600 DPI | Total number of input trays: 2 | Sound power level (printing): 6.1 dB | Speed dialling: Yes | N-in-1 copy function: Yes | Duplex scan speed (colour): 46 ppm | Custom media sizes: Tray 1: 76 x 127 to 216 x 356 mm Tray 2: 98 x 148 to 216 x 356 mm Optional Tray: 98 x 148 to 216 x 356 mm | Sound pressure level (printing): 49 dB | Duplex copying mode: Auto | Total output capacity: 150 sheets | Secure printing: Yes | Multi-Purpose tray: Yes | Sound power level (standby): 20 dB | Mobile printing technologies: HP ePrint | Doesn't contain: Mercury | Mobile printing technologies: Apple AirPrint | HP GTIN (EAN/UPC) with options: (301) 884962772683 (LS1) 199764688446 (LS2) 199764688453 (LS3) 199764688460 | Auto reduction: Yes | Time to first page (colour, normal): 11 s | Power consumption (printing): 581 W | Fax forwarding: Yes | Greyscale levels: 256 | Paper tray 1 input capacity: 50 sheets | Non-ISO print media sizes: 16K | Maximum copy resolution: 600 x 600 DPI | Maximum duty cycle: 55000 pages per month | UNSPSC-code: 43212110 | Fax memory: 1000 pages | Print speed (black, normal quality, A4/US Letter): 27 ppm | Control type: Touch | Power consumption (sleep): 1 W | Maximum ISO A-series paper size: A4 | Scan drivers: TWAIN | Maximum output capacity: 150 sheets | Carbon emissions, logistics (kg of CO₂e): 50 | ISO B-series sizes (B0...B9): B5 | Photo paper sizes: 10x15 cm | Envelopes sizes: DL | Maximum input

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

capacity: 850 sheets | Envelopes sizes: B5 | Envelopes sizes: C5 | Power consumption (ready): 21.9 W | Envelopes sizes: C6 | Maximum resolution: 600 x 600 DPI | Modem speed: 33.6 Kbit/s | Sustainability compliance: Yes | Duplex printing: Yes | Time to first copy (black, normal): 9.6 s | Power consumption (average operating): 581 W | All-In-One-multitasking: Yes | Time to first copy (colour, normal): 11.3 s | Scan speed (colour): 20 ppm | Sustainable technologies and materials: Mercury-free | Carbon emissions, end-of-life (kg of CO2e): 0.8 | Fax transmission speed: 3 sec/page | Wi-Fi Direct: Yes | JIS B-series sizes (B0...B9): B5 | JIS B-series sizes (B0...B9): B6 | ID-card copy function: Yes | Print speed (colour, normal quality, A4/US Letter): 27 ppm | Internal storage capacity: 16 GB | Fax resolution (black): 300 x 300 DPI | Cartridge(s) included: Yes | Included cartridge capacity (CMY): 2100 pages | Fax delayed sending: No | Other operating systems supported: iOS | ISO A-series sizes (A0...A9): A4 | Number of users: 10 user(s) | ISO A-series sizes (A0...A9): A6 | Colour display: Yes | Other operating systems supported: Android | Multi-Purpose tray input capacity: 50 sheets | ISO A-series sizes (A0...A9): A5 | Mobile printing technologies: Mopria Print Service | Scan technology: CIS | Auto fit function: Yes | Carbon emissions, manufacturing (kg of CO2e): 377 | Input colour depth: 24 bit | Power supply type: Internal (built-in) Power Supply | Duplex printing mode: Auto | Duplex functions: Print | Recommended duty cycle: 900 - 4800 pages per month | Recommended operating temperature range (T-T): 15 - 27 °C | HP GTIN (EAN/UPC): 884962772683, 199764688446, 199764688453, 199764688460 | Time to first page (black, normal): 9.5 s | Duplex functions: Copy | ISO C-series sizes (C0...C9): C5 | ISO C-series sizes (C0...C9): C6 | Scan speed (black): 29 ppm | Printing colours: Black, Cyan, Magenta, Yellow | Duplex scanning: Yes | Included cartridge capacity (black): 2400 pages | Warm-up time: 170 s | Maximum number of copies: 9999 copies | Auto-redialing: Yes | Total carbon footprint (kg of CO2e): 13.5 | Maximum internal memory: 2048 MB | Total carbon emissions, w/o use phase (kg of CO2e): 147 | Compliance certificates: CE | Compliance certificates: BSMI | General Product Safety Regulation (GPSR) URL: <https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-professional-cp5225-printer-series/model/3974359?sku=CE711A&serialnumber=CE711A> https://kaas.hpcloud.hp.com/pdf-public/pdf_10 | Compliance certificates: cUL | Compliance certificates: CECP | Compliance certificates: BIS | Compliance certificates: GS mark | Compliance certificates: CCC | Compliance certificates: UL

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950