



Axagon RVH-VGN HDMI -> VGA adapter FullHD, 1920x1200



Model: RVH-VGN

Manufacturer: AXAGON

EAN: 8595247904393

Product Code: 678724

R889

HDMI -> VGA active adapter AXAGON RVH-VGN for connecting an older VGA monitor / TV / projector to a computer or other device with HDMI output. It can also be used with set-top boxes or Xbox and PlayStation consoles.

Without any installation or setup, the hardware converter ensures image transfer up to resolution 1920x1200 (WUXGA) at 60Hz refresh rate.

The innovative design of the adapter electronics ensures high-quality clear and sharp images.

The reduction is only one-way, i.e. HDMI to VGA converter, not the opposite way.

Input: _____

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

- HDMI v1.4b digital interface
- HDMI A (M) male

Output:

- Analog VGA interface
- D-Sub 15-pin (F) female connector

Supported resolutions:

- max. 1920x1200 (16:10) WUXGA
- 1920 x 1080 (16:9) Full HD/1080p
- 1680 x 1050 (16:10) WSXGA+
- 1600 x 1200 (4:3) UXGA
- 1600 x 900 (16:9) HD+
- 1440 x 900 (16:10) WXGA+
- 1400 x 1050 (4:3) SXGA+
- 1366 x 768 (16:9) WXGA
- 1360 x 768
- 1280 x 1024 (5:4) SXGA
- 1280 x 960 (4:3) SXGA-
- 1280 x 800 (16:10) WXGA
- 1280 x 768 (5:3) WXGA
- 1280 x 720 (16:9) HD/WXGA/720p
- 1280 x 600
- 1152 x 864 (4:3) XGA+
- 1024 x 768 (4:3) XGA
- 800 x 600 (4:3) SVGA
- 640 x 480 (4:3) VGA
- 576i/576p PAL
- 480i/480p NTSC

Note: The resolution depends on the monitor / TV / projector and graphic adapter parameters.

Other features:

- HDCP 1.4 copy protection support for video and audio content,
- **supported modes: mirroring the primary monitor's desktop, extending the primary monitor's**

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

desktop, and more,

- charging from HDMI input - no external power needed,
- Compact dimensions 42 x 38 x 16 mm,
- Cable length approx. 17 cm,
- Weight 27g,
- Operating temperature: 0 ~ 40°C,
- Storage temperature: -20 ~ 85°C.

Supported OSs:

- All versions of MS Windows, Mac OS X, Linux, Android, Chrome and other operating systems.
- This is a purely hardware converter, the conversion is provided by the adapter chip without computer participation, no drivers need to be installed, so compatibility is not dependent on your operating system.

Package contains:

- HDMI > VGA converter,
- printed multilingual manual

CZ/DE/DK/ENG/ESP/FIN/FR/GR/HR/HU/IT/NL/PL/PT/RO/RU/SK/SWE/BG/CN/TR/ARA,

- packed in a cardboard box.