

**Axagon EE35-
GTR USB-C
5Gbps - SATA
6G, 3.5 RIBBED
box BLACK - USB
Typ C HDD
enclosure 3.5"**



Model: EE35-GTR

Manufacturer: AXAGON

EAN: 8595247906809

Product Code: 703577

R1,377

Ribbed aluminum external AXAGON EE35-GTR RIBBED box with USB 3.2 Gen 1 (USB 3.0) interface for 3.5" SATA HDD. The double-sided USB-C connector on the box together with the supplied USB-C - > USB-A cable and USB-A -> USB-C adapter enables a reliable connection to a computer.

Thanks to the USB 3.2 Gen 1 interface, the transfer rate is up to 5 Gbps. SATA 6G interface with UASP support allows you to enjoy the speed of modern disks. Reading S.M.A.R.T. information monitoring the condition of the external drive. Hibernation support for connected disk and box.

The inner box frame fixes well and protects the inserted disk. The ribbed aluminum box body helps

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

cool and protect the drive. Rubber feet restrict movement on the table. The elegant box surface prevents unwanted fingerprints.

Input:

- USB 3.2 Gen 1 (USB 3.1 Gen 1 / USB 3.0) SuperSpeed USB.
- Speed up to 5 Gbit/s.
- Connection via reversible USB type C female connector.

Device support:

- SATA III - 6 Gb/s (600 MB/s) interface,
- Supports 3.5" HDD,
- max. disk capacity - all without restriction,

Other features:

- Compatible with USB 3.2 Gen 1 (USB 3.1 Gen 1 / USB 3.0), backward compatible USB 2.0.
- Supports transmission rates 5 000 / 480 Mbit/s (SuperSpeed / HighSpeed).
- Compliant with Serial ATA 3.0 specification (SATA/600), transmission rates of up to 6 Gb/s (600 MB/s).
- Compliant with Serial ATA 2.0 specification (SATA/300), transmission rates of up to 3 Gb/s (300 MB/s).
- Compliant with Serial ATA 1.0 specification (SATA/150), transmission rates of up to 1.5 Gb/s (150 MB/s).
- The total bandwidth / transmission rate of the box is determined by the USB interface used (theor. 5 Gbit/s).
- Supports BOT (Bulk-Only Transport).
- Supports UASP (USB Attached SCSI) for faster data transmission in Windows 8 and later.
- Supports S.M.A.R.T. (Self-Monitoring, Analysis, and Reporting Technology) system monitoring disk condition.
- SSD boot support in external box.
- Possibility to connect your device while running thanks to the Hot Plug support.
- Full Plug and Play support.
- HDD Auto Spindown - automatic spindown of a disk after period of inactivity lasting 10 minutes.
- HDD Turn Off - turns off the disk after removing the device or sleeping the PC.

- **Connection via USB 3.2 Gen 1 type C female connector.**

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

- USB-C / USB-A male cable 80 cm long is included.
- USB-A - USB-C adapter is included.
- A decent LED indicating the connection to the computer's USB port (permanent light) and data transfer (blinking).
- Box dimensions 174 x 113 x 33 mm.
- Weight 300 g.

Power supply:

- Power supply via a compact external AC/DC adapter 12V - 2A (24 W) with a 150 cm long supply cable.
- On/Off button on the rear panel of the box.
- AC adapter dimensions 81 x 44 x 68 mm (incl. plug).
- AC adapter weight 103 g (incl. supply cable).

Supported operating systems:

- MS Windows 7 / 8 / 8.1 / 10 / 11 and later, Windows Server 2008 / 2012 / 2016 / 2019 / 2022 and later (all 32-bit and 64-bit Windows OS versions are supported), Mac OS X 10.x and later, Linux with kernel 2.6.x and later.

Note: Drivers are included with supported operating systems and are installed completely automatically. No other drivers need to be installed and are not even available.

Package contains:

- USB-C 3.2 Gen 1 external box for 3.5" SATA disk,
- USB-C - USB-A cable 80 cm long,
- USB-A - USB-C adapter,
- power adapter 100-240V / 12V-2A,
- self-adhesive rubber pads,
- mounting material and screwdriver,
- multilingual guide CZ / DE / DK / ENG / ESP / FIN / FR / GR / HR / HU / IT / NL / PL / PT / RO / RU / SK / SWE / TR / BG / CN / ARA,
- packed in a cardboard box.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950